

## KIDSCREEN Health Related Quality of Life Questionnaires

### CD-ROM Appendix A7\_E:

#### Provision of National Norm Proxy Data for Individual Diagnostic Use

Table A7_E - 1: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Physical Well-being.....	6
Table A7_E - 2: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being.....	7
Table A7_E - 3: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions.....	8
Table A7_E - 4: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Self Perception.....	9
Table A7_E - 5: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	10
Table A7_E - 6: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life.....	11
Table A7_E - 7: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers.....	12
Table A7_E - 8: AT – Austria. Individual norm data KIDSCREEN-52-PROXY School Environment.....	13
Table A7_E - 9: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Social Acceptance.....	14
Table A7_E - 10: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Financial Resources.....	15
Table A7_E - 11: AT – Austria. Individual norm data KIDSCREEN-27-PROXY Physical Well-being.....	16
Table A7_E - 12: AT – Austria. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being.....	17
Table A7_E - 13: AT – Austria. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy.....	18
Table A7_E - 14: AT – Austria. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers.....	19
Table A7_E - 15: AT – Austria. Individual norm data KIDSCREEN-27-PROXY School Environment.....	20
Table A7_E - 16: AT – Austria. Individual norm data KIDSCREEN-10-PROXY Index.....	21
Table A7_E - 17: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Physical Well-being.....	22
Table A7_E - 18: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being.....	23
Table A7_E - 19: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions.....	24
Table A7_E - 20: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Self Perception.....	25
Table A7_E - 21: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	26
Table A7_E - 22: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life.....	27
Table A7_E - 23: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers.....	28
Table A7_E - 24: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY School Environment.....	29
Table A7_E - 25: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Social Acceptance.....	30
Table A7_E - 26: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Financial Resources.....	31
Table A7_E - 27: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY Physical Well-being.....	32
Table A7_E - 28: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being.....	33
Table A7_E - 29: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy.....	34

Table A7_E - 30: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers.....	35
Table A7_E - 31: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY School Environment.....	36
Table A7_E - 32: CH – Switzerland. Individual norm data KIDSCREEN-10-PROXY Index.....	37
Table A7_E - 33: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Physical Well-being.....	38
Table A7_E - 34: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being.....	39
Table A7_E - 35: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions.....	40
Table A7_E - 36: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Self Perception.....	41
Table A7_E - 37: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	42
Table A7_E - 38: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life.....	43
Table A7_E - 39: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers.....	44
Table A7_E - 40: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY School Environment.....	45
Table A7_E - 41: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Social Acceptance.....	46
Table A7_E - 42: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Financial Resources.....	47
Table A7_E - 43: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY Physical Well-being.....	48
Table A7_E - 44: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being.....	49
Table A7_E - 45: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy.....	50
Table A7_E - 46: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers.....	51
Table A7_E - 47: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY School Environment.....	52
Table A7_E - 48: CZ – Czech Republic. Individual norm data KIDSCREEN-10-PROXY Index.....	53
Table A7_E - 49: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Physical Well-being.....	54
Table A7_E - 50: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being.....	55
Table A7_E - 51: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions.....	56
Table A7_E - 52: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Self Perception.....	57
Table A7_E - 53: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	58
Table A7_E - 54: DE – Germany. Individual norm data KIDSCREEN-52 Parent Relations & Home Life.....	59
Table A7_E - 55: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers.....	60
Table A7_E - 56: DE – Germany. Individual norm data KIDSCREEN-52-PROXY School Environment.....	61
Table A7_E - 57: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Social Acceptance.....	62
Table A7_E - 58: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Financial Resources.....	63
Table A7_E - 59: DE – Germany. Individual norm data KIDSCREEN-27-PROXY Physical Well-being.....	64
Table A7_E - 60: DE – Germany. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being.....	65
Table A7_E - 61: DE – Germany. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy.....	66
Table A7_E - 62: DE – Germany. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers.....	67
Table A7_E - 63: DE – Germany. Individual norm data KIDSCREEN-27-PROXY School Environment.....	68
Table A7_E - 64: DE – Germany. Individual norm data KIDSCREEN-10-PROXY Index.....	69
Table A7_E - 65: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Physical Well-being for Greece.....	70
Table A7_E - 66: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being for Greece.....	71
Table A7_E - 67: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions for Greece.....	72
Table A7_E - 68: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Self Perception for Greece.....	73
Table A7_E - 69: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Autonomy for Greece.....	74

Table A7_E - 70: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life for Greece .....	75
Table A7_E - 71: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers for Greece .....	76
Table A7_E - 72: EL – Greece. Individual norm data KIDSCREEN-52-PROXY School Environment for Greece.....	77
Table A7_E - 73: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Social Acceptance for Greece.....	78
Table A7_E - 74: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Financial Resources for Greece .....	79
Table A7_E - 75: EL – Greece. Individual norm data KIDSCREEN-27-PROXY Physical Well-being for Greece.....	80
Table A7_E - 76: EL – Greece. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being for Greece ....	81
Table A7_E - 77: EL – Greece. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy for Greece .....	82
Table A7_E - 78: EL – Greece. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers for Greece .....	83
Table A7_E - 79: EL – Greece. Individual norm data KIDSCREEN-27-PROXY School Environment for Greece.....	84
Table A7_E - 80: EL – Greece. Individual norm data KIDSCREEN-10-PROXY Index for Greece .....	85
Table A7_E - 81: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Physical Well-being .....	86
Table A7_E - 82: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being .....	87
Table A7_E - 83: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions .....	88
Table A7_E - 84: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Self Perception .....	89
Table A7_E - 85: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	90
Table A7_E - 86: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life .....	91
Table A7_E - 87: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers .....	92
Table A7_E - 88: ES – Spain. Individual norm data KIDSCREEN-52-PROXY School Environment.....	93
Table A7_E - 89: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Social Acceptance .....	94
Table A7_E - 90: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Financial Resources .....	95
Table A7_E - 91: ES – Spain. Individual norm data KIDSCREEN-27-PROXY Physical Well-being .....	96
Table A7_E - 92: ES – Spain. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being .....	97
Table A7_E - 93: ES – Spain. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy .....	98
Table A7_E - 94: ES – Spain. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers .....	99
Table A7_E - 95: ES – Spain. Individual norm data KIDSCREEN-27-PROXY School Environment.....	100
Table A7_E - 96: ES – Spain. Individual norm data KIDSCREEN-10-PROXY Index .....	101
Table A7_E - 97: FR – France. Individual norm data KIDSCREEN-52-PROXY Physical Well-being .....	102
Table A7_E - 98: FR – France. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being .....	103
Table A7_E - 99: FR – France. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions .....	104
Table A7_E - 100: FR – France. Individual norm data KIDSCREEN-52-PROXY Self Perception .....	105
Table A7_E - 101: FR – France. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	106
Table A7_E - 102: FR – France. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life .....	107
Table A7_E - 103: FR – France. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers .....	108
Table A7_E - 104: FR – France. Individual norm data KIDSCREEN-52-PROXY School Environment.....	109
Table A7_E - 105: FR – France. Individual norm data KIDSCREEN-52-PROXY Social Acceptance .....	110
Table A7_E - 106: FR – France. Individual norm data KIDSCREEN-52-PROXY Financial Resources .....	111
Table A7_E - 107: FR – France. Individual norm data KIDSCREEN-27-PROXY Physical Well-being .....	112

Table A7_E - 108: FR – France. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being .....	113
Table A7_E - 109: FR – France. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy .....	114
Table A7_E - 110: FR – France. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers .....	115
Table A7_E - 111: FR – France. Individual norm data KIDSCREEN-27-PROXY School Environment.....	116
Table A7_E - 112: FR – France. Individual norm data KIDSCREEN-10-PROXY Index.....	117
Table A7_E - 113: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Physical Well-being .....	118
Table A7_E - 114: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being .....	119
Table A7_E - 115: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions .....	120
Table A7_E - 116: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Self Perception .....	121
Table A7_E - 117: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	122
Table A7_E - 118: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life .....	123
Table A7_E - 119: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers .....	124
Table A7_E - 120: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY School Environment.....	125
Table A7_E - 121: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Social Acceptance .....	126
Table A7_E - 122: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Financial Resources .....	127
Table A7_E - 123: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY Physical Well-being .....	128
Table A7_E - 124: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being .....	129
Table A7_E - 125: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy .....	130
Table A7_E - 126: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers .....	131
Table A7_E - 127: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY School Environment.....	132
Table A7_E - 128: HU – Hungary. Individual norm data KIDSCREEN-10-PROXY Index.....	133
Table A7_E - 129: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Physical Well-being .....	134
Table A7_E - 130: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being.....	135
Table A7_E - 131: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions .....	136
Table A7_E - 132: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Self Perception .....	137
Table A7_E - 133: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	138
Table A7_E - 134: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life ..	139
Table A7_E - 135: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers.....	140
Table A7_E - 136: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY School Environment.....	141
Table A7_E - 137: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Social Acceptance .....	142
Table A7_E - 138: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Financial Resources.....	143
Table A7_E - 139: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY Physical Well-being .....	144
Table A7_E - 140: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being.....	145
Table A7_E - 141: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy...	146
Table A7_E - 142: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers.....	147
Table A7_E - 143: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY School Environment.....	148
Table A7_E - 144: NL – Netherlands. Individual norm data KIDSCREEN-10-PROXY Index.....	149
Table A7_E - 145: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Physical Well-being .....	150
Table A7_E - 146: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being .....	151
Table A7_E - 147: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions .....	152

Table A7_E - 148: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Self Perception .....	153
Table A7_E - 149: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	154
Table A7_E - 150: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life .....	155
Table A7_E - 151: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers .....	156
Table A7_E - 152: PL – Poland. Individual norm data KIDSCREEN-52-PROXY School Environment.....	157
Table A7_E - 153: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Social Acceptance .....	158
Table A7_E - 154: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Financial Resources .....	159
Table A7_E - 155: PL – Poland. Individual norm data KIDSCREEN-27-PROXY Physical Well-being .....	160
Table A7_E - 156: PL – Poland. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being .....	161
Table A7_E - 157: PL – Poland. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy .....	162
Table A7_E - 158: PL – Poland. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers .....	163
Table A7_E - 159: PL – Poland. Individual norm data KIDSCREEN-27-PROXY School Environment.....	164
Table A7_E - 160: PL – Poland. Individual norm data KIDSCREEN-10-PROXY Index.....	165
Table A7_E - 161: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Physical Well-being .....	166
Table A7_E - 162: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being..	167
Table A7_E - 163: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions .....	168
Table A7_E - 164: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Self Perception .....	169
Table A7_E - 165: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Autonomy.....	170
Table A7_E - 166: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life.....	171
Table A7_E - 167: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers.....	172
Table A7_E - 168: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY School Environment .....	173
Table A7_E - 169: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Social Acceptance .....	174
Table A7_E - 170: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Financial Resources.....	175
Table A7_E - 171: UK – United Kingdom. Individual norm data KIDSCREEN-27 Physical Well-being .....	176
Table A7_E - 172: UK – United Kingdom. Individual norm data KIDSCREEN-27 Psychological Well-being .....	177
Table A7_E - 173: UK – United Kingdom. Individual norm data KIDSCREEN-27 Parent Relations & Autonomy .....	178
Table A7_E - 174: UK – United Kingdom. Individual norm data KIDSCREEN-27 Social Support & Peers .....	179
Table A7_E - 175: UK – United Kingdom. Individual norm data KIDSCREEN-27 School Environment.....	180
Table A7_E - 176: UK – United Kingdom. Individual norm data KIDSCREEN-10 Index .....	181

Table A7\_E - 1: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=263)		Males (n=228)		All (n=491)		Females (n=483)		Males (n=419)		All (n=902)		Females (n=746)		Males (n=647)		All (n=1393)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
<b>5</b>	<b>0.00</b>																		
<b>6</b>	<b>5.56</b>			0.7	-3.4	0.3	-5.8	0.3	11.3			0.2	11.0	0.2	8.2	0.2	6.5	0.2	7.7
<b>7</b>	<b>11.11</b>			0.7	0.5	0.3	-1.8	0.5	14.6	0.5	12.7	0.5	14.2	0.3	11.5	0.5	9.8	0.4	11.0
<b>8</b>	<b>16.67</b>			1.1	4.3	0.5	2.3	0.9	17.9	0.5	15.9	0.7	17.4	0.6	14.9	0.7	13.2	0.6	14.3
<b>9</b>	<b>22.22</b>			1.1	8.2	0.5	6.3	1.3	21.2	1.2	19.1	1.2	20.6	0.8	18.3	1.1	16.5	0.9	17.6
<b>10</b>	<b>27.78</b>			1.1	12.0	0.5	10.4	1.7	24.5	1.9	22.3	1.8	23.8	1.1	21.6	1.6	19.8	1.3	21.0
<b>11</b>	<b>33.33</b>	0.6	12.8	1.6	15.9	0.9	14.4	2.9	27.8	2.5	25.5	2.7	27.0	2.0	25.0	2.0	23.1	2.0	24.3
<b>12</b>	<b>38.89</b>	1.3	17.1	2.0	19.7	1.5	18.5	5.6	31.1	5.0	28.7	5.3	30.2	4.1	28.4	3.9	26.5	4.0	27.6
<b>13</b>	<b>44.44</b>	2.1	21.3	2.0	23.6	1.9	22.5	9.9	34.4	6.9	31.9	8.5	33.4	7.1	31.7	5.1	29.8	6.2	30.9
<b>14</b>	<b>50.00</b>	3.5	25.6	4.4	27.4	3.9	26.5	14.3	37.7	10.0	35.1	12.3	36.6	10.5	35.1	8.0	33.1	9.3	34.3
<b>15</b>	<b>55.56</b>	4.6	29.8	5.7	31.3	5.1	30.6	20.3	41.0	15.0	38.3	17.8	39.9	14.8	38.5	11.7	36.4	13.3	37.6
<b>16</b>	<b>61.11</b>	9.9	34.1	9.2	35.2	9.6	34.6	31.9	44.3	22.9	41.5	27.7	43.1	24.1	41.8	18.1	39.7	21.3	40.9
<b>17</b>	<b>66.67</b>	16.3	38.3	15.3	39.0	15.9	38.7	45.1	47.6	31.0	44.7	38.6	46.3	35.0	45.2	25.5	43.1	30.6	44.2
<b>18</b>	<b>72.22</b>	27.2	42.6	21.9	42.9	24.8	42.7	57.4	50.9	41.6	47.8	50.0	49.5	46.7	48.5	34.6	46.4	41.1	47.5
<b>19</b>	<b>77.78</b>	38.3	46.8	35.0	46.7	36.7	46.8	69.8	54.2	53.1	51.0	62.0	52.7	58.7	51.9	46.7	49.7	53.1	50.9
<b>20</b>	<b>83.33</b>	57.3	51.1	57.0	50.6	57.2	50.8	79.1	57.5	66.9	54.2	73.4	55.9	71.4	55.3	63.4	53.0	67.7	54.2
<b>21</b>	<b>88.89</b>	74.6	55.3	71.0	54.4	72.9	54.9	90.7	60.8	82.6	57.4	86.9	59.1	85.0	58.6	78.5	56.3	82.0	57.5
<b>22</b>	<b>94.44</b>	90.8	59.6	87.3	58.3	89.2	58.9	97.8	64.1	91.2	60.6	94.7	62.3	95.3	62.0	89.8	59.7	92.7	60.8
<b>23</b>	<b>100.00</b>	100.0	63.8	100.0	62.1	100.0	63.0	100.0	67.4	100.0	63.8	100.0	65.5	100.0	65.4	100.0	63.0	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 2: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=264)		Males (n=230)		All (n=494)		Females (n=486)		Males (n=418)		All (n=904)		Females (n=750)		Males (n=648)		All (n=1398)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67																		
11	20.83																		
12	25.00			0.7	2.5	0.3	-4.3	0.5	10.1	0.4	8.2	0.4	9.3	0.3	5.6	0.4	6.5	0.3	6.1
13	29.17			1.1	6.0	0.5	-0.4	0.7	13.2	0.6	11.4	0.6	12.4	0.5	8.9	0.7	9.8	0.5	9.4
14	33.33			1.1	9.5	0.5	3.5	1.1	16.3	0.6	14.6	0.8	15.6	0.7	12.3	0.7	13.1	0.7	12.7
15	37.50			1.1	13.0	0.5	7.4	1.3	19.5	0.9	17.8	1.0	18.8	0.9	15.7	0.9	16.4	0.8	16.0
16	41.67			1.1	16.5	0.5	11.2	2.1	22.7	1.1	21.0	1.5	22.0	1.3	19.0	1.0	19.7	1.1	19.3
17	45.83			1.6	20.0	0.7	15.1	3.1	25.8	1.5	24.2	2.3	25.2	2.0	22.4	1.4	23.0	1.7	22.7
18	50.00			2.7	23.5	1.2	19.0	5.3	29.0	3.8	27.5	4.6	28.3	3.5	25.7	3.4	26.3	3.4	26.0
19	54.17	0.6	17.3	4.0	27.0	2.0	22.9	7.6	32.1	5.5	30.7	6.6	31.5	5.1	29.1	4.9	29.5	5.0	29.3
20	58.33	1.6	21.8	4.6	30.4	2.8	26.8	9.5	35.3	7.6	33.9	8.6	34.7	6.7	32.4	6.5	32.8	6.6	32.6
21	62.50	3.0	26.2	7.4	33.9	5.0	30.6	13.8	38.5	13.3	37.1	13.6	37.9	10.0	35.8	11.2	36.1	10.6	35.9
22	66.67	4.2	30.7	9.6	37.4	6.7	34.5	19.6	41.6	18.1	40.3	18.9	41.0	14.1	39.1	15.1	39.4	14.6	39.3
23	70.83	9.4	35.2	17.0	40.9	12.9	38.4	27.2	44.8	24.6	43.5	26.0	44.2	20.9	42.5	21.9	42.7	21.4	42.6
24	75.00	22.6	39.7	33.1	44.4	27.5	42.3	43.8	47.9	40.9	46.7	42.5	47.4	36.4	45.8	38.1	46.0	37.2	45.9
25	79.17	33.7	44.1	43.9	47.9	38.4	46.2	55.1	51.1	51.2	49.9	53.3	50.6	47.6	49.2	48.6	49.2	48.1	49.2
26	83.33	46.3	48.6	57.8	51.4	51.6	50.1	67.3	54.3	63.4	53.1	65.5	53.7	59.9	52.6	61.4	52.5	60.6	52.5
27	87.50	75.0	53.1	78.3	54.9	76.5	53.9	88.5	57.4	82.5	56.4	85.7	56.9	83.7	55.9	81.0	55.8	82.5	55.9
28	91.67	82.2	57.5	85.3	58.4	83.6	57.8	92.4	60.6	87.8	59.6	90.3	60.1	88.8	59.3	86.9	59.1	87.9	59.2
29	95.83	90.5	62.0	91.8	61.8	91.1	61.7	95.5	63.7	93.3	62.8	94.5	63.3	93.7	62.6	92.8	62.4	93.3	62.5
30	100.00	100.0	66.5	100.0	65.3	100.0	65.6	100.0	66.9	100.0	66.0	100.0	66.4	100.0	66.0	100.0	65.7	100.0	65.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 3: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=260)		Males (n=226)		All (n=486)		Females (n=480)		Males (n=417)		All (n=897)		Females (n=740)		Males (n=643)		All (n=1383)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00																		
15	28.57							0.3	14.7			0.2	13.1	0.2	11.3			0.1	10.5
16	32.14							0.3	17.3			0.2	15.7	0.2	14.0			0.1	13.2
17	35.71							1.3	19.8			0.7	18.2	0.8	16.6			0.4	15.8
18	39.29	0.6	8.4			0.3	11.9	1.7	22.3	1.0	18.5	1.3	20.8	1.2	19.3	0.6	17.4	0.9	18.5
19	42.86	0.6	11.7	0.7	17.8	0.5	14.9	2.2	24.8	1.3	21.2	1.7	23.4	1.5	21.9	1.0	20.1	1.2	21.2
20	46.43	0.6	14.9	1.5	20.7	0.9	18.0	2.8	27.4	1.6	23.8	2.1	25.9	1.9	24.6	1.4	22.8	1.7	23.8
21	50.00	1.0	18.2	2.7	23.5	1.7	21.0	4.0	29.9	3.1	26.5	3.6	28.5	2.8	27.2	2.9	25.5	2.9	26.5
22	53.57	1.4	21.4	4.0	26.3	2.5	24.0	4.8	32.4	5.3	29.1	5.0	31.1	3.5	29.9	4.8	28.2	4.1	29.2
23	57.14	2.0	24.7	5.4	29.1	3.5	27.0	9.0	35.0	7.2	31.8	8.1	33.6	6.5	32.5	6.5	31.0	6.5	31.8
24	60.71	2.0	28.0	7.5	32.0	4.5	30.0	13.6	37.5	10.1	34.4	11.9	36.2	9.5	35.2	9.2	33.7	9.3	34.5
25	64.29	5.4	31.2	9.3	34.8	7.2	33.1	18.4	40.0	12.5	37.1	15.6	38.8	13.8	37.8	11.4	36.4	12.7	37.2
26	67.86	12.0	34.4	15.1	37.6	13.4	36.1	26.0	42.6	18.3	39.7	22.4	41.3	21.1	40.5	17.1	39.1	19.3	39.8
27	71.43	15.4	37.7	21.8	40.5	18.4	39.1	34.8	45.1	24.8	42.4	30.1	43.9	28.0	43.1	23.7	41.8	26.0	42.5
28	75.00	22.7	40.9	27.9	43.3	25.1	42.1	45.2	47.6	32.4	45.1	39.2	46.5	37.3	45.8	30.9	44.5	34.3	45.2
29	78.57	31.6	44.2	31.9	46.1	31.7	45.2	51.2	50.1	41.5	47.7	46.7	49.0	44.3	48.4	38.1	47.2	41.4	47.9
30	82.14	39.3	47.4	42.5	48.9	40.8	48.2	59.7	52.7	49.4	50.4	54.9	51.6	52.5	51.1	47.0	49.9	50.0	50.5
31	85.71	50.4	50.6	53.2	51.8	51.7	51.2	71.0	55.2	59.7	53.0	65.7	54.2	63.7	53.7	57.4	52.6	60.8	53.2
32	89.29	64.2	53.9	66.4	54.6	65.2	54.2	78.3	57.7	72.8	55.7	75.8	56.7	73.4	56.4	70.6	55.3	72.1	55.9
33	92.86	80.0	57.1	80.5	57.4	80.2	57.2	86.3	60.3	82.2	58.3	84.4	59.3	84.0	59.0	81.6	58.0	82.9	58.5
34	96.43	91.5	60.4	92.9	60.2	92.2	60.3	94.6	62.8	90.9	61.0	92.9	61.9	93.5	61.7	91.6	60.7	92.6	61.2
35	100.00	100.0	63.6	100.0	63.1	100.0	63.3	100.0	65.3	100.0	63.6	100.0	64.4	100.0	64.3	100.0	63.4	100.0	63.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 4: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=268)		Males (n=235)		All (n=503)		Females (n=490)		Males (n=423)		All (n=913)		Females (n=758)		Males (n=658)		All (n=1416)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00																		
8	15.00																		
9	20.00							0.3	20.3			0.2	16.0	0.2	18.1			0.1	13.4
10	25.00							1.2	23.2			0.7	18.9	0.8	20.9			0.4	16.4
11	30.00	0.6	15.2			0.3	11.8	2.0	26.0	0.4	10.9	1.2	21.9	1.4	23.8	0.2	9.5	0.8	19.5
12	35.00	0.6	18.6	0.7	9.7	0.5	15.3	3.5	28.9	0.4	14.6	2.0	24.9	2.4	26.7	0.4	13.2	1.4	22.6
13	40.00	1.2	21.9	1.1	13.6	1.0	18.8	6.4	31.7	0.8	18.3	3.7	27.9	4.5	29.5	0.8	16.9	2.8	25.6
14	45.00	4.1	25.2	1.1	17.5	2.6	22.3	9.6	34.6	1.7	21.9	5.9	30.8	7.7	32.4	1.4	20.7	4.7	28.7
15	50.00	5.3	28.5	1.8	21.4	3.6	25.8	14.3	37.5	2.4	25.6	8.8	33.8	11.1	35.3	2.1	24.4	6.9	31.8
16	55.00	9.0	31.8	3.8	25.3	6.6	29.3	20.2	40.3	4.5	29.3	12.9	36.8	16.3	38.1	4.2	28.1	10.7	34.8
17	60.00	12.0	35.1	6.3	29.2	9.4	32.8	29.2	43.2	8.7	32.9	19.7	39.8	23.1	41.0	7.9	31.8	16.0	37.9
18	65.00	16.1	38.4	8.1	33.1	12.3	36.4	38.0	46.0	13.2	36.6	26.5	42.7	30.3	43.9	11.4	35.5	21.5	41.0
19	70.00	22.8	41.7	13.1	37.0	18.3	39.9	47.7	48.9	22.4	40.3	36.0	45.7	38.9	46.7	19.1	39.2	29.7	44.0
20	75.00	31.1	45.1	19.0	40.9	25.4	43.4	59.6	51.7	30.7	44.0	46.2	48.7	49.5	49.6	26.5	43.0	38.8	47.1
21	80.00	39.2	48.4	31.4	44.8	35.6	46.9	68.8	54.6	41.6	47.6	56.2	51.7	58.3	52.5	37.9	46.7	48.9	50.1
22	85.00	55.6	51.7	45.4	48.7	50.8	50.4	79.2	57.4	53.2	51.3	67.1	54.7	70.9	55.3	50.4	50.4	61.4	53.2
23	90.00	69.1	55.0	58.6	52.6	64.2	53.9	87.2	60.3	70.6	55.0	79.5	57.6	80.8	58.2	66.3	54.1	74.1	56.3
24	95.00	85.1	58.3	76.2	56.5	80.9	57.4	93.9	63.2	84.9	58.6	89.7	60.6	90.8	61.1	81.8	57.8	86.6	59.3
25	100.00	100.0	61.6	100.0	60.4	100.0	60.9	100.0	66.0	100.0	62.3	100.0	63.6	100.0	63.9	100.0	61.6	100.0	62.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 5: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=271)		Males (n=233)		All (n=504)		Females (n=489)		Males (n=425)		All (n=914)		Females (n=760)		Males (n=658)		All (n=1418)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00									0.4	-3.4	0.2	2.2			0.2	-7.3	0.1	-2.0
8	15.00									0.6	0.2	0.3	5.5			0.4	-3.4	0.2	1.6
9	20.00									0.6	3.8	0.3	8.8			0.4	0.5	0.2	5.2
10	25.00							0.3	15.1	0.6	7.4	0.4	12.1	0.2	11.6	0.4	4.3	0.3	8.7
11	30.00							0.5	18.2	0.6	11.0	0.5	15.4	0.3	15.0	0.4	8.2	0.3	12.3
12	35.00							1.2	21.3	0.8	14.6	1.0	18.7	0.8	18.3	0.5	12.0	0.6	15.8
13	40.00	1.2	14.0			0.6	12.3	2.1	24.5	0.8	18.2	1.4	22.0	1.7	21.7	0.5	15.9	1.1	19.4
14	45.00	1.2	18.2	0.7	14.2	0.9	16.6	3.7	27.6	1.4	21.8	2.6	25.3	2.8	25.1	1.1	19.7	2.0	23.0
15	50.00	2.3	22.4	0.7	18.8	1.4	20.9	7.0	30.7	2.6	25.4	4.9	28.6	5.3	28.5	1.8	23.5	3.7	26.5
16	55.00	3.7	26.5	1.8	23.3	2.8	25.2	9.6	33.9	5.4	29.0	7.7	31.9	7.5	31.9	4.1	27.4	5.9	30.1
17	60.00	5.5	30.7	3.1	27.8	4.3	29.5	14.4	37.0	7.3	32.6	11.1	35.2	11.2	35.3	5.8	31.2	8.7	33.7
18	65.00	11.0	34.8	6.8	32.3	9.1	33.7	19.0	40.1	10.8	36.2	15.2	38.5	16.2	38.7	9.4	35.1	13.0	37.2
19	70.00	14.0	39.0	14.2	36.8	14.1	38.0	26.2	43.3	16.9	39.8	21.9	41.8	21.8	42.1	15.9	38.9	19.1	40.8
20	75.00	25.8	43.1	25.4	41.3	25.6	42.3	38.1	46.4	26.6	43.4	32.7	45.1	33.7	45.5	26.1	42.8	30.2	44.4
21	80.00	43.5	47.3	42.1	45.8	42.8	46.6	49.3	49.5	41.1	47.0	45.5	48.4	47.2	48.9	41.5	46.6	44.6	47.9
22	85.00	61.3	51.5	54.9	50.3	58.4	50.9	58.7	52.6	52.9	50.6	56.0	51.7	59.6	52.3	53.6	50.5	56.9	51.5
23	90.00	77.9	55.6	72.5	54.8	75.4	55.2	71.3	55.8	65.4	54.2	68.5	55.0	73.7	55.7	67.9	54.4	71.0	55.1
24	95.00	87.5	59.8	85.4	59.3	86.5	59.5	83.0	58.9	82.6	57.8	82.8	58.3	84.6	59.1	83.6	58.2	84.1	58.6
25	100.00	100.0	63.9	100.0	63.8	100.0	63.8	100.0	62.0	100.0	61.4	100.0	61.7	100.0	62.4	100.0	62.1	100.0	62.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 6: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life

Raw-Score	0-100 Score	Females (n=264)		Children 8-11 Males (n=232)		All (n=496)		Females (n=481)		Adolescents 12-18 Males (n=420)		All (n=901)		Females (n=745)		Children & Adolescents 8-18 Males (n=652)		All (n=1397)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50							0.3	4.7			0.2	2.5	0.2	0.5			0.1	-0.5
10	16.67							0.3	7.6			0.2	5.5	0.2	3.6			0.1	2.6
11	20.83							0.5	10.5			0.3	8.5	0.4	6.6			0.2	5.7
12	25.00							0.7	13.4			0.4	11.5	0.5	9.7			0.3	8.8
13	29.17			0.7	8.5	0.3	4.2	0.7	16.3	0.4	11.7	0.5	14.5	0.5	12.8	0.3	10.8	0.4	11.9
14	33.33			0.7	11.7	0.3	7.7	1.1	19.2	0.6	14.9	0.8	17.4	0.7	15.8	0.5	14.0	0.6	15.0
15	37.50			1.1	14.9	0.5	11.2	1.5	22.1	1.0	18.0	1.2	20.4	1.0	18.8	0.9	17.1	0.9	18.1
16	41.67			1.5	18.1	0.7	14.7	2.1	25.0	1.7	21.1	1.9	23.4	1.4	21.9	1.5	20.2	1.4	21.2
17	45.83	0.6	14.3	2.7	21.4	1.4	18.1	3.0	27.9	2.2	24.2	2.6	26.4	2.0	25.0	2.3	23.4	2.2	24.3
18	50.00	1.0	18.2	3.9	24.6	2.2	21.6	4.6	30.8	3.8	27.3	4.2	29.4	3.2	28.0	3.8	26.5	3.5	27.4
19	54.17	2.3	22.0	4.6	27.8	3.2	25.1	7.5	33.7	5.7	30.5	6.7	32.4	5.7	31.1	5.2	29.6	5.4	30.4
20	58.33	2.9	25.9	5.7	31.0	4.1	28.6	12.3	36.6	7.8	33.6	10.2	35.4	8.9	34.1	7.0	32.8	8.0	33.5
21	62.50	5.0	29.7	8.2	34.2	6.5	32.1	17.6	39.6	11.2	36.7	14.6	38.3	13.1	37.2	10.1	35.9	11.7	36.6
22	66.67	11.0	33.6	13.0	37.4	11.9	35.6	24.3	42.5	17.3	39.8	21.1	41.3	19.6	40.2	15.8	39.1	17.8	39.7
23	70.83	13.6	37.4	15.5	40.6	14.5	39.1	34.3	45.4	26.9	43.0	30.9	44.3	27.0	43.3	22.8	42.2	25.0	42.8
24	75.00	21.6	41.3	25.9	43.9	23.6	42.6	45.2	48.3	36.2	46.1	41.0	47.3	36.8	46.4	32.5	45.3	34.8	45.9
25	79.17	32.1	45.1	41.0	47.1	36.3	46.1	55.5	51.2	47.9	49.2	52.0	50.3	47.2	49.4	45.4	48.5	46.4	49.0
26	83.33	46.9	48.9	50.5	50.3	48.5	49.6	68.4	54.1	61.7	52.3	65.3	53.3	60.8	52.5	57.7	51.6	59.3	52.1
27	87.50	65.8	52.8	66.4	53.5	66.1	53.1	79.0	57.0	72.9	55.4	76.1	56.3	74.3	55.5	70.6	54.7	72.6	55.2
28	91.67	79.5	56.6	80.6	56.7	80.0	56.6	88.8	59.9	84.3	58.6	86.7	59.2	85.5	58.6	83.0	57.9	84.3	58.3
29	95.83	90.5	60.5	88.8	59.9	89.7	60.1	94.4	62.8	93.1	61.7	93.8	62.2	93.0	61.6	91.6	61.0	92.3	61.3
30	100.00	100.0	64.3	100.0	63.1	100.0	63.6	100.0	65.7	100.0	64.8	100.0	65.2	100.0	64.7	100.0	64.1	100.0	64.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 7: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=265)		Males (n=229)		All (n=494)		Females (n=480)		Males (n=411)		All (n=891)		Females (n=745)		Males (n=640)		All (n=1385)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00			0.7	4.1	0.3	-1.1	0.5	7.6			0.3	6.8	0.3	3.7	0.2	5.2	0.2	4.4
7	4.17			0.7	6.8	0.3	1.9	0.5	10.1	0.4	8.4	0.4	9.4	0.3	6.4	0.4	7.8	0.3	7.1
8	8.33			1.1	9.4	0.5	4.8	0.5	12.7	0.4	10.9	0.4	12.0	0.3	9.1	0.6	10.5	0.4	9.8
9	12.50			1.1	12.1	0.5	7.8	0.8	15.2	0.4	13.5	0.5	14.5	0.5	11.8	0.6	13.1	0.5	12.4
10	16.67			1.1	14.8	0.5	10.7	1.0	17.7	0.6	16.2	0.7	17.0	0.6	14.5	0.7	15.7	0.6	15.1
11	20.83			1.6	17.5	0.7	13.7	1.2	20.2	0.6	18.8	0.9	19.6	0.8	17.2	0.9	18.4	0.7	17.8
12	25.00			1.6	20.2	0.7	16.7	1.5	22.7	1.0	21.4	1.2	22.1	1.0	20.0	1.1	21.0	1.0	20.5
13	29.17			3.1	22.9	1.4	19.6	2.9	25.2	1.5	24.0	2.3	24.7	1.9	22.7	2.0	23.6	2.0	23.1
14	33.33	0.6	18.9	3.8	25.5	1.9	22.5	3.6	27.7	2.5	26.6	3.0	27.2	2.4	25.4	2.8	26.3	2.6	25.8
15	37.50	1.6	22.2	4.9	28.2	3.1	25.5	4.4	30.2	4.1	29.2	4.3	29.8	3.4	28.1	4.4	28.9	3.8	28.5
16	41.67	1.6	25.5	7.0	30.9	4.1	28.4	6.3	32.7	6.8	31.8	6.5	32.3	4.6	30.8	6.9	31.5	5.6	31.1
17	45.83	3.8	28.8	7.6	33.6	5.5	31.4	9.6	35.3	9.2	34.4	9.4	34.9	7.5	33.5	8.6	34.1	8.0	33.8
18	50.00	6.9	32.1	9.6	36.3	8.1	34.3	14.4	37.8	13.9	37.0	14.1	37.4	11.7	36.2	12.3	36.8	12.0	36.5
19	54.17	9.9	35.3	13.2	39.0	11.4	37.3	17.9	40.3	17.8	39.6	17.9	40.0	15.1	38.9	16.1	39.4	15.6	39.2
20	58.33	14.4	38.6	16.2	41.7	15.2	40.3	21.5	42.8	22.9	42.2	22.1	42.5	19.0	41.6	20.5	42.0	19.7	41.8
21	62.50	24.9	41.9	24.5	44.3	24.7	43.2	31.3	45.3	30.0	44.8	30.7	45.1	29.0	44.4	28.0	44.7	28.5	44.5
22	66.67	35.4	45.2	34.1	47.0	34.8	46.2	40.6	47.8	39.2	47.4	40.0	47.7	38.8	47.1	37.4	47.3	38.1	47.2
23	70.83	47.6	48.5	46.4	49.7	47.0	49.1	51.0	50.3	49.7	50.1	50.4	50.2	49.8	49.8	48.5	49.9	49.2	49.9
24	75.00	63.1	51.7	64.7	52.4	63.8	52.1	65.2	52.8	65.7	52.7	65.5	52.8	64.5	52.5	65.4	52.6	64.9	52.5
25	79.17	74.7	55.0	74.2	55.1	74.5	55.0	74.6	55.4	73.4	55.3	74.1	55.3	74.6	55.2	73.7	55.2	74.2	55.2
26	83.33	83.8	58.3	86.9	57.8	85.3	58.0	82.7	57.9	81.5	57.9	82.1	57.9	83.1	57.9	83.4	57.8	83.3	57.9
27	87.50	93.3	61.6	92.1	60.5	92.7	60.9	89.8	60.4	89.3	60.5	89.6	60.4	91.0	60.6	90.3	60.5	90.7	60.5
28	91.67	94.8	64.9	97.0	63.1	95.8	63.9	94.3	62.9	95.1	63.1	94.7	63.0	94.5	63.3	95.8	63.1	95.1	63.2
29	95.83	97.8	68.2	98.3	65.8	98.0	66.8	97.5	65.4	97.3	65.7	97.4	65.5	97.6	66.1	97.7	65.7	97.6	65.9
30	100.00	100.0	71.4	100.0	68.5	100.0	69.8	100.0	67.9	100.0	68.3	100.0	68.1	100.0	68.8	100.0	68.3	100.0	68.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 8: AT – Austria. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=268)		Males (n=226)		All (n=494)		Females (n=469)		Males (n=408)		All (n=877)		Females (n=737)		Males (n=634)		All (n=1371)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17									0.6	14.1	0.3	11.6			0.4	12.8	0.2	10.1
8	8.33									0.9	16.5	0.4	14.0			0.6	15.1	0.3	12.5
9	12.50									1.3	18.9	0.6	16.5			0.8	17.4	0.4	14.9
10	16.67	0.6	3.5	0.7	13.0	0.5	8.9	0.9	16.3	1.3	21.3	1.0	19.0	0.7	14.4	1.0	19.8	0.8	17.3
11	20.83	0.6	6.4	0.7	15.5	0.5	11.6	1.3	18.9	2.0	23.6	1.6	21.4	1.0	16.9	1.4	22.1	1.2	19.7
12	25.00	0.6	9.4	0.7	18.1	0.5	14.3	2.0	21.4	2.9	26.0	2.4	23.9	1.4	19.4	2.0	24.4	1.7	22.1
13	29.17	1.0	12.3	0.7	20.6	0.7	17.0	2.3	24.0	3.5	28.4	2.8	26.4	1.7	22.0	2.4	26.7	2.0	24.5
14	33.33	1.3	15.3	1.1	23.1	1.1	19.7	2.8	26.6	4.7	30.8	3.6	28.8	2.2	24.5	3.3	29.1	2.7	26.9
15	37.50	1.3	18.2	3.5	25.6	2.2	22.3	4.0	29.2	5.9	33.2	4.9	31.3	3.0	27.0	5.0	31.4	3.9	29.3
16	41.67	2.0	21.1	4.9	28.2	3.2	25.0	4.7	31.8	8.6	35.5	6.5	33.7	3.7	29.5	7.2	33.7	5.3	31.7
17	45.83	2.7	24.0	4.9	30.7	3.7	27.7	7.7	34.3	12.3	37.9	9.8	36.2	5.8	32.1	9.6	36.1	7.6	34.2
18	50.00	2.7	27.0	7.9	33.2	5.1	30.4	11.9	36.9	18.6	40.3	15.0	38.7	8.6	34.6	14.8	38.4	11.4	36.6
19	54.17	4.9	29.9	11.5	35.8	7.9	33.1	17.5	39.5	26.2	42.7	21.5	41.1	12.9	37.1	21.0	40.7	16.6	39.0
20	58.33	7.5	32.8	14.6	38.3	10.7	35.8	22.6	42.1	35.0	45.1	28.4	43.6	17.1	39.7	27.7	43.0	22.0	41.4
21	62.50	9.7	35.8	21.2	40.8	15.0	38.5	32.0	44.7	42.6	47.5	36.9	46.1	23.9	42.2	35.0	45.4	29.0	43.8
22	66.67	14.2	38.7	27.0	43.3	20.1	41.2	39.4	47.2	48.5	49.8	43.7	48.5	30.3	44.7	40.9	47.7	35.2	46.2
23	70.83	22.1	41.6	33.6	45.9	27.4	43.8	50.4	49.8	56.2	52.2	53.1	51.0	40.1	47.3	48.1	50.0	43.8	48.6
24	75.00	31.1	44.6	43.8	48.4	36.9	46.5	62.1	52.4	69.9	54.6	65.7	53.4	50.8	49.8	60.6	52.4	55.4	51.0
25	79.17	40.1	47.5	52.2	50.9	45.6	49.2	71.4	55.0	79.0	57.0	74.9	55.9	60.0	52.3	69.4	54.7	64.4	53.4
26	83.33	50.5	50.4	60.5	53.5	55.1	51.9	80.8	57.6	87.0	59.4	83.7	58.4	69.8	54.9	77.6	57.0	73.4	55.8
27	87.50	63.1	53.4	74.3	56.0	68.3	54.6	87.8	60.1	92.9	61.8	90.2	60.8	78.8	57.4	86.3	59.4	82.3	58.3
28	91.67	74.3	56.3	82.7	58.5	78.1	57.3	94.5	62.7	95.6	64.1	95.0	63.3	87.1	59.9	91.0	61.7	88.9	60.7
29	95.83	87.0	59.2	90.7	61.1	88.7	60.0	97.7	65.3	98.3	66.5	97.9	65.7	93.8	62.4	95.6	64.0	94.6	63.1
30	100.00	100.0	62.2	100.0	63.6	100.0	62.6	100.0	67.9	100.0	68.9	100.0	68.2	100.0	65.0	100.0	66.3	100.0	65.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 9: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Females (n=272)		Children 8-11 Males (n=234)		All (n=506)		Females (n=491)		Adolescents 12-18 Males (n=420)		All (n=911)		Children & Adolescents 8-18 Females (n=763)		Males (n=654)		All (n=1417)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00																		
4	8.33									0.4	3.3	0.2	-0.8			0.2	2.3	0.1	0.2
5	16.67	0.6	7.6			0.3	6.5	0.3	0.3	0.6	8.3	0.4	4.5	0.3	3.6	0.4	7.4	0.3	5.5
6	25.00	1.2	12.8			0.6	11.9	0.5	6.1	1.0	13.2	0.7	9.8	0.7	9.0	0.7	12.5	0.6	10.8
7	33.33	1.2	18.0	0.7	16.2	0.9	17.2	0.9	11.8	1.9	18.2	1.3	15.2	0.9	14.5	1.4	17.7	1.1	16.1
8	41.67	1.7	23.2	2.2	21.7	1.8	22.6	1.2	17.5	2.9	23.2	1.9	20.5	1.2	20.0	2.6	22.8	1.8	21.4
9	50.00	5.9	28.4	5.9	27.3	5.9	27.9	3.9	23.3	6.4	28.2	5.0	25.8	4.6	25.5	6.2	28.0	5.4	26.7
10	58.33	11.4	33.6	9.7	32.8	10.6	33.3	6.1	29.0	9.5	33.1	7.7	31.2	8.0	31.0	9.6	33.1	8.7	32.0
11	66.67	15.4	38.8	16.1	38.4	15.7	38.6	10.8	34.8	14.0	38.1	12.3	36.5	12.5	36.4	14.7	38.2	13.5	37.3
12	75.00	31.2	44.0	30.4	43.9	30.8	44.0	22.6	40.5	26.5	43.1	24.4	41.8	25.7	41.9	27.9	43.4	26.7	42.6
13	83.33	48.9	49.2	54.0	49.5	51.3	49.3	37.1	46.3	41.2	48.0	39.0	47.2	41.3	47.4	45.8	48.5	43.4	47.9
14	91.67	66.2	54.3	71.5	55.0	68.7	54.6	52.4	52.0	56.4	53.0	54.2	52.5	57.3	52.9	61.8	53.7	59.4	53.3
15	100.00	100.0	59.5	100.0	60.6	100.0	60.0	100.0	57.8	100.0	58.0	100.0	57.8	100.0	58.4	100.0	58.8	100.0	58.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 10: AT – Austria. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Females (n=265)		Children 8-11 Males (n=225)		All (n=490)		Females (n=489)		Adolescents 12-18 Males (n=425)		All (n=914)		Females (n=754)		Children & Adolescents 8-18 Males (n=650)		All (n=1404)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00									0.4	0.7	0.2	2.8			0.2	0.7	0.1	1.8
4	8.33			0.7	5.7	0.3	4.7			0.4	5.8	0.2	7.7			0.4	5.8	0.2	6.7
5	16.67	0.9	8.4	0.7	10.8	0.7	9.8	0.6	13.8	0.6	10.8	0.5	12.5	0.7	12.2	0.5	10.9	0.6	11.7
6	25.00	1.3	13.6	0.7	15.9	0.9	14.9	1.4	18.5	1.0	15.9	1.2	17.4	1.3	17.1	0.8	15.9	1.1	16.6
7	33.33	1.8	18.7	1.1	21.0	1.3	20.0	2.2	23.2	2.1	21.0	2.2	22.2	2.0	21.9	1.7	21.0	1.9	21.5
8	41.67	2.7	23.9	3.1	26.1	2.9	25.1	4.5	27.9	3.1	26.0	3.8	27.1	3.8	26.7	3.1	26.1	3.5	26.4
9	50.00	4.9	29.0	5.8	31.2	5.3	30.2	7.8	32.6	5.9	31.1	6.9	31.9	6.8	31.5	5.9	31.1	6.4	31.4
10	58.33	10.2	34.2	12.9	36.3	11.4	35.3	16.3	37.3	12.5	36.2	14.5	36.8	14.2	36.3	12.6	36.2	13.5	36.3
11	66.67	18.1	39.3	26.2	41.4	21.8	40.3	24.3	42.0	21.7	41.2	23.1	41.6	22.1	41.1	23.2	41.3	22.6	41.2
12	75.00	33.3	44.5	43.9	46.5	38.2	45.4	39.8	46.7	41.9	46.3	40.8	46.5	37.5	46.0	42.6	46.4	39.9	46.1
13	83.33	51.1	49.6	60.5	51.6	55.4	50.5	58.3	51.3	61.4	51.3	59.8	51.3	55.8	50.8	61.1	51.4	58.2	51.1
14	91.67	69.9	54.8	76.5	56.7	72.9	55.6	73.3	56.0	76.5	56.4	74.7	56.2	72.1	55.6	76.5	56.5	74.1	56.0
15	100.00	100.0	59.9	100.0	61.8	100.0	60.7	100.0	60.7	100.0	61.5	100.0	61.0	100.0	60.4	100.0	61.6	100.0	60.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 11: AT – Austria. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=263)		Males (n=228)		All (n=491)		Females (n=483)		Males (n=419)		All (n=902)		Females (n=746)		Males (n=647)		All (n=1393)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56			0.7	-3.2	0.3	-5.7	0.3	11.3			0.2	11.0	0.2	8.2	0.2	6.5	0.2	7.7
7	11.11			0.7	0.7	0.3	1.7	0.5	14.6	0.5	12.7	0.5	14.2	0.3	11.6	0.5	9.9	0.4	11.0
8	16.67			1.1	4.5	0.5	2.4	0.9	18.0	0.5	15.9	0.7	17.4	0.6	14.9	0.7	13.2	0.6	14.3
9	22.22			1.1	8.3	0.5	6.4	1.3	21.3	1.2	19.1	1.2	20.6	0.9	18.3	1.1	16.5	0.9	17.7
10	27.78			1.1	12.2	0.5	10.5	1.7	24.6	2.0	22.3	1.8	23.8	1.1	21.7	1.6	19.8	1.3	21.0
11	33.33	0.6	12.9	1.6	16.0	0.9	14.5	2.9	27.9	2.5	25.5	2.7	27.0	2.0	25.0	2.0	23.1	2.0	24.3
12	38.89	1.3	17.1	2.0	19.9	1.5	18.5	5.6	31.2	5.0	28.7	5.4	30.2	4.1	28.4	3.9	26.5	4.0	27.6
13	44.44	2.0	21.4	2.0	23.7	1.9	22.6	10.0	34.5	6.9	31.9	8.6	33.4	7.2	31.8	5.1	29.8	6.2	31.0
14	50.00	3.5	25.6	4.4	27.5	3.9	26.6	14.3	37.8	10.1	35.1	12.4	36.7	10.5	35.1	8.1	33.1	9.4	34.3
15	55.56	4.6	29.9	5.8	31.4	5.1	30.6	20.3	41.1	15.1	38.3	17.9	39.9	14.8	38.5	11.8	36.4	13.4	37.6
16	61.11	9.9	34.1	9.2	35.2	9.6	34.7	31.9	44.4	22.9	41.5	27.8	43.1	24.2	41.8	18.1	39.7	21.3	40.9
17	66.67	16.3	38.3	15.3	39.1	15.8	38.7	45.2	47.7	31.0	44.7	38.6	46.3	35.0	45.2	25.5	43.1	30.6	44.2
18	72.22	27.3	42.6	21.9	42.9	24.8	42.8	57.4	51.0	41.6	47.8	50.1	49.5	46.8	48.6	34.7	46.4	41.2	47.6
19	77.78	38.4	46.8	35.1	46.7	36.9	46.8	69.8	54.3	53.0	51.0	62.0	52.7	58.7	51.9	46.7	49.7	53.1	50.9
20	83.33	57.5	51.1	57.0	50.6	57.2	50.8	79.1	57.6	66.9	54.2	73.4	55.9	71.5	55.3	63.4	53.0	67.7	54.2
21	88.89	74.6	55.3	71.0	54.4	72.9	54.9	90.7	60.9	82.6	57.4	86.9	59.1	85.0	58.7	78.5	56.3	82.0	57.5
22	94.44	90.9	59.6	87.3	58.3	89.2	58.9	97.7	64.2	91.2	60.6	94.7	62.3	95.3	62.0	89.8	59.7	92.8	60.8
23	100.00	100.0	63.8	100.0	62.1	100.0	63.0	100.0	67.5	100.0	63.8	100.0	65.5	100.0	65.4	100.0	63.0	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 12: AT – Austria. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=261)		Males (n=229)		All (n=490)		Females (n=478)		Males (n=417)		All (n=895)		Females (n=739)		Males (n=646)		All (n=1385)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00																		
15	28.57							0.3	10.0	0.4	5.1	0.3	8.3	0.2	6.2	0.2	2.7	0.2	4.8
16	32.14							0.3	13.0	0.4	8.2	0.3	11.3	0.2	9.3	0.2	5.9	0.2	7.9
17	35.71							0.7	15.9	0.4	11.2	0.5	14.3	0.4	12.4	0.2	9.1	0.3	11.0
18	39.29			0.7	7.5	0.3	4.5	1.3	18.9	0.8	14.3	1.0	17.2	0.8	15.4	0.6	12.3	0.7	14.2
19	42.86	0.6	5.0	0.7	11.0	0.5	8.2	1.9	21.8	0.8	17.4	1.4	20.2	1.4	18.5	0.6	15.5	1.0	17.3
20	46.43	0.6	9.0	0.7	14.6	0.5	11.9	3.1	24.8	1.1	20.5	2.1	23.2	2.2	21.6	0.9	18.7	1.5	20.4
21	50.00	1.0	12.9	1.1	18.1	0.9	15.6	3.8	27.7	2.4	23.5	3.1	26.2	2.7	24.7	1.9	21.9	2.3	23.5
22	53.57	1.0	16.9	1.9	21.6	1.3	19.3	5.0	30.7	3.4	26.6	4.2	29.1	3.5	27.8	2.8	25.1	3.2	26.7
23	57.14	1.0	20.8	2.4	25.1	1.5	23.1	8.0	33.7	4.3	29.7	6.3	32.1	5.4	30.9	3.5	28.3	4.5	29.8
24	60.71	2.0	24.8	3.5	28.6	2.6	26.8	10.9	36.6	7.2	32.8	9.2	35.1	7.7	34.0	5.9	31.5	6.9	32.9
25	64.29	3.8	28.7	6.1	32.2	4.9	30.5	14.1	39.6	10.5	35.8	12.4	38.0	10.4	37.1	9.0	34.7	9.7	36.0
26	67.86	5.8	32.6	12.2	35.7	8.8	34.2	23.1	42.5	14.6	38.9	19.1	41.0	17.0	40.1	13.8	37.9	15.5	39.2
27	71.43	11.5	36.6	16.6	39.2	13.9	37.9	33.7	45.5	21.8	42.0	28.2	44.0	25.9	43.2	19.9	41.1	23.1	42.3
28	75.00	20.3	40.5	25.4	42.7	22.7	41.7	47.5	48.4	32.3	45.0	40.4	46.9	37.9	46.3	29.9	44.3	34.1	45.4
29	78.57	32.2	44.5	36.2	46.2	34.1	45.4	59.2	51.4	45.5	48.1	52.8	49.9	49.7	49.4	42.2	47.5	46.2	48.5
30	82.14	49.0	48.4	51.5	49.8	50.2	49.1	69.0	54.3	55.8	51.2	62.9	52.9	62.0	52.5	54.3	50.7	58.4	51.7
31	85.71	67.8	52.4	68.2	53.3	68.0	52.8	81.6	57.3	69.7	54.3	76.0	55.8	76.7	55.6	69.2	53.9	73.2	54.8
32	89.29	80.4	56.3	80.3	56.8	80.3	56.5	89.3	60.2	80.3	57.3	85.1	58.8	86.2	58.7	80.3	57.1	83.4	57.9
33	92.86	89.3	60.2	90.8	60.3	90.0	60.2	95.4	63.2	90.9	60.4	93.3	61.8	93.2	61.7	90.9	60.3	92.1	61.0
34	96.43	94.6	64.2	96.5	63.9	95.5	64.0	98.3	66.1	95.9	63.5	97.2	64.7	97.0	64.8	96.1	63.5	96.6	64.2
35	100.00	100.0	68.1	100.0	67.4	100.0	67.7	100.0	69.1	100.0	66.6	100.0	67.7	100.0	67.9	100.0	66.7	100.0	67.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 13: AT – Austria. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11				Adolescents 12-18						Children & Adolescents 8-18							
		Females (n=261)		Males (n=226)		All (n=487)		Females (n=478)		Males (n=417)		All (n=895)		Females (n=739)		Males (n=646)		All (n=1385)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00									0.4	2.3	0.2	3.5			0.2	0.6	0.1	1.4
15	28.57									0.4	5.4	0.2	4.8			0.2	3.8	0.1	4.5
16	32.14							0.3	10.2	0.4	8.4	0.3	9.5	0.2	8.2	0.2	6.9	0.2	7.6
17	35.71							0.3	13.3	0.4	11.5	0.3	12.6	0.2	11.3	0.2	10.1	0.2	10.8
18	39.29							0.3	16.3	0.8	14.5	0.5	15.6	0.2	14.4	0.5	13.2	0.3	13.9
19	42.86							0.3	19.4	0.8	17.6	0.5	18.7	0.2	17.5	0.5	16.4	0.3	17.0
20	46.43	0.6	15.8			0.3	16.3	0.7	22.4	1.7	20.7	1.1	21.7	0.6	20.6	1.1	19.5	0.8	20.1
21	50.00	1.0	19.1	1.4	20.2	1.1	19.7	1.1	25.4	2.2	23.7	1.6	24.7	1.0	23.7	1.9	22.6	1.4	23.2
22	53.57	1.7	22.5	1.4	23.6	1.5	23.0	2.9	28.4	2.9	26.8	2.9	27.7	2.4	26.8	2.4	25.8	2.4	26.3
23	57.14	3.1	25.9	4.0	26.9	3.5	26.4	5.4	31.5	4.1	29.8	4.8	30.8	4.6	29.9	4.0	28.9	4.3	29.5
24	60.71	5.4	29.2	5.4	30.2	5.4	29.7	9.2	34.5	6.9	32.9	8.1	33.8	7.8	33.0	6.4	32.1	7.1	32.6
25	64.29	8.5	32.6	9.8	33.6	9.1	33.1	13.1	37.5	11.4	35.9	12.3	36.8	11.5	36.1	10.8	35.2	11.2	35.7
26	67.86	12.4	36.0	12.4	36.9	12.4	36.4	21.2	40.6	15.7	39.0	18.7	39.9	18.1	39.2	14.5	38.3	16.4	38.8
27	71.43	17.4	39.4	17.2	40.3	17.3	39.8	30.9	43.6	22.2	42.0	26.8	42.9	26.1	42.3	20.4	41.5	23.5	41.9
28	75.00	25.0	42.7	29.2	43.6	27.0	43.1	43.0	46.6	32.9	45.1	38.3	45.9	36.6	45.4	31.6	44.6	34.3	45.0
29	78.57	35.0	46.1	40.3	47.0	37.5	46.5	52.0	49.7	42.9	48.2	47.8	49.0	46.0	48.5	42.0	47.8	44.1	48.2
30	82.14	49.5	49.5	54.4	50.3	51.8	49.9	63.8	52.7	56.2	51.2	60.2	52.0	58.7	51.6	55.6	50.9	57.3	51.3
31	85.71	63.7	52.8	71.3	53.6	67.2	53.2	74.6	55.7	71.4	54.3	73.1	55.0	70.8	54.7	71.4	54.0	71.1	54.4
32	89.29	78.9	56.2	77.9	57.0	78.4	56.6	81.5	58.8	82.6	57.3	82.0	58.1	80.6	57.8	81.0	57.2	80.8	57.5
33	92.86	87.7	59.6	89.5	60.3	88.5	59.9	91.2	61.8	89.3	60.4	90.3	61.1	90.0	60.9	89.4	60.3	89.7	60.6
34	96.43	95.8	62.9	95.6	63.7	95.7	63.3	96.4	64.8	95.5	63.4	96.0	64.1	96.2	64.0	95.5	63.5	95.9	63.7
35	100.00	100.0	66.3	100.0	67.0	100.0	66.6	100.0	67.9	100.0	66.5	100.0	67.2	100.0	67.1	100.0	66.6	100.0	66.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 14: AT – Austria. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=269)		Males (n=230)		All (n=499)		Females (n=480)		Males (n=414)		All (n=894)		Females (n=749)		Males (n=644)		All (n=1393)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00			0.7	1.7	0.3	-2.8	0.5	6.6			0.3	6.4	0.3	2.8	0.2	4.7	0.2	3.7
5	6.25			0.7	5.9	0.3	1.7	0.7	10.5	0.4	9.9	0.5	10.2	0.5	6.9	0.4	8.6	0.4	7.7
6	12.50			1.1	10.0	0.5	6.2	0.7	14.3	0.4	13.8	0.5	14.1	0.5	11.0	0.6	12.5	0.5	11.7
7	18.75			1.1	14.2	0.5	10.8	0.7	18.1	0.6	17.6	0.6	17.9	0.5	15.1	0.7	16.5	0.5	15.8
8	25.00			1.9	18.3	0.9	15.3	1.5	21.9	1.5	21.4	1.5	21.7	0.9	19.2	1.6	20.4	1.2	19.8
9	31.25	0.6	16.7	2.4	22.5	1.3	19.8	2.9	25.7	2.2	25.2	2.6	25.5	2.0	23.3	2.2	24.3	2.1	23.8
10	37.50	1.2	21.6	4.0	26.6	2.4	24.3	3.8	29.6	4.4	29.0	4.0	29.3	2.8	27.4	4.2	28.2	3.4	27.8
11	43.75	2.6	26.5	6.9	30.8	4.6	28.8	7.5	33.4	8.0	32.8	7.7	33.1	5.7	31.5	7.6	32.2	6.6	31.8
12	50.00	5.2	31.4	8.7	34.9	6.8	33.3	14.6	37.2	13.8	36.6	14.2	36.9	11.2	35.6	12.0	36.1	11.6	35.8
13	56.25	12.6	36.3	13.4	39.1	13.0	37.8	20.5	41.0	20.6	40.4	20.5	40.8	17.6	39.7	18.0	40.0	17.8	39.9
14	62.50	26.0	41.2	24.8	43.3	25.4	42.3	32.1	44.8	29.0	44.3	30.7	44.6	29.9	43.8	27.5	43.9	28.8	43.9
15	68.75	40.9	46.1	38.4	47.4	39.7	46.8	47.3	48.7	44.3	48.1	45.9	48.4	45.0	47.9	42.2	47.9	43.7	47.9
16	75.00	64.0	51.0	64.9	51.6	64.4	51.3	67.3	52.5	65.3	51.9	66.4	52.2	66.1	52.0	65.2	51.8	65.7	51.9
17	81.25	78.1	55.9	80.5	55.7	79.2	55.8	79.8	56.3	76.2	55.7	78.1	56.0	79.2	56.1	77.7	55.7	78.5	55.9
18	87.50	92.6	60.8	92.2	59.9	92.4	60.3	89.8	60.1	88.9	59.5	89.4	59.8	90.8	60.2	90.1	59.6	90.5	59.9
19	93.75	96.7	65.7	98.2	64.1	97.4	64.8	96.5	63.9	95.2	63.3	95.9	63.7	96.5	64.3	96.3	63.6	96.4	64.0
20	100.00	100.0	70.6	100.0	68.2	100.0	69.3	100.0	67.8	100.0	67.1	100.0	67.5	100.0	68.4	100.0	67.5	100.0	68.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 15: AT – Austria. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=268)		Males (n=228)		All (n=496)		Females (n=469)		Males (n=412)		All (n=881)		Females (n=737)		Males (n=640)		All (n=1377)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25									0.6	13.8	0.3	11.5			0.4	12.6	0.2	9.7
6	12.50			0.7	10.9	0.3	5.7	0.3	12.6	0.9	17.5	0.5	15.2	0.2	10.1	0.7	16.2	0.4	13.4
7	18.75	0.6	3.1	0.7	14.7	0.5	9.8	1.1	16.5	1.5	21.1	1.3	18.9	0.8	14.0	1.1	19.7	0.9	17.1
8	25.00	0.6	7.7	0.7	18.4	0.5	13.9	1.6	20.3	2.7	24.7	2.0	22.7	1.1	17.9	1.9	23.3	1.5	20.8
9	31.25	1.0	12.3	1.1	22.2	0.9	18.0	2.6	24.2	3.7	28.3	3.1	26.4	1.9	21.8	2.7	26.9	2.3	24.5
10	37.50	1.0	16.9	3.1	26.0	1.8	22.1	3.4	28.1	5.6	31.9	4.4	30.1	2.5	25.7	4.7	30.4	3.5	28.2
11	43.75	1.9	21.5	4.8	29.7	3.2	26.2	5.3	32.0	8.3	35.5	6.7	33.8	4.1	29.6	7.1	34.0	5.5	31.9
12	50.00	3.0	26.1	8.8	33.5	5.6	30.3	11.5	35.9	18.5	39.1	14.8	37.6	8.4	33.6	15.0	37.6	11.5	35.7
13	56.25	5.2	30.7	15.0	37.3	9.7	34.4	18.6	39.8	28.8	42.8	23.4	41.3	13.7	37.5	23.9	41.1	18.4	39.4
14	62.50	9.7	35.3	23.8	41.1	16.2	38.5	29.4	43.7	39.7	46.4	34.3	45.0	22.3	41.4	34.0	44.7	27.7	43.1
15	68.75	17.9	39.9	31.3	44.8	24.0	42.6	43.9	47.6	50.6	50.0	47.1	48.8	34.5	45.3	43.7	48.2	38.8	46.8
16	75.00	35.0	44.5	47.4	48.6	40.7	46.6	62.1	51.5	69.8	53.6	65.7	52.5	52.2	49.2	61.9	51.8	56.7	50.5
17	81.25	50.6	49.1	63.3	52.4	56.5	50.7	75.9	55.4	82.0	57.2	78.7	56.2	66.7	53.1	75.3	55.4	70.7	54.2
18	87.50	68.9	53.6	76.4	56.2	72.4	54.8	87.0	59.3	90.8	60.8	88.7	59.9	80.4	57.1	85.6	58.9	82.8	57.9
19	93.75	83.9	58.2	87.8	59.9	85.7	58.9	95.5	63.1	96.8	64.4	96.1	63.7	91.3	61.0	93.6	62.5	92.4	61.6
20	100.00	100.0	62.8	100.0	63.7	100.0	63.0	100.0	67.0	100.0	68.1	100.0	67.4	100.0	64.9	100.0	66.1	100.0	65.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 16: AT – Austria. Individual norm data KIDSCREEN-10-PROXY Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=253)		Males (n=223)		All (n=476)		Females (n=452)		Males (n=398)		All (n=850)		Females (n=705)		Males (n=621)		All (n=1326)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50																		
22	30.00																		
23	32.50																		
24	35.00																		
25	37.50																		
26	40.00							0.3	17.6	0.4	15.7	0.3	16.8	0.2	14.6	0.3	14.0	0.2	14.3
27	42.50							0.3	19.9	0.4	18.0	0.3	19.1	0.2	16.9	0.3	16.4	0.2	16.7
28	45.00							1.1	22.1	0.6	20.3	0.8	21.3	0.7	19.2	0.4	18.7	0.5	19.0
29	47.50	0.6	11.9			0.3	14.7	1.4	24.3	1.1	22.6	1.2	23.6	1.0	21.5	0.7	21.0	0.8	21.3
30	50.00	0.6	14.7			0.3	17.3	1.7	26.6	1.4	24.8	1.4	25.8	1.2	23.9	0.9	23.3	1.0	23.6
31	52.50	0.6	17.5	1.1	22.2	0.7	19.9	2.9	28.8	2.5	27.1	2.7	28.1	2.0	26.2	1.9	25.7	1.9	26.0
32	55.00	0.6	20.3	1.6	24.7	1.0	22.6	5.7	31.1	3.5	29.4	4.7	30.3	3.8	28.5	2.7	28.0	3.3	28.3
33	57.50	1.0	23.1	2.0	27.2	1.3	25.2	7.5	33.3	5.8	31.7	6.7	32.6	5.1	30.9	4.3	30.3	4.7	30.6
34	60.00	2.0	25.9	4.5	29.7	3.2	27.9	9.1	35.6	8.0	34.0	8.6	34.9	6.5	33.2	6.8	32.7	6.6	33.0
35	62.50	4.0	28.6	6.3	32.2	5.1	30.5	13.1	37.8	10.6	36.3	11.9	37.1	9.8	35.5	9.0	35.0	9.4	35.3
36	65.00	5.2	31.4	9.9	34.7	7.4	33.1	17.7	40.1	15.6	38.6	16.7	39.4	13.2	37.8	13.6	37.4	13.4	37.6
37	67.50	8.3	34.2	13.9	37.2	10.9	35.8	23.2	42.3	20.6	40.8	22.0	41.6	17.9	40.2	18.2	39.7	18.0	40.0
38	70.00	11.5	37.0	18.0	39.7	14.5	38.4	30.9	44.5	27.9	43.1	29.5	43.9	24.0	42.5	24.3	42.0	24.1	42.3
39	72.50	19.8	39.8	23.8	42.2	21.7	41.0	40.7	46.8	35.5	45.4	38.2	46.2	33.2	44.8	31.3	44.4	32.3	44.6
40	75.00	30.4	42.6	32.8	44.7	31.5	43.7	50.2	49.0	42.8	47.7	46.7	48.4	43.1	47.2	39.2	46.7	41.3	46.9
41	77.50	34.4	45.4	44.8	47.2	39.3	46.3	59.8	51.3	51.0	50.0	55.7	50.7	50.7	49.5	48.8	49.0	49.8	49.3
42	80.00	42.4	48.2	53.8	49.7	47.7	48.9	66.8	53.5	59.6	52.3	63.4	52.9	58.1	51.8	57.5	51.4	57.8	51.6
43	82.50	54.7	51.0	57.8	52.2	56.2	51.6	74.8	55.8	69.3	54.5	72.2	55.2	67.6	54.1	65.2	53.7	66.5	53.9
44	85.00	65.8	53.8	67.8	54.7	66.7	54.2	81.4	58.0	76.6	56.8	79.2	57.5	75.8	56.5	73.4	56.1	74.7	56.3
45	87.50	78.8	56.6	77.2	57.2	78.0	56.9	87.4	60.3	85.1	59.1	86.3	59.7	84.3	58.8	82.3	58.4	83.4	58.6
46	90.00	87.4	59.4	85.6	59.7	86.6	59.5	91.0	62.5	89.9	61.4	90.5	62.0	89.7	61.1	88.4	60.7	89.1	60.9
47	92.50	94.1	62.2	92.4	62.2	93.3	62.1	95.4	64.8	94.4	63.7	94.9	64.2	94.9	63.5	93.7	63.1	94.3	63.3
48	95.00	96.8	65.0	96.9	64.7	96.9	64.8	97.3	67.0	97.5	66.0	97.4	66.5	97.2	65.8	97.3	65.4	97.2	65.6
49	97.50	98.4	67.7	99.1	67.2	98.7	67.4	98.5	69.3	99.5	68.3	98.9	68.7	98.4	68.1	99.3	67.7	98.9	67.9
50	100.00	100.0	70.5	100.0	69.7	100.0	70.0	100.0	71.5	100.0	70.5	100.0	71.0	100.0	70.4	100.0	70.1	100.0	70.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 17: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Females (n=285)		Children 8-11 Males (n=269)		All (n=554)		Females (n=580)		Adolescents 12-18 Males (n=490)		All (n=1070)		Children & Adolescents 8-18 Females (n=865)		Males (n=759)		All (n=1624)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.3	5.8	0.3	-5.2	0.2	1.9	0.2	2.3	0.2	-6.5	0.1	-1.1
6	5.56							0.4	9.2	0.3	-1.2	0.3	5.5	0.3	5.8	0.2	-2.5	0.2	2.7
7	11.11							0.6	12.6	0.5	2.8	0.5	9.1	0.4	9.4	0.3	1.5	0.3	6.4
8	16.67							0.9	16.0	0.9	6.7	0.8	12.7	0.6	12.9	0.6	5.5	0.6	10.1
9	22.22							1.2	19.4	1.1	10.7	1.1	16.3	0.8	16.5	0.7	9.5	0.7	13.8
10	27.78							1.7	22.8	1.1	14.7	1.4	19.9	1.2	20.0	0.7	13.5	0.9	17.5
11	33.33							2.4	26.2	1.7	18.7	2.1	23.4	1.6	23.5	1.1	17.5	1.4	21.2
12	38.89			1.5	18.2	0.7	18.1	4.1	29.6	1.7	22.7	3.0	27.0	2.8	27.1	1.6	21.5	2.2	24.9
13	44.44	1.1	22.2	2.4	22.3	1.6	22.3	6.4	33.0	1.7	26.6	4.2	30.6	4.6	30.6	1.9	25.5	3.3	28.6
14	50.00	2.1	26.6	3.5	26.5	2.7	26.6	11.9	36.4	4.1	30.6	8.3	34.2	8.7	34.2	3.8	29.5	6.4	32.3
15	55.56	4.9	30.9	7.5	30.7	6.1	30.9	18.1	39.7	8.0	34.6	13.5	37.8	13.8	37.7	7.8	33.5	11.0	36.0
16	61.11	14.0	35.3	12.0	34.9	13.0	35.1	26.8	43.1	14.5	38.6	21.1	41.4	22.6	41.3	13.6	37.5	18.4	39.7
17	66.67	21.4	39.6	16.8	39.0	19.1	39.4	39.5	46.5	25.3	42.6	33.0	45.0	33.5	44.8	22.3	41.4	28.3	43.4
18	72.22	33.3	44.0	27.1	43.2	30.3	43.6	53.5	49.9	39.8	46.5	47.2	48.5	46.8	48.3	35.3	45.4	41.5	47.1
19	77.78	47.4	48.3	39.0	47.4	43.3	47.9	65.2	53.3	56.9	50.5	61.4	52.1	59.3	51.9	50.6	49.4	55.2	50.8
20	83.33	64.5	52.7	57.6	51.5	61.1	52.1	79.8	56.7	73.3	54.5	76.8	55.7	74.8	55.4	67.7	53.4	71.5	54.5
21	88.89	80.7	57.1	77.3	55.7	79.0	56.4	89.3	60.1	87.2	58.5	88.3	59.3	86.5	59.0	83.7	57.4	85.2	58.2
22	94.44	92.2	61.4	92.2	59.9	92.2	60.6	96.6	63.5	95.7	62.5	96.2	62.9	95.1	62.5	94.4	61.4	94.8	61.9
23	100.00	100.0	65.8	100.0	64.0	100.0	64.9	100.0	66.9	100.0	66.4	100.0	66.5	100.0	66.0	100.0	65.4	100.0	65.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 18: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Females (n=293)		Children 8-11 Males (n=270)		All (n=563)		Females (n=591)		Adolescents 12-18 Males (n=493)		All (n=1084)		Children & Adolescents 8-18 Females (n=884)		Males (n=763)		All (n=1647)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50				0.6 -10.5	0.3 -12.9										0.2 -9.9	0.1 -6.3		
10	16.67				0.6 -6.8	0.3 -9.1		0.3 3.2				0.1 -0.4	0.2 -0.3	0.2 -6.2	0.2 -2.8				
11	20.83				0.6 -3.1	0.3 -5.3		0.3 6.4				0.1 3.0	0.2 3.1	0.2 -2.6	0.2 0.7				
12	25.00				0.6 0.6	0.3 -1.5		0.4 9.6	0.5 1.2			0.4 6.3	0.3 6.4	0.4 1.1	0.3 4.2				
13	29.17				0.6 4.2	0.3 2.4		0.9 12.7	0.5 4.9			0.7 9.7	0.6 9.7	0.4 4.8	0.5 7.7				
14	33.33				0.6 7.9	0.3 6.2		0.9 15.9	0.5 8.6			0.7 13.1	0.6 13.1	0.4 8.5	0.5 11.2				
15	37.50				1.0 11.6	0.5 10.0		1.4 19.1	0.5 12.4			0.9 16.5	0.9 16.4	0.6 12.2	0.7 14.6				
16	41.67				1.0 15.3	0.5 13.8		2.0 22.3	0.5 16.1			1.3 19.8	1.4 19.8	0.6 15.9	1.0 18.1				
17	45.83	0.8 16.2			1.0 18.9	0.8 17.6		3.5 25.4	0.7 19.8			2.2 23.2	2.6 23.1	0.7 19.5	1.7 21.6				
18	50.00	1.5 20.2			2.2 22.6	1.8 21.4		4.7 28.6	2.0 23.5			3.5 26.6	3.6 26.5	2.1 23.2	2.9 25.1				
19	54.17	2.8 24.1			3.1 26.2	2.8 25.2		6.4 31.8	2.8 27.2			4.8 30.0	5.2 29.9	2.9 26.9	4.1 28.6				
20	58.33	3.8 28.1			5.2 29.9	4.4 29.0		8.9 34.9	4.7 30.9			7.0 33.3	7.2 33.2	4.8 30.6	6.1 32.1				
21	62.50	6.5 32.1			8.5 33.6	7.5 32.9		14.3 38.1	10.0 34.6			12.3 36.7	11.7 36.6	9.5 34.3	10.7 35.6				
22	66.67	10.6 36.0			11.2 37.3	10.9 36.7		19.4 41.3	15.3 38.3			17.5 40.1	16.5 39.9	13.8 38.0	15.2 39.1				
23	70.83	17.4 40.0			14.1 40.9	15.8 40.5		26.2 44.4	19.7 42.0			23.2 43.5	23.3 43.3	17.7 41.7	20.7 42.6				
24	75.00	33.4 44.0			33.3 44.6	33.4 44.3		40.7 47.6	39.2 45.7			40.0 46.8	38.3 46.6	37.1 45.3	37.7 46.1				
25	79.17	46.7 47.9			43.7 48.3	45.3 48.1		52.7 50.8	53.0 49.4			52.8 50.2	50.7 50.0	49.7 49.0	50.2 49.6				
26	83.33	57.6 51.9			58.2 51.9	57.9 51.9		65.3 53.9	65.1 53.2			65.2 53.6	62.7 53.3	62.7 52.7	62.7 53.0				
27	87.50	82.6 55.9			84.8 55.6	83.7 55.7		88.2 57.1	85.2 56.9			86.8 57.0	86.3 56.7	85.0 56.4	85.7 56.5				
28	91.67	90.1 59.8			90.8 59.3	90.4 59.5		92.1 60.3	90.4 60.6			91.3 60.3	91.4 60.0	90.6 60.1	91.0 60.0				
29	95.83	94.2 63.8			94.0 62.9	94.1 63.3		95.8 63.5	95.3 64.3			95.6 63.7	95.3 63.4	94.9 63.8	95.1 63.5				
30	100.00	100.0 67.8			100.0 66.6	100.0 67.2		100.0 66.6	100.0 68.0			100.0 67.1	100.0 66.7	100.0 67.5	100.0 67.0				

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 19: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=296)		Males (n=268)		All (n=564)		Females (n=587)		Males (n=494)		All (n=1081)		Females (n=883)		Males (n=762)		All (n=1645)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00							0.3	10.9			0.1	7.4	0.2	9.0			0.1	6.5
15	28.57							0.3	13.5			0.1	10.1	0.2	11.7			0.1	9.3
16	32.14			0.9	10.5	0.4	10.2	0.6	16.0			0.3	12.8	0.4	14.3	0.3	8.8	0.3	12.0
17	35.71	0.5	12.7	1.3	13.3	0.8	13.0	0.8	18.6			0.4	15.6	0.6	16.9	0.5	11.8	0.5	14.8
18	39.29	0.9	15.6	1.3	16.1	1.0	15.9	1.4	21.1			0.7	18.3	1.1	19.6	0.5	14.8	0.8	17.6
19	42.86	1.2	18.5	1.7	18.9	1.3	18.7	1.9	23.7	0.3	16.9	1.1	21.1	1.6	22.2	0.7	17.7	1.2	20.3
20	46.43	1.5	21.3	1.7	21.7	1.5	21.6	2.4	26.3	0.5	19.9	1.5	23.8	2.0	24.9	0.9	20.6	1.5	23.1
21	50.00	2.4	24.2	2.6	24.5	2.5	24.4	3.8	28.8	1.0	23.0	2.5	26.6	3.3	27.5	1.6	23.6	2.5	25.9
22	53.57	3.4	27.1	4.1	27.3	3.7	27.2	6.1	31.4	2.4	26.0	4.4	29.3	5.2	30.2	3.0	26.5	4.2	28.7
23	57.14	5.1	30.0	4.1	30.2	4.6	30.1	9.0	33.9	3.4	29.0	6.5	32.0	7.7	32.8	3.7	29.5	5.8	31.4
24	60.71	7.1	32.9	7.0	33.0	7.1	32.9	13.6	36.5	5.8	32.1	10.1	34.8	11.4	35.5	6.3	32.4	9.0	34.2
25	64.29	9.5	35.8	11.5	35.8	10.4	35.8	17.0	39.1	11.5	35.1	14.5	37.5	14.5	38.1	11.5	35.4	13.1	37.0
26	67.86	14.9	38.6	14.4	38.6	14.7	38.6	22.0	41.6	17.6	38.2	20.0	40.3	19.6	40.8	16.5	38.3	18.1	39.7
27	71.43	22.3	41.5	19.7	41.4	21.1	41.5	29.8	44.2	23.5	41.2	26.9	43.0	27.3	43.4	22.2	41.3	24.9	42.5
28	75.00	31.1	44.4	29.0	44.2	30.1	44.3	36.3	46.8	30.5	44.3	33.7	45.8	34.5	46.0	30.0	44.3	32.4	45.3
29	78.57	40.2	47.3	37.2	47.0	38.8	47.2	45.0	49.3	41.0	47.3	43.2	48.5	43.4	48.7	39.7	47.2	41.7	48.1
30	82.14	51.7	50.2	46.9	49.8	49.4	50.0	56.6	51.9	54.0	50.4	55.4	51.2	55.0	51.3	51.5	50.2	53.4	50.8
31	85.71	64.6	53.1	58.9	52.6	61.9	52.8	66.7	54.4	64.5	53.4	65.7	54.0	66.0	54.0	62.5	53.1	64.4	53.6
32	89.29	74.4	55.9	72.0	55.4	73.3	55.7	77.9	57.0	75.3	56.5	76.7	56.7	76.7	56.6	74.1	56.1	75.5	56.4
33	92.86	83.5	58.8	86.2	58.2	84.8	58.5	87.6	59.6	86.2	59.5	87.0	59.5	86.2	59.3	86.2	59.0	86.2	59.1
34	96.43	92.9	61.7	93.3	61.1	93.1	61.4	95.1	62.1	93.7	62.6	94.4	62.2	94.3	61.9	93.6	62.0	94.0	61.9
35	100.00	100.0	64.6	100.0	63.9	100.0	64.2	100.0	64.7	100.0	65.6	100.0	65.0	100.0	64.6	100.0	64.9	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 20: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=292)		Males (n=269)		All (n=561)		Females (n=585)		Males (n=498)		All (n=1083)		Females (n=877)		Males (n=767)		All (n=1644)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00							0.3	9.4			0.1	3.9	0.2	7.2			0.1	1.8
8	15.00							0.3	12.5			0.1	7.2	0.2	10.3			0.1	5.2
9	20.00							0.3	15.6			0.1	10.6	0.2	13.5			0.1	8.6
10	25.00							0.6	18.7			0.3	13.9	0.4	16.6			0.2	12.0
11	30.00							1.7	21.7			0.9	17.2	1.1	19.8			0.6	15.4
12	35.00	0.8	16.7			0.4	13.4	2.3	24.8			1.2	20.5	1.7	23.0			0.9	18.7
13	40.00	1.5	20.3	0.9	11.9	1.1	17.1	3.8	27.9	0.3	14.6	2.1	23.9	3.0	26.1	0.4	14.0	1.8	22.1
14	45.00	1.5	23.8	1.3	16.0	1.3	20.8	6.2	31.0	0.5	18.7	3.5	27.2	4.6	29.3	0.7	18.0	2.7	25.5
15	50.00	3.4	27.3	2.0	20.1	2.7	24.5	8.9	34.1	2.0	22.7	5.8	30.5	7.1	32.4	2.0	22.0	4.7	28.9
16	55.00	6.5	30.8	3.4	24.1	5.0	28.2	13.4	37.2	3.2	26.8	8.7	33.8	11.1	35.6	3.3	26.1	7.4	32.3
17	60.00	9.2	34.3	4.2	28.2	6.8	31.9	19.2	40.3	5.5	30.9	12.9	37.2	15.9	38.7	5.0	30.1	10.8	35.7
18	65.00	15.0	37.8	7.8	32.3	11.5	35.6	28.0	43.4	10.9	35.0	20.1	40.5	23.6	41.9	9.8	34.2	17.2	39.1
19	70.00	24.6	41.4	13.0	36.4	19.0	39.3	37.7	46.5	19.3	39.0	29.2	43.8	33.3	45.0	17.1	38.2	25.8	42.5
20	75.00	34.5	44.9	21.2	40.4	28.1	43.0	48.7	49.6	30.3	43.1	40.3	47.2	44.0	48.2	27.1	42.2	36.1	45.9
21	80.00	45.8	48.4	29.0	44.5	37.7	46.7	62.6	52.6	41.8	47.2	53.0	50.5	57.0	51.3	37.3	46.3	47.8	49.3
22	85.00	56.5	51.9	43.9	48.6	50.5	50.4	73.9	55.7	57.2	51.3	66.2	53.8	68.1	54.5	52.5	50.3	60.8	52.7
23	90.00	69.2	55.4	58.9	52.7	64.2	54.1	84.4	58.8	74.7	55.3	79.9	57.1	79.3	57.6	69.1	54.4	74.6	56.1
24	95.00	85.9	58.9	80.7	56.7	83.4	57.8	93.7	61.9	85.9	59.4	90.1	60.5	91.1	60.8	84.1	58.4	87.8	59.5
25	100.00	100.0	62.5	100.0	60.8	100.0	61.5	100.0	65.0	100.0	63.5	100.0	63.8	100.0	63.9	100.0	62.4	100.0	62.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 21: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=276)		All (n=565)		Females (n=587)		Males (n=498)		All (n=1085)		Females (n=885)		Males (n=765)		All (n=1650)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00																		
8	15.00																		
9	20.00																		
10	25.00							0.5	14.8	0.3	5.7	0.2	9.2			0.2	3.8	0.1	6.7
11	30.00							0.8	18.1	0.7	13.0	0.4	12.6	0.4	12.2	0.2	7.6	0.3	10.3
12	35.00	0.5	13.2	0.6	11.8	0.4	12.6	1.7	21.3	1.2	16.6	1.5	19.4	1.2	19.2	0.9	15.2	1.1	17.5
13	40.00	1.1	17.3	1.0	16.0	0.9	16.8	2.7	24.6	2.0	20.2	2.4	22.8	2.1	22.7	1.6	19.0	1.9	21.2
14	45.00	2.1	21.5	2.0	20.2	2.0	20.9	4.5	27.9	2.8	23.9	3.7	26.2	3.7	26.2	2.5	22.8	3.1	24.8
15	50.00	2.8	25.7	2.5	24.4	2.5	25.1	5.9	31.1	3.6	27.5	4.9	29.6	4.8	29.7	3.1	26.6	4.0	28.4
16	55.00	5.7	29.8	4.2	28.5	5.0	29.3	9.0	34.4	5.4	31.1	7.3	33.0	7.9	33.2	5.0	30.3	6.5	32.0
17	60.00	7.7	34.0	6.7	32.7	7.3	33.4	12.7	37.6	8.6	34.7	10.8	36.4	11.0	36.7	8.0	34.1	9.6	35.6
18	65.00	13.1	38.2	11.6	36.9	12.4	37.6	19.4	40.9	12.9	38.4	16.4	39.8	17.3	40.2	12.4	37.9	15.0	39.2
19	70.00	23.9	42.3	21.8	41.1	22.9	41.8	28.6	44.1	21.8	42.0	25.5	43.2	27.0	43.7	21.8	41.7	24.6	42.8
20	75.00	41.3	46.5	37.1	45.3	39.3	45.9	43.8	47.4	37.1	45.6	40.7	46.6	43.0	47.1	37.1	45.5	40.2	46.4
21	80.00	62.1	50.7	51.6	49.4	57.2	50.1	56.4	50.6	50.1	49.2	53.5	50.0	58.3	50.6	50.7	49.3	54.8	50.0
22	85.00	75.9	54.8	71.5	53.6	73.8	54.2	68.3	53.9	66.5	52.9	67.5	53.4	70.9	54.1	68.3	53.1	69.6	53.7
23	90.00	86.3	59.0	84.3	57.8	85.4	58.4	77.0	57.1	77.7	56.5	77.3	56.8	80.1	57.6	80.0	56.9	80.1	57.3
24	95.00	94.0	63.2	92.5	62.0	93.3	62.6	88.4	60.4	88.2	60.1	88.3	60.2	90.3	61.1	89.7	60.7	90.0	60.9
25	100.00	100.0	67.3	100.0	66.2	100.0	66.7	100.0	63.7	100.0	63.7	100.0	63.6	100.0	64.6	100.0	64.5	100.0	64.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 22: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=292)		Males (n=261)		All (n=553)		Females (n=584)		Males (n=490)		All (n=1074)		Females (n=876)		Males (n=751)		All (n=1627)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67																		
11	20.83																		
12	25.00																		
13	29.17							0.4	12.2			0.2	10.3	0.3	9.7			0.1	8.6
14	33.33			0.9	9.7	0.4	8.1	0.4	15.4			0.2	13.6	0.3	13.0	0.3	10.6	0.3	11.9
15	37.50			0.9	13.2	0.4	11.8	1.2	18.5	0.3	14.5	0.7	16.8	0.8	16.3	0.5	14.1	0.6	15.3
16	41.67			0.9	16.7	0.4	15.4	1.5	21.6	0.7	18.0	1.0	20.1	1.0	19.6	0.7	17.6	0.8	18.7
17	45.83	0.5	17.9	0.9	20.2	0.6	19.1	2.1	24.7	1.2	21.5	1.7	23.4	1.5	22.9	1.1	21.1	1.3	22.1
18	50.00	1.1	21.7	2.0	23.7	1.5	22.7	2.9	27.8	2.0	24.9	2.5	26.6	2.3	26.2	2.0	24.6	2.1	25.5
19	54.17	1.1	25.5	4.2	27.3	2.5	26.4	5.3	31.0	3.4	28.4	4.4	29.9	3.9	29.5	3.7	28.0	3.8	28.8
20	58.33	3.1	29.2	6.2	30.8	4.5	30.0	9.4	34.1	6.3	31.9	8.0	33.2	7.3	32.8	6.3	31.5	6.8	32.2
21	62.50	7.9	33.0	9.7	34.3	8.7	33.7	12.7	37.2	11.4	35.3	12.1	36.4	11.1	36.1	10.8	35.0	10.9	35.6
22	66.67	15.1	36.8	12.0	37.8	13.6	37.3	19.5	40.4	16.1	38.8	17.9	39.7	18.0	39.4	14.7	38.5	16.5	39.0
23	70.83	22.2	40.6	19.2	41.4	20.8	41.0	27.2	43.5	24.5	42.3	26.0	43.0	25.6	42.7	22.7	42.0	24.2	42.4
24	75.00	33.2	44.4	31.9	44.9	32.5	44.6	39.0	46.6	35.9	45.7	37.6	46.2	37.1	46.0	34.5	45.4	35.9	45.8
25	79.17	47.6	48.2	45.2	48.4	46.5	48.3	52.6	49.8	50.8	49.2	51.8	49.5	50.9	49.3	48.9	48.9	50.0	49.1
26	83.33	63.4	52.0	64.8	51.9	64.0	51.9	64.9	52.9	66.6	52.7	65.7	52.8	64.4	52.6	65.9	52.4	65.1	52.5
27	87.50	77.1	55.8	76.6	55.4	76.9	55.6	74.7	56.0	76.8	56.1	75.6	56.1	75.5	55.9	76.7	55.9	76.0	55.9
28	91.67	86.6	59.5	85.5	59.0	86.1	59.2	85.3	59.1	87.2	59.6	86.1	59.3	85.7	59.2	86.6	59.4	86.1	59.3
29	95.83	93.1	63.3	94.2	62.5	93.6	62.9	93.2	62.3	93.7	63.1	93.4	62.6	93.2	62.5	93.9	62.8	93.5	62.7
30	100.00	100.0	67.1	100.0	66.0	100.0	66.6	100.0	65.4	100.0	66.5	100.0	65.9	100.0	65.8	100.0	66.3	100.0	66.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 23: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=287)		Males (n=261)		All (n=548)		Females (n=572)		Males (n=482)		All (n=1054)		Females (n=859)		Males (n=743)		All (n=1602)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00			0.6	4.0	0.3	0.2	0.3	3.8			0.2	4.2	0.2	1.6	0.2	4.4	0.1	3.0
7	4.17			0.6	6.8	0.3	3.2	0.3	6.5	0.3	7.2	0.2	7.0	0.2	4.5	0.4	7.1	0.2	5.8
8	8.33			0.6	9.5	0.3	6.1	0.3	9.3	0.5	10.0	0.3	9.7	0.2	7.3	0.5	9.9	0.3	8.6
9	12.50			1.0	12.3	0.5	9.1	0.3	12.0	0.5	12.7	0.3	12.4	0.2	10.2	0.6	12.6	0.4	11.4
10	16.67			1.0	15.1	0.5	12.1	0.4	14.7	0.5	15.5	0.4	15.1	0.3	13.0	0.6	15.4	0.4	14.2
11	20.83			1.4	17.8	0.7	15.0	0.9	17.4	0.5	18.2	0.7	17.8	0.6	15.9	0.8	18.1	0.6	17.0
12	25.00	0.5	15.0	1.8	20.5	1.0	18.0	1.3	20.1	0.7	20.9	1.0	20.6	0.9	18.7	1.0	20.8	0.9	19.8
13	29.17	0.9	18.2	1.8	23.3	1.2	21.0	1.6	22.8	1.9	23.7	1.7	23.3	1.3	21.6	1.8	23.6	1.5	22.6
14	33.33	1.5	21.5	3.1	26.0	2.2	23.9	3.1	25.5	3.1	26.4	3.1	26.0	2.5	24.4	3.1	26.3	2.8	25.4
15	37.50	1.5	24.8	4.0	28.8	2.6	26.9	4.2	28.2	3.8	29.2	4.0	28.7	3.3	27.3	3.8	29.0	3.5	28.2
16	41.67	2.5	28.0	4.7	31.5	3.5	29.9	5.2	31.0	5.2	31.9	5.2	31.4	4.3	30.2	5.0	31.8	4.6	31.0
17	45.83	3.6	31.2	7.7	34.3	5.5	32.9	7.9	33.7	8.1	34.7	8.0	34.1	6.4	33.0	7.9	34.5	7.1	33.8
18	50.00	9.8	34.5	10.7	37.0	10.2	35.8	11.7	36.4	13.1	37.4	12.3	36.9	11.0	35.9	12.2	37.3	11.6	36.6
19	54.17	14.3	37.7	16.4	39.7	15.3	38.8	14.6	39.1	18.0	40.1	16.2	39.6	14.5	38.7	17.5	40.0	15.9	39.3
20	58.33	21.3	40.9	23.3	42.5	22.3	41.8	21.1	41.8	25.5	42.9	23.1	42.3	21.1	41.6	24.7	42.7	22.8	42.1
21	62.50	32.0	44.2	29.5	45.2	30.8	44.8	28.6	44.5	34.8	45.6	31.5	45.0	29.8	44.4	32.9	45.5	31.2	44.9
22	66.67	44.5	47.4	42.1	48.0	43.4	47.7	38.3	47.2	45.1	48.4	41.4	47.7	40.4	47.3	44.1	48.2	42.1	47.7
23	70.83	55.7	50.7	55.9	50.7	55.8	50.7	49.7	49.9	55.3	51.1	52.2	50.5	51.7	50.2	55.5	51.0	53.5	50.5
24	75.00	71.4	53.9	68.6	53.5	70.1	53.7	63.9	52.6	70.9	53.8	67.1	53.2	66.4	53.0	70.1	53.7	68.1	53.3
25	79.17	82.6	57.1	80.1	56.2	81.4	56.6	75.3	55.4	78.4	56.6	76.7	55.9	77.7	55.9	79.0	56.5	78.3	56.1
26	83.33	89.2	60.4	88.1	59.0	88.7	59.6	84.2	58.1	86.9	59.3	85.4	58.6	85.9	58.7	87.3	59.2	86.5	58.9
27	87.50	94.0	63.6	92.0	61.7	93.1	62.6	91.4	60.8	92.5	62.1	91.9	61.3	92.3	61.6	92.3	61.9	92.3	61.7
28	91.67	97.2	66.9	95.8	64.5	96.5	65.6	95.1	63.5	95.6	64.8	95.3	64.1	95.8	64.4	95.7	64.7	95.7	64.5
29	95.83	98.9	70.1	98.1	67.2	98.5	68.5	98.0	66.2	98.5	67.5	98.3	66.8	98.3	67.3	98.4	67.4	98.4	67.3
30	100.00	100.0	73.4	100.0	70.0	100.0	71.5	100.0	68.9	100.0	70.3	100.0	69.5	100.0	70.1	100.0	70.2	100.0	70.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 24: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=294)		Males (n=269)		All (n=563)		Females (n=574)		Males (n=492)		All (n=1066)		Females (n=868)		Males (n=761)		All (n=1629)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17							0.3	4.4			0.2	6.5	0.2	3.6			0.1	5.2
8	8.33	0.5	-0.2			0.3	2.2	0.3	7.2			0.2	9.2	0.3	6.3			0.2	7.9
9	12.50	0.5	2.7			0.3	5.0	0.3	9.9			0.2	11.8	0.3	9.0			0.2	10.6
10	16.67	0.5	5.5	0.6	9.4	0.5	7.8	0.6	12.7	0.6	16.2	0.6	14.5	0.5	11.7	0.5	14.5	0.5	13.2
11	20.83	0.5	8.4	0.6	12.2	0.5	10.6	0.9	15.5	1.1	18.8	1.0	17.1	0.7	14.4	0.8	17.1	0.7	15.8
12	25.00	0.9	11.2	0.6	15.0	0.6	13.4	1.4	18.2	1.5	21.3	1.4	19.8	1.2	17.1	1.1	19.7	1.1	18.4
13	29.17	0.9	14.1	1.0	17.8	0.8	16.3	2.1	21.0	2.3	23.9	2.2	22.5	1.6	19.8	1.7	22.3	1.7	21.1
14	33.33	0.9	17.0	1.6	20.6	1.1	19.1	2.5	23.8	3.1	26.5	2.7	25.1	1.9	22.5	2.5	24.9	2.1	23.7
15	37.50	0.9	19.8	2.3	23.4	1.5	21.9	3.0	26.5	5.5	29.0	4.1	27.8	2.2	25.2	4.3	27.5	3.2	26.4
16	41.67	1.7	22.7	3.4	26.2	2.5	24.7	3.4	29.3	6.3	31.6	4.7	30.5	2.8	27.9	5.3	30.1	3.9	29.0
17	45.83	2.8	25.6	4.9	29.0	3.7	27.5	5.0	32.1	7.5	34.2	6.2	33.1	4.3	30.6	6.6	32.7	5.3	31.7
18	50.00	3.6	28.5	6.4	31.8	4.8	30.3	7.7	34.8	11.8	36.7	9.6	35.8	6.2	33.3	9.9	35.3	7.9	34.3
19	54.17	5.8	31.3	8.6	34.5	7.1	33.1	12.4	37.6	15.9	39.3	14.0	38.5	10.2	36.0	13.3	37.9	11.6	37.0
20	58.33	9.2	34.2	11.9	37.3	10.5	35.9	18.5	40.4	21.0	41.9	19.6	41.1	15.3	38.7	17.8	40.5	16.5	39.6
21	62.50	14.4	37.1	16.8	40.1	15.5	38.7	25.6	43.2	29.3	44.4	27.3	43.8	21.8	41.4	24.9	43.1	23.3	42.3
22	66.67	18.8	39.9	25.0	42.9	21.8	41.5	34.5	45.9	37.8	47.0	36.0	46.5	29.2	44.2	33.3	45.7	31.1	44.9
23	70.83	24.3	42.8	33.1	45.7	28.5	44.3	43.6	48.7	48.2	49.6	45.7	49.1	37.1	46.9	42.9	48.3	39.8	47.6
24	75.00	32.5	45.7	45.7	48.5	38.8	47.1	60.7	51.5	60.4	52.1	60.5	51.8	51.1	49.6	55.2	50.9	53.0	50.2
25	79.17	41.0	48.5	57.3	51.3	48.8	49.9	72.4	54.2	71.1	54.7	71.8	54.4	61.8	52.3	66.2	53.5	63.9	52.8
26	83.33	53.2	51.4	67.7	54.1	60.1	52.7	80.2	57.0	81.7	57.3	80.9	57.1	71.1	55.0	76.8	56.1	73.7	55.5
27	87.50	68.1	54.3	79.6	56.9	73.6	55.5	86.5	59.8	89.0	59.8	87.7	59.8	80.2	57.7	85.7	58.7	82.8	58.1
28	91.67	79.7	57.1	87.1	59.7	83.2	58.3	94.4	62.5	92.9	62.4	93.7	62.4	89.4	60.4	90.8	61.3	90.1	60.8
29	95.83	90.5	60.0	94.1	62.5	92.2	61.1	97.6	65.3	96.3	65.0	97.0	65.1	95.2	63.1	95.5	63.9	95.4	63.4
30	100.00	100.0	62.9	100.0	65.3	100.0	63.9	100.0	68.1	100.0	67.5	100.0	67.8	100.0	65.8	100.0	66.5	100.0	66.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 25: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=300)		Males (n=269)		All (n=569)		Females (n=591)		Males (n=501)		All (n=1092)		Females (n=891)		Males (n=770)		All (n=1631)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	0.5	-2.3			0.3	0.3							0.2	-6.9			0.1	-4.9
4	8.33	0.9	2.8			0.5	5.2							0.3	-1.5			0.2	0.4
5	16.67	0.9	7.9			0.5	10.2			0.3	2.9	0.1	1.8	0.3	6.9	0.2	7.3	0.2	5.6
6	25.00	0.9	13.1	1.5	16.9	1.1	15.1	0.4	6.4	0.5	8.4	0.4	7.4	0.5	9.2	0.8	12.4	0.6	10.8
7	33.33	0.9	18.2	2.7	21.8	1.6	20.1	1.2	12.0	1.2	13.8	1.2	12.9	1.0	14.6	1.7	17.5	1.3	16.1
8	41.67	2.3	23.3	3.5	26.6	2.8	25.1	2.2	17.7	2.6	19.3	2.4	18.5	2.3	20.0	2.9	22.6	2.5	21.3
9	50.00	5.7	28.4	7.8	31.4	6.7	30.0	3.6	23.3	4.6	24.7	4.0	24.0	4.3	25.4	5.7	27.7	5.0	26.6
10	58.33	10.0	33.5	12.7	36.3	11.3	35.0	6.8	28.9	7.6	30.2	7.2	29.5	7.9	30.8	9.4	32.9	8.6	31.8
11	66.67	14.0	38.7	22.4	41.1	17.9	39.9	10.5	34.6	11.2	35.6	10.8	35.1	11.7	36.2	15.1	38.0	13.3	37.1
12	75.00	31.7	43.8	38.7	45.9	35.0	44.9	20.9	40.2	21.5	41.1	21.2	40.6	24.5	41.6	27.5	43.1	25.9	42.3
13	83.33	47.1	48.9	56.5	50.8	51.5	49.8	32.2	45.8	34.7	46.5	33.3	46.2	37.2	47.0	42.3	48.2	39.6	47.6
14	91.67	65.0	54.0	71.1	55.6	67.9	54.8	48.4	51.5	52.7	52.0	50.4	51.7	54.0	52.4	59.1	53.3	56.4	52.8
15	100.00	100.0	59.2	100.0	60.5	100.0	59.7	100.0	57.1	100.0	57.5	100.0	57.3	100.0	57.7	100.0	58.4	100.0	58.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 26: CH – Switzerland. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=291)		Males (n=259)		All (n=550)		Females (n=587)		Males (n=499)		All (n=1086)		Females (n=878)		Males (n=758)		All (n=1636)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
<b>3</b>	<b>0.00</b>	0.5	8.3			0.3	8.0							0.2	5.9			0.1	7.2
<b>4</b>	<b>8.33</b>	0.5	12.6	0.6	12.0	0.5	12.4			0.3	13.3	0.1	11.3	0.2	10.5	0.3	12.9	0.2	11.7
<b>5</b>	<b>16.67</b>	0.9	16.9	1.0	16.5	0.8	16.8	0.4	13.9	1.2	17.8	0.7	15.9	0.5	15.0	1.1	17.4	0.7	16.2
<b>6</b>	<b>25.00</b>	1.5	21.3	1.7	21.1	1.5	21.2	1.2	18.7	2.2	22.2	1.7	20.5	1.2	19.6	2.0	21.8	1.6	20.7
<b>7</b>	<b>33.33</b>	3.4	25.6	3.5	25.6	3.4	25.6	2.2	23.4	3.4	26.6	2.8	25.0	2.6	24.2	3.4	26.3	3.0	25.3
<b>8</b>	<b>41.67</b>	6.4	29.9	5.1	30.1	5.8	30.0	4.9	28.2	7.0	31.1	5.9	29.6	5.4	28.8	6.4	30.8	5.9	29.8
<b>9</b>	<b>50.00</b>	10.6	34.2	12.0	34.6	11.3	34.5	9.7	32.9	13.3	35.5	11.3	34.2	10.0	33.4	12.8	35.2	11.3	34.3
<b>10</b>	<b>58.33</b>	15.4	38.6	17.5	39.1	16.4	38.9	15.0	37.6	19.7	40.0	17.1	38.8	15.1	38.0	18.9	39.7	16.9	38.8
<b>11</b>	<b>66.67</b>	26.7	42.9	27.9	43.7	27.3	43.3	25.2	42.4	27.3	44.4	26.1	43.4	25.7	42.6	27.5	44.1	26.5	43.3
<b>12</b>	<b>75.00</b>	44.9	47.2	49.9	48.2	47.3	47.7	44.1	47.1	50.5	48.8	47.0	47.9	44.4	47.2	50.3	48.6	47.1	47.9
<b>13</b>	<b>83.33</b>	55.2	51.6	63.4	52.7	59.1	52.1	59.1	51.9	67.5	53.3	63.0	52.5	57.8	51.8	66.1	53.1	61.7	52.4
<b>14</b>	<b>91.67</b>	70.4	55.9	78.4	57.2	74.2	56.5	77.3	56.6	81.3	57.7	79.1	57.1	75.0	56.3	80.3	57.5	77.5	56.9
<b>15</b>	<b>100.00</b>	100.0	60.2	100.0	61.7	100.0	60.9	100.0	61.3	100.0	62.1	100.0	61.7	100.0	60.9	100.0	62.0	100.0	61.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 27: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=285)		Males (n=269)		All (n=554)		Females (n=580)		Males (n=490)		All (n=1070)		Females (n=865)		Males (n=759)		All (n=1624)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.3	5.9	0.3	-5.1	0.2	2.0	0.2	2.4	0.2	-6.5	0.1	-1.0
6	5.56							0.4	9.3	0.3	-1.2	0.3	5.6	0.3	5.9	0.2	-2.5	0.2	2.7
7	11.11							0.6	12.7	0.5	2.8	0.5	9.2	0.4	9.5	0.3	1.5	0.3	6.4
8	16.67							0.9	16.1	0.9	6.8	0.9	12.8	0.6	13.0	0.6	5.5	0.6	10.1
9	22.22							1.3	19.5	1.2	10.8	1.1	16.3	0.8	16.5	0.7	9.5	0.8	13.8
10	27.78							1.8	22.8	1.2	14.8	1.4	19.9	1.2	20.1	0.7	13.5	0.9	17.5
11	33.33							2.4	26.2	1.7	18.7	2.1	23.5	1.6	23.6	1.1	17.5	1.4	21.2
12	38.89			1.5	18.2	0.7	18.1	4.1	29.6	1.7	22.7	3.0	27.1	2.8	27.1	1.6	21.5	2.2	24.9
13	44.44	1.1	22.2	2.3	22.3	1.6	22.3	6.3	33.0	1.7	26.7	4.2	30.7	4.6	30.7	1.9	25.5	3.3	28.6
14	50.00	2.2	26.5	3.4	26.5	2.7	26.6	11.8	36.4	4.1	30.7	8.3	34.2	8.6	34.2	3.8	29.5	6.4	32.3
15	55.56	5.0	30.9	7.5	30.7	6.2	30.8	18.1	39.8	8.0	34.6	13.4	37.8	13.7	37.7	7.8	33.5	11.0	36.0
16	61.11	14.0	35.3	11.9	34.8	13.0	35.1	26.7	43.2	14.5	38.6	21.1	41.4	22.5	41.3	13.6	37.5	18.3	39.7
17	66.67	21.4	39.6	16.8	39.0	19.1	39.3	39.5	46.6	25.4	42.6	33.0	45.0	33.5	44.8	22.3	41.5	28.3	43.4
18	72.22	33.3	44.0	27.2	43.2	30.3	43.6	53.5	49.9	39.8	46.6	47.2	48.6	46.8	48.4	35.3	45.4	41.4	47.1
19	77.78	47.4	48.3	39.0	47.3	43.3	47.8	65.1	53.3	57.0	50.5	61.4	52.1	59.3	51.9	50.6	49.4	55.2	50.8
20	83.33	64.6	52.7	57.6	51.5	61.2	52.1	79.8	56.7	73.2	54.5	76.8	55.7	74.8	55.4	67.7	53.4	71.5	54.5
21	88.89	80.7	57.0	77.4	55.7	79.1	56.4	89.3	60.1	87.1	58.5	88.3	59.3	86.5	59.0	83.7	57.4	85.2	58.2
22	94.44	92.3	61.4	92.2	59.9	92.2	60.6	96.5	63.5	95.7	62.5	96.2	62.9	95.1	62.5	94.5	61.4	94.8	61.9
23	100.00	100.0	65.8	100.0	64.0	100.0	64.9	100.0	66.9	100.0	66.4	100.0	66.4	100.0	66.0	100.0	65.4	100.0	65.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 28: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=293)		Males (n=268)		All (n=561)		Females (n=585)		Males (n=490)		All (n=1075)		Females (n=878)		Males (n=758)		All (n=1636)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00			0.6	-2.0	0.3	-2.7									0.2	-3.4	0.1	0.8
15	28.57			0.6	1.3	0.3	0.7	0.4	9.0			0.2	5.4	0.3	6.7	0.2	0.0	0.2	4.0
16	32.14			0.6	4.6	0.3	4.0	0.6	12.0			0.3	8.5	0.4	9.7	0.2	3.4	0.3	7.2
17	35.71			0.6	7.9	0.3	7.4	0.6	15.0	0.3	6.1	0.4	11.6	0.4	12.8	0.3	6.8	0.3	10.4
18	39.29			1.3	11.2	0.6	10.7	1.1	17.9	0.3	9.6	0.7	14.8	0.7	15.8	0.6	10.2	0.6	13.6
19	42.86	0.5	13.6	1.3	14.5	0.8	14.1	1.7	20.8	0.5	13.1	1.1	17.9	1.3	18.9	0.7	13.7	1.0	16.8
20	46.43	0.9	17.0	1.3	17.8	1.0	17.4	2.4	23.8	0.5	16.6	1.5	21.1	1.8	22.0	0.7	17.1	1.3	20.0
21	50.00	2.0	20.4	2.0	21.1	1.9	20.8	3.2	26.7	0.9	20.0	2.1	24.2	2.8	25.0	1.2	20.5	2.1	23.2
22	53.57	3.1	23.8	2.0	24.4	2.5	24.2	4.6	29.6	2.1	23.5	3.5	27.3	4.1	28.1	2.0	23.9	3.1	26.4
23	57.14	4.4	27.2	3.4	27.7	3.9	27.5	6.5	32.6	3.5	27.0	5.1	30.5	5.8	31.1	3.5	27.3	4.7	29.6
24	60.71	6.4	30.6	6.3	31.0	6.4	30.9	10.6	35.5	4.9	30.5	8.0	33.6	9.2	34.2	5.4	30.7	7.4	32.8
25	64.29	8.5	34.1	7.9	34.4	8.2	34.2	14.0	38.5	8.4	33.9	11.4	36.7	12.1	37.3	8.2	34.1	10.3	36.0
26	67.86	10.5	37.5	12.3	37.7	11.4	37.6	21.5	41.4	13.3	37.4	17.7	39.9	17.8	40.3	12.9	37.5	15.6	39.2
27	71.43	16.3	40.9	16.4	41.0	16.3	40.9	29.2	44.4	20.0	40.9	25.0	43.0	24.9	43.4	18.7	40.9	22.0	42.3
28	75.00	28.0	44.3	28.3	44.3	28.1	44.3	38.6	47.3	30.6	44.4	34.9	46.1	35.0	46.4	29.8	44.3	32.6	45.5
29	78.57	44.4	47.7	39.5	47.6	42.1	47.6	50.6	50.3	45.1	47.9	48.1	49.3	48.5	49.5	43.2	47.8	46.0	48.7
30	82.14	61.2	51.1	55.1	50.9	58.3	51.0	63.4	53.2	59.4	51.3	61.6	52.4	62.7	52.6	57.9	51.2	60.5	51.9
31	85.71	73.1	54.6	72.4	54.2	72.8	54.4	78.4	56.1	72.0	54.8	75.5	55.5	76.7	55.6	72.2	54.6	74.6	55.1
32	89.29	84.0	58.0	84.3	57.5	84.2	57.7	87.9	59.1	86.1	58.3	87.1	58.7	86.6	58.7	85.5	58.0	86.1	58.3
33	92.86	92.9	61.4	93.3	60.8	93.1	61.1	95.2	62.0	92.9	61.8	94.2	61.8	94.4	61.7	93.0	61.4	93.8	61.5
34	96.43	96.9	64.8	97.4	64.1	97.2	64.4	98.1	65.0	97.6	65.3	97.9	65.0	97.7	64.8	97.5	64.8	97.6	64.7
35	100.00	100.0	68.2	100.0	67.4	100.0	67.8	100.0	67.9	100.0	68.7	100.0	68.1	100.0	67.9	100.0	68.2	100.0	67.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 29: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy

Raw-Score	0-100 Score	Females (n=288)		Children 8-11 Males (n=250)		All (n=538)		Females (n=575)		Adolescents 12-18 Males (n=483)		All (n=1058)		Children & Adolescents 8-18 Females (n=863)		Males (n=733)		All (n=1596)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00																		
15	28.57																		
16	32.14			0.6	7.7	0.3	7.4									0.2	7.4	0.1	8.0
17	35.71			0.6	10.9	0.3	10.7									0.2	10.6	0.1	11.2
18	39.29	0.5	13.6	0.6	14.2	0.5	13.9							0.2	14.8	0.2	13.9	0.2	14.4
19	42.86	0.5	16.9	0.6	17.4	0.5	22.5	0.3	18.3	0.5	16.9	0.3	17.7	0.3	17.9	0.5	17.1	0.3	17.5
20	46.43	0.5	20.2	1.0	20.6	0.7	20.4	0.4	21.4	0.7	20.1	0.5	20.9	0.4	21.0	0.7	20.3	0.5	20.7
21	50.00	0.5	23.4	2.8	23.9	1.5	23.6	0.8	24.5	1.5	23.4	1.0	24.0	0.6	24.2	1.9	23.6	1.2	23.9
22	53.57	0.9	26.7	3.8	27.1	2.1	26.9	2.3	27.6	2.5	26.6	2.4	27.2	1.7	27.3	2.9	26.8	2.3	27.1
23	57.14	1.8	29.9	6.0	30.3	3.7	30.1	4.9	30.7	5.2	29.9	5.0	30.3	3.8	30.5	5.5	30.0	4.6	30.3
24	60.71	6.6	33.2	7.3	33.6	6.9	33.4	8.3	33.8	8.0	33.1	8.2	33.5	7.8	33.6	7.8	33.3	7.8	33.5
25	64.29	12.6	36.4	10.8	36.8	11.8	36.6	14.1	36.9	12.8	36.4	13.5	36.7	13.6	36.7	12.1	36.5	12.9	36.6
26	67.86	22.9	39.7	16.0	40.0	19.7	39.9	20.9	40.0	17.3	39.6	19.3	39.8	21.6	39.9	16.9	39.8	19.4	39.8
27	71.43	32.6	42.9	24.0	43.3	28.6	43.1	29.6	43.1	25.8	42.8	27.9	43.0	30.6	43.0	25.2	43.0	28.1	43.0
28	75.00	41.4	46.2	39.6	46.5	40.5	46.3	40.0	46.1	37.7	46.1	38.9	46.1	40.5	46.2	38.3	46.2	39.5	46.2
29	78.57	51.5	49.4	55.2	49.7	53.2	49.6	50.3	49.2	50.3	49.3	50.3	49.3	50.7	49.3	52.0	49.5	51.3	49.4
30	82.14	63.9	52.7	67.2	53.0	65.4	52.8	62.3	52.3	63.7	52.6	62.9	52.4	62.8	52.4	64.9	52.7	63.8	52.6
31	85.71	75.7	56.0	79.6	56.2	77.5	56.1	71.9	55.4	75.8	55.8	73.7	55.6	73.1	55.6	77.1	56.0	74.9	55.8
32	89.29	84.7	59.2	87.2	59.4	85.9	59.3	80.9	58.5	86.8	59.1	83.6	58.8	82.2	58.7	86.9	59.2	84.4	58.9
33	92.86	91.3	62.5	93.2	62.7	92.2	62.6	92.2	61.6	93.6	62.3	92.8	61.9	91.9	61.9	93.5	62.4	92.6	62.1
34	96.43	96.9	65.7	97.2	65.9	97.0	65.8	96.7	64.7	97.1	65.6	96.9	65.1	96.8	65.0	97.1	65.7	96.9	65.3
35	100.00	100.0	69.0	100.0	69.1	100.0	69.0	100.0	67.8	100.0	68.8	100.0	68.2	100.0	68.2	100.0	68.9	100.0	68.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 30: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=291)		Males (n=268)		All (n=559)		Females (n=576)		Males (n=489)		All (n=1065)		Females (n=867)		Males (n=757)		All (n=1624)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00			0.6	4.3	0.3	-0.5	0.3	2.9	0.3	3.0	0.2	3.0	0.2	0.3	0.3	3.5	0.2	1.9
5	6.25			0.6	8.3	0.3	3.9	0.3	7.0	0.5	7.1	0.3	7.1	0.2	4.6	0.5	7.6	0.3	6.1
6	12.50			1.0	12.3	0.5	8.3	0.3	11.1	0.5	11.3	0.3	11.2	0.2	9.0	0.6	11.7	0.3	10.3
7	18.75			1.0	16.3	0.5	12.7	0.7	15.2	0.5	15.4	0.6	15.3	0.5	13.3	0.6	15.8	0.5	14.5
8	25.00			2.0	20.2	0.9	17.1	1.4	19.3	0.7	19.6	1.0	19.5	0.9	17.6	1.1	19.9	1.0	18.7
9	31.25	0.5	18.1	2.8	24.2	1.5	21.6	2.1	23.4	2.0	23.8	2.1	23.6	1.5	21.9	2.3	24.0	1.9	22.9
10	37.50	1.8	23.1	3.8	28.2	2.7	26.0	3.9	27.5	3.5	27.9	3.7	27.7	3.1	26.3	3.6	28.0	3.3	27.1
11	43.75	2.8	28.0	5.6	32.2	4.1	30.4	6.5	31.5	5.9	32.1	6.2	31.8	5.2	30.6	5.8	32.1	5.5	31.4
12	50.00	7.6	33.0	10.8	36.2	9.1	34.8	11.5	35.6	13.1	36.2	12.2	35.9	10.2	34.9	12.3	36.2	11.2	35.6
13	56.25	15.1	38.0	17.2	40.2	16.1	39.2	17.5	39.7	19.3	40.4	18.3	40.0	16.7	39.3	18.5	40.3	17.6	39.8
14	62.50	31.3	43.0	28.4	44.2	29.9	43.6	28.3	43.8	32.0	44.5	30.0	44.1	29.3	43.6	30.7	44.4	29.9	44.0
15	68.75	49.9	47.9	47.5	48.1	48.7	48.1	43.2	47.9	48.3	48.7	45.5	48.3	45.5	47.9	48.0	48.5	46.6	48.2
16	75.00	73.5	52.9	65.7	52.1	69.8	52.5	64.6	52.0	69.5	52.8	66.8	52.4	67.6	52.3	68.2	52.6	67.9	52.4
17	81.25	85.6	57.9	82.1	56.1	83.9	56.9	81.1	56.1	82.6	57.0	81.8	56.5	82.6	56.6	82.4	56.7	82.5	56.6
18	87.50	92.5	62.8	89.9	60.1	91.3	61.3	90.4	60.2	92.4	61.1	91.3	60.6	91.1	60.9	91.5	60.7	91.3	60.8
19	93.75	98.3	67.8	95.9	64.1	97.1	65.7	97.6	64.3	97.3	65.3	97.5	64.7	97.8	65.2	96.8	64.8	97.4	65.0
20	100.00	100.0	72.8	100.0	68.1	100.0	70.1	100.0	68.4	100.0	69.4	100.0	68.8	100.0	69.6	100.0	68.9	100.0	69.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 31: CH – Switzerland. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=297)		Males (n=269)		All (n=566)		Females (n=577)		Males (n=497)		All (n=1074)		Females (n=874)		Males (n=766)		All (n=1640)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25							0.3	2.3			0.1	4.7	0.2	1.7			0.1	3.6
6	12.50	0.5	1.6			0.3	3.7	0.3				0.1	8.9	0.3	6.0			0.2	7.8
7	18.75	0.5	6.0	0.6	9.3	0.5	8.1	0.4	11.0	0.5	15.1	0.4	13.1	0.4	10.3	0.4	13.5	0.4	12.0
8	25.00	0.5	10.5	0.6	13.7	0.5	12.5	0.7	15.4	0.8	19.1	0.7	17.3	0.6	14.6	0.7	17.6	0.6	16.2
9	31.25	0.9	14.9	1.0	18.1	0.8	16.8	1.6	19.8	2.2	23.2	1.8	21.5	1.3	18.9	1.7	21.7	1.5	20.3
10	37.50	1.2	19.3	2.3	22.4	1.6	21.1	2.6	24.1	3.4	27.2	3.0	25.7	2.1	23.1	3.0	25.8	2.5	24.5
11	43.75	1.8	23.7	4.1	26.8	2.8	25.5	3.6	28.5	5.8	31.2	4.6	29.9	3.0	27.4	5.2	30.0	4.0	28.7
12	50.00	4.4	28.1	5.9	31.2	5.1	29.8	6.9	32.9	11.5	35.3	9.0	34.1	6.1	31.7	9.5	34.1	7.7	32.9
13	56.25	8.1	32.5	10.7	35.6	9.3	34.2	13.5	37.3	17.5	39.3	15.4	38.3	11.6	36.0	15.1	38.2	13.3	37.1
14	62.50	13.4	36.9	18.6	40.0	15.9	38.5	22.7	41.6	27.8	43.4	25.0	42.5	19.5	40.3	24.5	42.3	21.9	41.3
15	68.75	21.6	41.4	30.1	44.4	25.6	42.9	36.2	46.0	41.3	47.4	38.5	46.7	31.2	44.6	37.3	46.4	34.1	45.5
16	75.00	36.1	45.8	51.7	48.8	43.5	47.2	59.8	50.4	62.9	51.4	61.2	50.9	51.7	48.8	59.0	50.5	55.1	49.7
17	81.25	55.6	50.2	69.2	53.2	62.1	51.6	77.3	54.8	78.3	55.5	77.7	55.1	69.9	53.1	75.1	54.7	72.3	53.8
18	87.50	73.4	54.6	83.7	57.6	78.3	55.9	87.2	59.1	88.3	59.5	87.7	59.3	82.5	57.4	86.7	58.8	84.5	58.0
19	93.75	87.2	59.0	94.0	61.9	90.4	60.3	96.0	63.5	95.0	63.5	95.5	63.5	93.0	61.7	94.6	62.9	93.8	62.2
20	100.00	100.0	63.4	100.0	66.3	100.0	64.6	100.0	67.9	100.0	67.6	100.0	67.7	100.0	66.0	100.0	67.0	100.0	66.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 32: CH – Switzerland. Individual norm data KIDSCREEN-10-PROXY Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=289)		Males (n=257)		All (n=546)		Females (n=570)		Males (n=484)		All (n=1054)		Females (n=859)		Males (n=741)		All (n=1600)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50																		
22	30.00																		
23	32.50																		
24	35.00																		
25	37.50							0.6	13.8			0.3	11.8	0.4	12.0			0.2	10.5
26	40.00							0.8	16.1	0.3	11.4	0.5	14.2	0.5	14.3	0.2	11.0	0.3	12.9
27	42.50							1.0	18.4	0.3	14.0	0.6	16.6	0.6	16.7	0.2	13.6	0.4	15.4
28	45.00			0.6	15.3	0.3	15.2	1.0	20.7	0.5	16.5	0.7	19.0	0.6	19.1	0.5	16.1	0.5	17.8
29	47.50	0.5	17.6	0.6	17.9	0.5	17.8	1.2	23.0	0.5	19.1	0.8	21.4	0.9	21.5	0.5	18.7	0.6	20.3
30	50.00	0.9	20.2	1.0	20.4	0.8	20.3	1.6	25.3	1.1	21.6	1.3	23.8	1.3	23.9	1.0	21.3	1.1	22.7
31	52.50	1.8	22.8	1.4	23.0	1.5	22.9	2.5	27.6	1.7	24.2	2.1	26.2	2.2	26.3	1.5	23.8	1.9	25.2
32	55.00	2.5	25.4	2.8	25.6	2.6	25.5	4.0	29.9	2.1	26.7	3.1	28.6	3.5	28.6	2.3	26.4	2.9	27.7
33	57.50	4.1	28.0	4.3	28.2	4.2	28.1	6.3	32.2	3.3	29.3	4.9	31.0	5.6	31.0	3.6	28.9	4.7	30.1
34	60.00	5.2	30.6	5.8	30.7	5.5	30.7	9.1	34.5	4.9	31.8	7.2	33.4	7.8	33.4	5.2	31.5	6.6	32.6
35	62.50	6.6	33.2	7.1	33.3	6.8	33.3	12.9	36.8	8.2	34.4	10.8	35.8	10.8	35.8	7.8	34.0	9.4	35.0
36	65.00	9.0	35.8	10.5	35.9	9.7	35.9	16.1	39.1	11.1	36.9	13.8	38.2	13.7	38.2	10.9	36.6	12.4	37.5
37	67.50	13.8	38.4	14.4	38.5	14.1	38.4	20.5	41.4	16.9	39.5	18.8	40.6	18.3	40.5	16.1	39.1	17.2	39.9
38	70.00	20.4	41.0	19.9	41.0	20.2	41.0	27.0	43.7	24.3	42.0	25.8	43.0	24.8	42.9	22.8	41.7	23.9	42.4
39	72.50	27.0	43.6	26.9	43.6	27.0	43.6	35.9	46.0	32.6	44.6	34.4	45.4	32.9	45.3	30.6	44.3	31.9	44.9
40	75.00	37.8	46.2	35.9	46.2	36.9	46.2	44.7	48.3	41.3	47.1	43.2	47.8	42.4	47.7	39.4	46.8	41.0	47.3
41	77.50	46.8	48.8	48.3	48.8	47.5	48.8	53.3	50.6	52.7	49.7	53.0	50.2	51.1	50.1	51.2	49.4	51.1	49.8
42	80.00	58.2	51.4	55.3	51.3	56.9	51.4	62.1	52.9	62.4	52.2	62.2	52.6	60.8	52.5	59.9	51.9	60.4	52.2
43	82.50	68.9	54.0	66.2	53.9	67.6	54.0	73.0	55.3	70.9	54.8	72.0	55.0	71.6	54.8	69.2	54.5	70.5	54.7
44	85.00	83.1	56.6	79.8	56.5	81.5	56.5	80.6	57.6	78.9	57.3	79.8	57.4	81.4	57.2	79.2	57.0	80.4	57.1
45	87.50	87.9	59.2	88.3	59.1	88.1	59.1	87.9	59.9	88.0	59.9	88.0	59.8	87.9	59.6	88.1	59.6	88.0	59.6
46	90.00	91.0	61.8	93.0	61.6	91.9	61.7	92.5	62.2	92.6	62.4	92.5	62.3	92.0	62.0	92.7	62.2	92.3	62.0
47	92.50	93.4	64.4	95.3	64.2	94.3	64.3	95.8	64.5	96.1	65.0	95.9	64.7	95.0	64.4	95.8	64.7	95.4	64.5
48	95.00	97.2	67.0	96.5	66.8	96.9	66.9	98.4	66.8	98.1	67.5	98.3	67.1	98.0	66.8	97.6	67.3	97.8	67.0
49	97.50	99.0	69.6	99.2	69.4	99.1	69.5	99.6	69.1	99.2	70.1	99.4	69.5	99.4	69.1	99.2	69.8	99.3	69.4
50	100.00	100.0	72.2	100.0	71.9	100.0	72.1	100.0	71.4	100.0	72.6	100.0	71.9	100.0	71.5	100.0	72.4	100.0	71.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 33: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=271)		All (n=549)		Females (n=500)		Males (n=524)		All (n=1024)		Females (n=778)		Males (n=795)		All (n=1573)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
<b>5</b>	<b>0.00</b>																		
<b>6</b>	<b>5.56</b>			0.6	13.4	0.3	14.0	0.8	20.8	0.3	16.6	0.5	18.9	0.5	19.1	0.3	15.7	0.4	17.5
<b>7</b>	<b>11.11</b>	1.1	17.4	0.6	16.4	0.8	16.9	1.8	23.4	0.6	19.4	1.2	21.6	1.6	21.8	0.5	18.5	1.0	20.3
<b>8</b>	<b>16.67</b>	2.2	20.2	1.9	19.3	2.0	19.8	2.3	26.1	1.3	22.2	1.8	24.3	2.2	24.5	1.5	21.4	1.9	23.0
<b>9</b>	<b>22.22</b>	2.7	23.1	1.9	22.2	2.3	22.7	2.9	28.7	2.5	25.0	2.6	27.0	2.7	27.1	2.3	24.2	2.5	25.8
<b>10</b>	<b>27.78</b>	3.4	26.0	3.0	25.1	3.1	25.6	4.8	31.3	3.3	27.8	4.0	29.7	4.3	29.8	3.1	27.0	3.7	28.5
<b>11</b>	<b>33.33</b>	4.1	28.9	4.1	28.1	4.0	28.5	7.8	34.0	4.2	30.6	6.0	32.4	6.4	32.5	4.2	29.9	5.3	31.3
<b>12</b>	<b>38.89</b>	6.9	31.8	5.6	31.0	6.2	31.4	12.2	36.6	8.0	33.5	10.0	35.1	10.3	35.2	7.2	32.7	8.7	34.0
<b>13</b>	<b>44.44</b>	9.3	34.6	7.4	33.9	8.4	34.3	17.2	39.2	12.2	36.3	14.6	37.8	14.4	37.9	10.6	35.5	12.5	36.8
<b>14</b>	<b>50.00</b>	13.3	37.5	13.0	36.9	13.1	37.2	25.3	41.9	17.9	39.1	21.6	40.5	21.0	40.5	16.2	38.4	18.6	39.5
<b>15</b>	<b>55.56</b>	19.1	40.4	18.1	39.8	18.6	40.1	34.4	44.5	25.2	41.9	29.7	43.3	28.9	43.2	22.8	41.2	25.8	42.3
<b>16</b>	<b>61.11</b>	26.2	43.3	25.5	42.7	25.9	43.0	42.4	47.2	32.7	44.7	37.4	46.0	36.6	45.9	30.2	44.1	33.4	45.0
<b>17</b>	<b>66.67</b>	33.1	46.2	33.6	45.6	33.3	45.9	49.2	49.8	41.1	47.5	45.1	48.7	43.4	48.6	38.5	46.9	41.0	47.8
<b>18</b>	<b>72.22</b>	47.4	49.1	45.8	48.6	46.6	48.8	61.8	52.4	51.6	50.3	56.6	51.4	56.6	51.3	49.6	49.7	53.1	50.5
<b>19</b>	<b>77.78</b>	56.4	51.9	56.5	51.5	56.5	51.7	69.8	55.1	63.9	53.1	66.8	54.1	65.0	54.0	61.4	52.6	63.2	53.3
<b>20</b>	<b>83.33</b>	70.5	54.8	64.6	54.4	67.6	54.6	79.4	57.7	72.7	55.9	76.0	56.8	76.2	56.6	69.9	55.4	73.0	56.0
<b>21</b>	<b>88.89</b>	81.3	57.7	79.0	57.4	80.1	57.5	86.6	60.3	80.9	58.7	83.7	59.5	84.7	59.3	80.2	58.2	82.4	58.8
<b>22</b>	<b>94.44</b>	90.3	60.6	90.8	60.3	90.5	60.4	93.2	63.0	92.2	61.5	92.7	62.2	92.2	62.0	91.7	61.1	91.9	61.5
<b>23</b>	<b>100.00</b>	100.0	63.5	100.0	63.2	100.0	63.3	100.0	65.6	100.0	64.3	100.0	64.9	100.0	64.7	100.0	63.9	100.0	64.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 34: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=276)		Males (n=269)		All (n=545)		Females (n=502)		Males (n=526)		All (n=1028)		Females (n=778)		Males (n=795)		All (n=1573)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50									0.3	6.4	0.2	6.2			0.2	5.4	0.1	5.5
10	16.67									0.3	9.4	0.2	9.2			0.2	8.4	0.1	8.5
11	20.83			0.6	8.5	0.3	9.3			0.3	12.3	0.2	12.1			0.3	11.3	0.2	11.4
12	25.00			0.6	11.5	0.3	12.3	0.3	14.9	0.6	15.3	0.4	15.1	0.2	14.4	0.5	14.3	0.3	14.4
13	29.17	1.2	16.0	0.6	14.6	0.8	15.3	0.7	17.8	0.9	18.2	0.7	18.0	0.8	17.4	0.7	17.3	0.7	17.3
14	33.33	1.7	18.9	1.0	17.6	1.2	18.3	0.7	20.8	0.9	21.2	0.7	21.0	1.0	20.3	0.8	20.2	0.9	20.3
15	37.50	2.0	21.9	1.0	20.7	1.4	21.3	1.8	23.8	0.9	24.1	1.3	24.0	1.8	23.3	0.8	23.2	1.3	23.2
16	41.67	3.0	24.8	1.9	23.7	2.4	24.3	2.1	26.8	2.3	27.1	2.2	26.9	2.3	26.2	2.2	26.1	2.2	26.2
17	45.83	4.4	27.8	3.7	26.7	4.1	27.3	3.8	29.7	3.8	30.0	3.8	29.9	4.0	29.2	3.8	29.1	3.9	29.1
18	50.00	6.2	30.7	6.3	29.8	6.2	30.3	8.4	32.7	8.2	33.0	8.3	32.9	7.6	32.1	7.6	32.1	7.6	32.1
19	54.17	9.2	33.6	6.9	32.8	7.9	33.3	11.9	35.7	12.0	35.9	12.0	35.8	11.0	35.1	10.2	35.0	10.6	35.0
20	58.33	12.8	36.6	11.9	35.9	12.3	36.3	15.9	38.7	17.3	38.9	16.6	38.8	14.8	38.0	15.5	38.0	15.1	38.0
21	62.50	15.6	39.5	14.1	38.9	14.9	39.3	23.3	41.7	24.0	41.8	23.6	41.7	20.6	41.0	20.6	40.9	20.6	40.9
22	66.67	19.3	42.5	20.5	42.0	19.9	42.2	31.3	44.6	30.3	44.8	30.8	44.7	27.0	43.9	26.9	43.9	27.0	43.9
23	70.83	28.7	45.4	27.9	45.0	28.3	45.2	40.9	47.6	39.6	47.7	40.2	47.7	36.5	46.8	35.6	46.9	36.1	46.9
24	75.00	49.3	48.4	48.8	48.1	49.0	48.2	57.2	50.6	58.0	50.7	57.6	50.6	54.4	49.8	54.9	49.8	54.6	49.8
25	79.17	58.0	51.3	58.1	51.1	58.0	51.2	66.4	53.6	68.4	53.6	67.4	53.6	63.4	52.7	64.9	52.8	64.2	52.8
26	83.33	69.6	54.3	69.6	54.1	69.6	54.2	77.2	56.5	80.0	56.6	78.6	56.6	74.5	55.7	76.5	55.7	75.5	55.7
27	87.50	82.7	57.2	82.2	57.2	82.4	57.2	89.3	59.5	87.6	59.5	88.4	59.5	86.9	58.6	85.8	58.7	86.3	58.7
28	91.67	89.5	60.2	89.2	60.2	89.4	60.2	92.8	62.5	92.0	62.5	92.4	62.5	91.7	61.6	91.1	61.6	91.4	61.6
29	95.83	94.3	63.1	93.7	63.3	94.0	63.2	96.6	65.5	96.6	65.4	96.6	65.4	95.8	64.5	95.6	64.6	95.7	64.6
30	100.00	100.0	66.1	100.0	66.3	100.0	66.2	100.0	68.4	100.0	68.4	100.0	68.4	100.0	67.5	100.0	67.6	100.0	67.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 35: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=268)		All (n=546)		Females (n=503)		Males (n=524)		All (n=1027)		Females (n=781)		Males (n=792)		All (n=1573)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86									0.3	6.1	0.2	7.2			0.2	4.7	0.1	6.0
13	21.43									0.3	8.7	0.2	9.8			0.2	7.4	0.1	8.6
14	25.00	0.6	9.1			0.3	7.9			0.5	11.3	0.3	12.3	0.2	12.2	0.3	10.0	0.2	11.1
15	28.57	0.6	11.7	0.6	9.3	0.5	10.6	0.3	15.7	0.5	13.9	0.4	14.9	0.3	14.7	0.5	12.6	0.3	13.7
16	32.14	1.2	14.3	0.6	12.1	0.8	13.3	0.8	18.2	0.8	16.5	0.8	17.4	0.9	17.2	0.7	15.3	0.8	16.3
17	35.71	1.7	16.9	1.2	14.9	1.3	16.0	1.4	20.8	1.2	19.1	1.3	20.0	1.4	19.8	1.2	17.9	1.3	18.9
18	39.29	3.0	19.5	1.2	17.7	2.0	18.7	2.8	23.3	1.5	21.7	2.1	22.6	2.8	22.3	1.3	20.5	2.0	21.5
19	42.86	3.5	22.1	1.7	20.4	2.4	21.4	3.1	25.9	2.1	24.3	2.5	25.1	3.1	24.9	1.9	23.2	2.5	24.1
20	46.43	4.4	24.8	2.1	23.2	3.2	24.0	4.2	28.4	2.7	26.9	3.4	27.7	4.3	27.4	2.4	25.8	3.3	26.6
21	50.00	5.8	27.4	3.7	26.0	4.8	26.7	6.7	31.0	4.2	29.5	5.4	30.3	6.4	29.9	4.0	28.5	5.2	29.2
22	53.57	6.3	30.0	4.6	28.7	5.4	29.4	8.9	33.5	6.5	32.1	7.7	32.8	8.0	32.5	5.8	31.1	6.9	31.8
23	57.14	7.7	32.6	6.7	31.5	7.2	32.1	10.9	36.1	10.3	34.7	10.6	35.4	9.8	35.0	9.1	33.7	9.4	34.4
24	60.71	8.4	35.2	8.6	34.3	8.4	34.8	14.5	38.6	12.7	37.3	13.6	38.0	12.3	37.6	11.3	36.4	11.8	37.0
25	64.29	9.8	37.8	12.3	37.1	11.0	37.5	18.3	41.2	17.7	39.9	18.0	40.5	15.3	40.1	15.9	39.0	15.6	39.6
26	67.86	12.6	40.4	15.3	39.8	13.9	40.2	26.1	43.7	23.0	42.5	24.5	43.1	21.3	42.6	20.4	41.7	20.8	42.2
27	71.43	18.1	43.0	22.7	42.6	20.4	42.8	34.1	46.3	28.8	45.1	31.4	45.7	28.4	45.2	26.7	44.3	27.5	44.7
28	75.00	31.0	45.6	32.4	45.4	31.7	45.5	44.0	48.8	40.6	47.7	42.2	48.2	39.3	47.7	37.8	46.9	38.6	47.3
29	78.57	42.2	48.3	41.8	48.1	42.0	48.2	55.7	51.4	51.3	50.2	53.5	50.8	50.9	50.3	48.1	49.6	49.5	49.9
30	82.14	53.2	50.9	53.8	50.9	53.5	50.9	67.4	53.9	62.8	52.8	65.1	53.4	62.4	52.8	59.7	52.2	61.0	52.5
31	85.71	65.9	53.5	64.5	53.7	65.2	53.6	78.1	56.4	73.2	55.4	75.6	55.9	73.8	55.3	70.2	54.8	72.0	55.1
32	89.29	77.8	56.1	78.0	56.5	77.9	56.3	86.3	59.0	82.1	58.0	84.2	58.5	83.3	57.9	80.7	57.5	82.0	57.7
33	92.86	87.5	58.7	87.3	59.2	87.4	58.9	91.8	61.5	90.7	60.6	91.2	61.1	90.3	60.4	89.5	60.1	89.9	60.3
34	96.43	94.3	61.3	95.5	62.0	94.9	61.6	97.0	64.1	96.0	63.2	96.5	63.6	96.1	63.0	95.8	62.8	95.9	62.9
35	100.00	100.0	63.9	100.0	64.8	100.0	64.3	100.0	66.6	100.0	65.8	100.0	66.2	100.0	65.5	100.0	65.4	100.0	65.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 36: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=273)		All (n=551)		Females (n=506)		Males (n=528)		All (n=1036)		Females (n=784)		Males (n=801)		All (n=1585)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00							0.3	20.6			0.2	17.4	0.2	18.5			0.1	15.6
8	15.00							0.3	23.2			0.2	20.1	0.2	21.2			0.1	18.3
9	20.00	0.6	17.4	0.6	13.7	0.4	16.0	1.2	25.8	0.3	17.6	0.7	22.7	0.9	23.8	0.3	16.6	0.6	21.0
10	25.00	2.2	20.4	0.6	16.7	1.3	18.9	2.8	28.4	0.8	20.5	1.7	25.3	2.6	26.4	0.7	19.5	1.6	23.7
11	30.00	2.2	23.3	0.6	19.7	1.3	21.9	6.8	30.9	1.7	23.4	4.2	28.0	5.1	29.0	1.3	22.4	3.2	26.4
12	35.00	3.3	26.2	1.5	22.7	2.4	24.8	10.7	33.5	3.0	26.3	6.8	30.6	8.1	31.6	2.5	25.3	5.3	29.1
13	40.00	5.1	29.1	2.6	25.7	3.8	27.7	12.7	36.1	5.3	29.2	8.9	33.3	10.0	34.2	4.4	28.2	7.2	31.7
14	45.00	7.9	32.1	6.2	28.7	7.1	30.6	16.3	38.7	7.6	32.1	11.8	35.9	13.3	36.9	7.1	31.1	10.2	34.4
15	50.00	10.5	35.0	9.5	31.7	10.0	33.6	22.6	41.2	10.1	35.0	16.2	38.6	18.3	39.5	9.9	34.0	14.0	37.1
16	55.00	13.7	37.9	12.1	34.7	12.9	36.5	30.2	43.8	15.6	37.9	22.8	41.2	24.4	42.1	14.4	36.9	19.3	39.8
17	60.00	18.7	40.9	13.9	37.7	16.3	39.4	36.5	46.4	20.9	40.8	28.5	43.9	30.2	44.7	18.5	39.8	24.3	42.5
18	65.00	25.6	43.8	19.4	40.7	22.5	42.3	46.0	49.0	28.6	43.6	37.1	46.5	38.8	47.3	25.5	42.7	32.1	45.2
19	70.00	36.3	46.7	26.0	43.7	31.2	45.3	55.9	51.5	36.7	46.5	46.1	49.2	49.0	50.0	33.1	45.6	41.0	47.9
20	75.00	51.8	49.6	35.9	46.7	43.9	48.2	68.4	54.1	47.0	49.4	57.5	51.8	62.5	52.6	43.2	48.5	52.8	50.6
21	80.00	62.9	52.6	45.5	49.7	54.3	51.1	77.3	56.7	59.4	52.3	68.1	54.4	72.2	55.2	54.7	51.4	63.3	53.3
22	85.00	72.6	55.5	56.1	52.7	64.5	54.1	83.8	59.3	69.8	55.2	76.7	57.1	79.8	57.8	65.2	54.3	72.4	56.0
23	90.00	82.4	58.4	73.0	55.7	77.7	57.0	90.9	61.8	82.1	58.1	86.4	59.7	87.9	60.4	79.0	57.2	83.4	58.7
24	95.00	92.1	61.3	85.8	58.7	89.0	59.9	97.4	64.4	91.3	61.0	94.3	62.4	95.5	63.1	89.4	60.1	92.4	61.4
25	100.00	100.0	64.3	100.0	61.7	100.0	62.8	100.0	67.0	100.0	63.9	100.0	65.0	100.0	65.7	100.0	63.0	100.0	64.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 37: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=280)		Males (n=275)		All (n=555)		Females (n=506)		Males (n=524)		All (n=1030)		Females (n=786)		Males (n=799)		All (n=1585)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00							0.3	7.3			0.2	4.9	0.2	6.3			0.1	4.4
8	15.00							0.3	10.5			0.2	8.3	0.2	9.6			0.1	7.8
9	20.00							0.3	13.8			0.2	11.7	0.2	12.9			0.1	11.3
10	25.00							0.5	17.0	0.3	12.8	0.3	15.1	0.3	16.2	0.2	12.9	0.2	14.7
11	30.00	0.6	18.0			0.3	17.3	0.9	20.3	0.3	16.3	0.5	18.4	0.7	19.5	0.2	16.5	0.4	18.1
12	35.00	0.9	21.4			0.5	20.9	1.4	23.5	0.8	19.8	1.1	21.8	1.2	22.8	0.5	20.1	0.8	21.5
13	40.00	1.8	24.9	1.5	23.9	1.6	24.4	2.2	26.8	1.2	23.3	1.7	25.2	2.0	26.2	1.2	23.6	1.6	25.0
14	45.00	3.3	28.3	2.6	27.6	2.9	28.0	4.5	30.0	2.1	26.9	3.3	28.6	4.1	29.5	2.2	27.2	3.2	28.4
15	50.00	7.2	31.7	6.9	31.3	7.0	31.6	9.7	33.3	5.6	30.4	7.6	31.9	8.8	32.8	6.0	30.8	7.4	31.8
16	55.00	10.4	35.2	12.6	35.0	11.5	35.1	12.7	36.6	8.4	33.9	10.5	35.3	11.9	36.1	9.9	34.3	10.9	35.3
17	60.00	16.1	38.6	16.0	38.7	16.0	38.7	16.8	39.8	13.6	37.4	15.1	38.7	16.5	39.4	14.4	37.9	15.5	38.7
18	65.00	24.0	42.1	24.7	42.4	24.4	42.2	24.5	43.1	20.1	41.0	22.2	42.1	24.3	42.7	21.7	41.5	23.0	42.1
19	70.00	34.3	45.5	35.6	46.1	34.9	45.8	35.1	46.3	29.0	44.5	32.0	45.4	34.9	46.0	31.3	45.1	33.1	45.6
20	75.00	53.9	48.9	57.7	49.8	55.8	49.4	58.3	49.6	54.2	48.0	56.3	48.8	56.8	49.4	55.4	48.6	56.1	49.0
21	80.00	66.4	52.4	71.2	53.5	68.8	52.9	67.2	52.8	64.9	51.6	66.0	52.2	66.9	52.7	67.1	52.2	67.0	52.4
22	85.00	76.1	55.8	81.7	57.2	78.8	56.5	74.9	56.1	74.1	55.1	74.5	55.6	75.3	56.0	76.7	55.8	76.0	55.9
23	90.00	84.3	59.3	89.0	60.9	86.6	60.0	85.8	59.3	81.7	58.6	83.7	58.9	85.3	59.3	84.2	59.3	84.7	59.3
24	95.00	91.0	62.7	94.9	64.6	93.0	63.6	91.3	62.6	88.4	62.1	89.8	62.3	91.2	62.6	90.6	62.9	90.9	62.7
25	100.00	100.0	66.2	100.0	68.3	100.0	67.2	100.0	65.8	100.0	65.7	100.0	65.7	100.0	65.9	100.0	66.5	100.0	66.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 38: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=272)		All (n=550)		Females (n=503)		Males (n=527)		All (n=1030)		Females (n=781)		Males (n=799)		All (n=1580)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.3	3.2			0.2	3.3	0.2	0.4			0.1	1.1
7	4.17							0.3	5.8			0.2	5.9	0.2	3.1			0.1	3.8
8	8.33							0.3	8.4			0.2	8.5	0.2	5.8			0.1	6.4
9	12.50							0.3	11.0			0.2	11.0	0.2	8.5			0.1	9.1
10	16.67							0.3	13.6			0.2	13.6	0.2	11.1			0.1	11.7
11	20.83							0.3	16.2	0.3	16.1	0.2	16.2	0.2	13.8	0.2	14.9	0.2	14.4
12	25.00							0.8	18.8	0.5	18.6	0.6	18.7	0.5	16.5	0.3	17.5	0.4	17.0
13	29.17							1.4	21.4	0.8	21.2	1.1	21.3	0.9	19.2	0.5	20.1	0.7	19.7
14	33.33			0.6	20.1	0.3	18.3	1.9	24.0	1.1	23.8	1.4	23.9	1.2	21.9	0.8	22.7	1.0	22.3
15	37.50	0.8	19.3	0.6	22.9	0.6	21.2	2.6	26.6	1.6	26.3	2.1	26.5	1.9	24.6	1.2	25.3	1.5	25.0
16	41.67	1.5	22.3	1.9	25.6	1.6	24.1	3.8	29.2	3.1	28.9	3.4	29.1	3.0	27.3	2.7	27.9	2.8	27.6
17	45.83	2.0	25.3	3.3	28.3	2.6	26.9	5.4	31.8	5.0	31.4	5.2	31.6	4.1	30.0	4.4	30.5	4.3	30.3
18	50.00	3.3	28.3	7.4	31.1	5.3	29.8	8.8	34.4	9.0	34.0	8.9	34.2	6.8	32.7	8.4	33.1	7.6	32.9
19	54.17	5.1	31.3	10.7	33.8	7.8	32.7	13.4	37.0	13.6	36.6	13.5	36.8	10.4	35.4	12.6	35.7	11.5	35.6
20	58.33	8.3	34.4	14.0	36.6	11.1	35.5	17.6	39.6	17.7	39.1	17.6	39.4	14.3	38.1	16.5	38.3	15.4	38.2
21	62.50	13.4	37.4	17.7	39.3	15.5	38.4	21.7	42.2	25.1	41.7	23.5	41.9	18.7	40.8	22.6	40.9	20.7	40.9
22	66.67	21.7	40.4	23.9	42.1	22.8	41.3	30.9	44.8	32.1	44.2	31.5	44.5	27.6	43.5	29.3	43.6	28.5	43.5
23	70.83	29.9	43.4	31.6	44.8	30.8	44.1	40.6	47.4	39.7	46.8	40.2	47.1	36.8	46.2	37.0	46.2	36.9	46.2
24	75.00	44.3	46.4	43.0	47.5	43.6	47.0	52.8	50.0	49.2	49.4	50.9	49.7	49.7	48.9	47.1	48.8	48.4	48.8
25	79.17	50.8	49.4	50.7	50.3	50.7	49.9	63.1	52.6	57.4	51.9	60.1	52.3	58.7	51.6	55.1	51.4	56.9	51.5
26	83.33	60.5	52.5	61.4	53.0	60.9	52.7	73.1	55.2	68.2	54.5	70.5	54.8	68.6	54.3	65.8	54.0	67.2	54.1
27	87.50	70.2	55.5	72.0	55.8	71.1	55.6	81.2	57.8	76.5	57.0	78.8	57.4	77.3	57.0	75.0	56.6	76.1	56.8
28	91.67	79.1	58.5	82.8	58.5	80.9	58.5	88.7	60.4	84.1	59.6	86.3	60.0	85.3	59.7	83.6	59.2	84.4	59.4
29	95.83	92.1	61.5	89.7	61.2	90.9	61.3	92.3	63.0	90.9	62.1	91.6	62.6	92.2	62.3	90.5	61.8	91.4	62.1
30	100.00	100.0	64.5	100.0	64.0	100.0	64.2	100.0	65.6	100.0	64.7	100.0	65.1	100.0	65.0	100.0	64.4	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 39: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=276)		Males (n=272)		All (n=548)		Females (n=504)		Males (n=524)		All (n=1028)		Females (n=780)		Males (n=796)		All (n=1576)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50	0.6	15.9			0.3	16.3	0.3	13.4	0.3	15.3	0.2	14.5	0.3	14.4	0.2	15.8	0.2	15.1
10	16.67	0.9	18.4			0.5	18.9	0.5	16.1	0.5	17.9	0.4	17.1	0.6	17.0	0.3	18.4	0.4	17.7
11	20.83	0.9	21.0	0.8	21.7	0.8	21.4	0.7	18.8	0.7	20.4	0.6	19.7	0.7	19.7	0.6	20.9	0.6	20.3
12	25.00	1.9	23.5	2.9	24.3	2.4	23.9	1.2	21.6	1.7	23.0	1.5	22.3	1.4	22.3	2.1	23.5	1.8	22.9
13	29.17	3.0	26.0	4.4	26.8	3.6	26.4	1.8	24.3	2.5	25.6	2.2	25.0	2.2	24.9	3.1	26.0	2.7	25.5
14	33.33	3.8	28.5	5.5	29.4	4.6	29.0	3.4	27.0	3.3	28.1	3.3	27.6	3.5	27.6	4.0	28.6	3.7	28.1
15	37.50	5.8	31.0	7.3	31.9	6.5	31.5	4.2	29.7	4.6	30.7	4.4	30.2	4.8	30.2	5.5	31.1	5.1	30.7
16	41.67	7.7	33.6	9.5	34.5	8.6	34.0	5.4	32.4	6.7	33.2	6.0	32.9	6.2	32.9	7.6	33.7	6.9	33.3
17	45.83	9.5	36.1	11.7	37.0	10.6	36.6	8.9	35.1	8.2	35.8	8.6	35.5	9.1	35.5	9.4	36.2	9.3	35.9
18	50.00	15.6	38.6	17.2	39.5	16.4	39.1	15.7	37.8	15.1	38.3	15.4	38.1	15.7	38.1	15.8	38.8	15.7	38.5
19	54.17	21.7	41.1	22.1	42.1	21.9	41.6	19.8	40.6	20.4	40.9	20.1	40.7	20.5	40.8	21.0	41.3	20.7	41.1
20	58.33	26.4	43.6	26.1	44.6	26.3	44.1	26.4	43.3	26.3	43.5	26.4	43.4	26.4	43.4	26.3	43.9	26.3	43.6
21	62.50	35.1	46.2	36.4	47.2	35.7	46.7	35.3	46.0	36.1	46.0	35.7	46.0	35.2	46.1	36.2	46.4	35.7	46.2
22	66.67	46.7	48.7	50.0	49.7	48.3	49.2	44.2	48.7	47.9	48.6	46.1	48.6	45.1	48.7	48.6	49.0	46.9	48.8
23	70.83	54.3	51.2	59.9	52.3	57.1	51.7	55.0	51.4	57.9	51.1	56.5	51.3	54.7	51.3	58.6	51.5	56.7	51.4
24	75.00	68.1	53.7	75.0	54.8	71.5	54.3	74.0	54.1	71.0	53.7	72.5	53.9	71.9	54.0	72.4	54.1	72.1	54.0
25	79.17	79.3	56.3	82.7	57.3	81.0	56.8	82.2	56.8	77.9	56.2	80.0	56.5	81.1	56.6	79.5	56.6	80.3	56.6
26	83.33	84.7	58.8	89.7	59.9	87.2	59.3	88.1	59.5	83.6	58.8	85.8	59.1	86.9	59.3	85.7	59.1	86.3	59.2
27	87.50	89.1	61.3	92.2	62.4	90.7	61.8	91.5	62.3	88.7	61.3	90.1	61.8	90.6	61.9	89.9	61.7	90.3	61.8
28	91.67	95.6	63.8	95.9	65.0	95.8	64.4	95.4	65.0	94.1	63.9	94.7	64.4	95.5	64.5	94.7	64.2	95.1	64.4
29	95.83	97.5	66.3	98.5	67.5	98.0	66.9	98.0	67.7	96.4	66.5	97.2	67.0	97.8	67.2	97.1	66.8	97.5	67.0
30	100.00	100.0	68.9	100.0	70.1	100.0	69.4	100.0	70.4	100.0	69.0	100.0	69.7	100.0	69.8	100.0	69.3	100.0	69.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 40: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=269)		All (n=547)		Females (n=502)		Males (n=521)		All (n=1023)		Females (n=780)		Males (n=790)		All (n=1570)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33									0.8	21.6	0.4	20.3			0.5	20.9	0.3	19.6
9	12.50							0.3	21.0	1.1	24.0	0.6	22.7	0.2	20.0	0.7	23.3	0.4	21.9
10	16.67			0.6	22.9	0.3	20.9	0.7	23.4	2.0	26.3	1.3	25.1	0.4	22.4	1.4	25.6	0.9	24.2
11	20.83	0.6	20.6	1.5	25.2	0.9	23.3	0.7	25.9	2.7	28.7	1.7	27.5	0.6	24.7	2.3	27.9	1.4	26.6
12	25.00	0.9	23.0	2.3	27.6	1.5	25.7	1.6	28.3	4.4	31.1	3.0	29.9	1.3	27.1	3.7	30.2	2.5	28.9
13	29.17	0.9	25.5	3.3	29.9	2.0	28.0	3.8	30.8	5.2	33.5	4.5	32.3	2.7	29.5	4.6	32.6	3.6	31.2
14	33.33	1.9	28.0	6.3	32.3	4.0	30.4	5.8	33.2	7.1	35.9	6.5	34.7	4.4	31.9	6.9	34.9	5.6	33.6
15	37.50	4.6	30.4	9.3	34.6	6.9	32.8	9.0	35.7	13.1	38.3	11.1	37.1	7.4	34.3	11.8	37.2	9.6	35.9
16	41.67	6.4	32.9	12.3	36.9	9.3	35.1	12.2	38.1	18.1	40.6	15.2	39.5	10.1	36.7	16.1	39.5	13.1	38.2
17	45.83	10.7	35.4	15.9	39.3	13.3	37.5	19.9	40.6	25.4	43.0	22.7	41.9	16.6	39.0	22.2	41.9	19.4	40.6
18	50.00	16.5	37.8	25.2	41.6	20.8	39.9	32.1	43.0	38.8	45.4	35.5	44.3	26.5	41.4	34.2	44.2	30.4	42.9
19	54.17	21.5	40.3	32.3	43.9	26.8	42.2	39.9	45.5	48.6	47.8	44.3	46.7	33.3	43.8	43.0	46.5	38.2	45.2
20	58.33	28.3	42.8	40.8	46.3	34.4	44.6	46.9	47.9	59.1	50.2	53.1	49.1	40.2	46.2	52.9	48.8	46.6	47.6
21	62.50	34.1	45.2	47.1	48.6	40.5	47.0	56.2	50.4	67.7	52.5	62.1	51.5	48.3	48.6	60.7	51.2	54.6	49.9
22	66.67	43.8	47.7	53.9	51.0	48.7	49.4	65.7	52.8	74.2	54.9	70.1	53.9	57.9	51.0	67.3	53.5	62.6	52.2
23	70.83	49.2	50.2	63.2	53.3	56.1	51.7	73.5	55.2	79.4	57.3	76.5	56.3	64.8	53.3	73.9	55.8	69.4	54.6
24	75.00	62.6	52.6	73.2	55.6	67.8	54.1	83.1	57.7	85.8	59.7	84.4	58.7	75.7	55.7	81.5	58.2	78.6	56.9
25	79.17	71.6	55.1	82.5	58.0	77.0	56.5	86.8	60.1	91.0	62.1	88.9	61.1	81.4	58.1	88.1	60.5	84.8	59.2
26	83.33	77.7	57.6	85.5	60.3	81.5	58.8	90.0	62.6	93.7	64.5	91.9	63.5	85.6	60.5	90.9	62.8	88.3	61.6
27	87.50	87.0	60.0	90.7	62.7	88.8	61.2	93.2	65.0	94.2	66.8	93.7	65.9	91.0	62.9	93.0	65.1	92.0	63.9
28	91.67	92.0	62.5	96.3	65.0	94.1	63.6	96.0	67.5	96.4	69.2	96.2	68.3	94.6	65.3	96.3	67.5	95.5	66.2
29	95.83	96.0	65.0	99.3	67.3	97.6	65.9	97.6	69.9	98.5	71.6	98.0	70.7	97.0	67.7	98.7	69.8	97.9	68.6
30	100.00	100.0	67.4	100.0	69.7	100.0	68.3	100.0	72.4	100.0	74.0	100.0	73.1	100.0	70.0	100.0	72.1	100.0	70.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 41: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=277)		Males (n=271)		All (n=548)		Females (n=506)		Males (n=521)		All (n=1027)		Females (n=783)		Males (n=792)		All (n=1575)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00							0.3	-8.9			0.2	-11.3	0.2	-7.2			0.1	-8.1
4	8.33							0.5	-3.4			0.3	-5.6	0.3	-1.8			0.2	-2.6
5	16.67	0.6	5.8	0.6	7.5	0.4	6.7	0.5	2.1	0.3	-2.1	0.3	0.1	0.5	3.6	0.3	2.1	0.3	2.9
6	25.00	1.5	11.1	1.9	12.6	1.6	11.9	1.4	7.6	0.8	3.8	1.1	5.8	1.4	9.0	1.1	7.6	1.3	8.4
7	33.33	2.6	16.3	2.7	17.7	2.6	17.1	1.8	13.1	1.2	9.7	1.5	11.5	2.0	14.4	1.7	13.2	1.8	13.8
8	41.67	3.1	21.6	3.7	22.9	3.3	22.3	2.6	18.6	2.3	15.7	2.4	17.2	2.7	19.8	2.8	18.7	2.7	19.3
9	50.00	5.8	26.8	6.3	28.0	6.0	27.5	4.0	24.1	3.8	21.6	3.9	23.0	4.6	25.2	4.7	24.3	4.6	24.8
10	58.33	7.2	32.1	7.4	33.1	7.3	32.6	6.5	29.7	5.0	27.5	5.8	28.7	6.8	30.6	5.8	29.9	6.3	30.3
11	66.67	12.3	37.4	13.3	38.2	12.8	37.8	9.7	35.2	7.6	33.5	8.7	34.4	10.6	36.0	9.6	35.4	10.1	35.7
12	75.00	21.3	42.6	23.9	43.3	22.6	43.0	14.9	40.7	16.9	39.4	15.9	40.1	17.2	41.4	19.3	41.0	18.2	41.2
13	83.33	43.7	47.9	43.8	48.5	43.8	48.2	32.4	46.2	30.3	45.3	31.3	45.8	36.4	46.8	34.9	46.6	35.7	46.7
14	91.67	62.5	53.1	66.4	53.6	64.4	53.3	56.9	51.7	53.8	51.3	55.3	51.5	58.9	52.2	58.1	52.1	58.5	52.2
15	100.00	100.0	58.4	100.0	58.7	100.0	58.5	100.0	57.2	100.0	57.2	100.0	57.2	100.0	57.6	100.0	57.7	100.0	57.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 42: CZ – Czech Republic. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=277)		Males (n=274)		All (n=551)		Females (n=506)		Males (n=525)		All (n=1031)		Females (n=783)		Males (n=799)		All (n=1582)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	1.5	24.6	2.2	24.7	1.8	24.6	0.6	22.2	0.4	22.6	0.5	22.4	0.9	23.1	1.0	23.4	0.9	23.3
4	8.33	2.6	28.2	3.0	28.3	2.7	28.3	2.0	26.1	1.7	26.3	1.8	26.3	2.2	26.9	2.1	27.1	2.2	27.0
5	16.67	5.9	31.9	6.2	32.0	6.0	31.9	3.2	30.0	3.3	30.1	3.2	30.1	4.1	30.7	4.3	30.8	4.2	30.8
6	25.00	10.9	35.5	9.8	35.6	10.4	35.6	8.3	33.9	9.2	33.8	8.7	33.9	9.2	34.5	9.4	34.5	9.3	34.5
7	33.33	16.0	39.1	14.6	39.2	15.3	39.2	14.6	37.8	13.2	37.5	13.9	37.7	15.1	38.3	13.7	38.2	14.4	38.3
8	41.67	26.1	42.8	27.7	42.9	26.9	42.8	21.5	41.8	19.4	41.2	20.5	41.5	23.1	42.2	22.3	41.8	22.7	42.0
9	50.00	48.8	46.4	48.5	46.5	48.7	46.5	48.0	45.7	44.5	45.0	46.2	45.3	48.3	46.0	45.9	45.5	47.1	45.7
10	58.33	57.9	50.1	56.9	50.2	57.4	50.1	56.3	49.6	53.1	48.7	54.7	49.1	56.8	49.8	54.4	49.2	55.6	49.5
11	66.67	68.2	53.7	71.5	53.8	69.8	53.8	69.0	53.5	64.2	52.4	66.5	52.9	68.7	53.6	66.7	52.9	67.7	53.2
12	75.00	83.8	57.4	83.9	57.5	83.8	57.4	82.8	57.4	81.0	56.1	81.8	56.8	83.1	57.4	82.0	56.6	82.5	57.0
13	83.33	88.4	61.0	88.2	61.1	88.3	61.0	89.7	61.4	85.5	59.9	87.6	60.6	89.2	61.2	86.5	60.3	87.8	60.7
14	91.67	91.7	64.6	91.9	64.7	91.8	64.7	93.9	65.3	89.1	63.6	91.4	64.4	93.1	65.0	90.1	64.0	91.6	64.5
15	100.00	100.0	68.3	100.0	68.4	100.0	68.3	100.0	69.2	100.0	67.3	100.0	68.2	100.0	68.8	100.0	67.6	100.0	68.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 43: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=271)		All (n=549)		Females (n=500)		Males (n=524)		All (n=1024)		Females (n=778)		Males (n=795)		All (n=1573)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56			0.6	13.4	0.3	13.9	0.8	20.8	0.3	16.6	0.5	18.9	0.5	19.1	0.3	15.7	0.4	17.5
7	11.11	1.1	17.3	0.6	16.3	0.8	16.8	1.8	23.4	0.6	19.4	1.2	21.6	1.5	21.8	0.5	18.5	1.0	20.3
8	16.67	2.2	20.2	1.9	19.2	2.0	19.7	2.2	26.0	1.3	22.3	1.7	24.3	2.2	24.4	1.5	21.4	1.8	23.0
9	22.22	2.7	23.1	1.9	22.2	2.3	22.7	2.8	28.7	2.5	25.1	2.6	27.0	2.7	27.1	2.3	24.2	2.5	25.8
10	27.78	3.3	25.9	3.0	25.1	3.1	25.6	4.8	31.3	3.2	27.9	4.0	29.7	4.2	29.8	3.1	27.0	3.7	28.5
11	33.33	4.1	28.8	4.1	28.0	4.0	28.5	7.8	34.0	4.2	30.7	5.9	32.4	6.4	32.5	4.1	29.9	5.3	31.3
12	38.89	6.8	31.7	5.5	31.0	6.2	31.4	12.2	36.6	8.0	33.5	10.1	35.1	10.3	35.2	7.2	32.7	8.7	34.0
13	44.44	9.3	34.6	7.4	33.9	8.4	34.3	17.2	39.2	12.2	36.3	14.6	37.9	14.4	37.9	10.6	35.5	12.4	36.8
14	50.00	13.3	37.5	12.9	36.8	13.1	37.2	25.4	41.9	18.0	39.1	21.6	40.6	21.1	40.5	16.2	38.4	18.6	39.5
15	55.56	19.1	40.4	18.0	39.8	18.5	40.1	34.5	44.5	25.2	41.9	29.7	43.3	29.0	43.2	22.8	41.2	25.8	42.3
16	61.11	26.3	43.3	25.5	42.7	25.9	43.0	42.5	47.2	32.7	44.7	37.5	46.0	36.7	45.9	30.2	44.1	33.4	45.0
17	66.67	33.1	46.2	33.6	45.6	33.3	45.9	49.3	49.8	41.0	47.5	45.1	48.7	43.5	48.6	38.5	46.9	41.0	47.8
18	72.22	47.4	49.0	45.7	48.6	46.6	48.8	61.8	52.4	51.5	50.3	56.6	51.4	56.7	51.3	49.6	49.7	53.1	50.5
19	77.78	56.5	51.9	56.4	51.5	56.4	51.7	69.8	55.1	63.9	53.1	66.8	54.1	65.0	54.0	61.4	52.6	63.2	53.3
20	83.33	70.5	54.8	64.5	54.4	67.6	54.6	79.4	57.7	72.7	55.9	76.0	56.8	76.2	56.6	69.9	55.4	73.0	56.0
21	88.89	81.3	57.7	78.9	57.4	80.2	57.5	86.6	60.4	80.9	58.7	83.7	59.5	84.7	59.3	80.2	58.2	82.5	58.8
22	94.44	90.3	60.6	90.7	60.3	90.5	60.4	93.2	63.0	92.1	61.5	92.7	62.2	92.2	62.0	91.7	61.1	91.9	61.5
23	100.00	100.0	63.5	100.0	63.2	100.0	63.3	100.0	65.6	100.0	64.3	100.0	64.9	100.0	64.7	100.0	63.9	100.0	64.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 44: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=270)		All (n=548)		Females (n=503)		Males (n=526)		All (n=1029)		Females (n=781)		Males (n=796)		All (n=1574)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43							0.3	10.4			0.2	9.8	0.2	10.0			0.1	9.1
14	25.00	0.6	10.7			0.3	9.6	0.3	13.2			0.2	12.6	0.3	12.7			0.2	11.8
15	28.57	0.6	13.4	0.9	11.2	0.6	12.4	0.3	15.9	0.3	14.4	0.2	15.3	0.3	15.4	0.4	13.6	0.3	14.5
16	32.14	0.9	16.1	0.9	14.1	0.8	15.2	0.8	18.7	0.5	17.2	0.6	18.0	0.8	18.1	0.6	16.3	0.6	17.3
17	35.71	2.2	18.8	1.3	16.9	1.7	18.0	1.6	21.5	0.8	19.9	1.2	20.8	1.8	20.8	0.9	19.1	1.3	20.0
18	39.29	3.0	21.5	1.7	19.8	2.2	20.7	1.6	24.2	1.5	22.7	1.6	23.5	2.1	23.5	1.5	21.9	1.8	22.8
19	42.86	3.7	24.3	2.1	22.6	2.8	23.5	2.6	27.0	2.9	25.5	2.7	26.3	2.9	26.3	2.5	24.7	2.7	25.5
20	46.43	4.8	27.0	2.4	25.5	3.5	26.3	3.6	29.7	3.6	28.2	3.6	29.0	4.0	29.0	3.2	27.4	3.6	28.2
21	50.00	5.8	29.7	3.8	28.3	4.8	29.1	6.1	32.5	6.1	31.0	6.1	31.8	6.0	31.7	5.3	30.2	5.7	31.0
22	53.57	8.3	32.4	6.7	31.2	7.5	31.8	10.3	35.2	8.8	33.8	9.5	34.5	9.6	34.4	8.1	33.0	8.8	33.7
23	57.14	9.1	35.1	7.9	34.0	8.4	34.6	12.9	38.0	12.2	36.5	12.5	37.3	11.5	37.1	10.7	35.8	11.1	36.5
24	60.71	10.8	37.8	11.6	36.9	11.2	37.4	20.2	40.7	17.1	39.3	18.6	40.0	16.8	39.8	15.2	38.5	16.0	39.2
25	64.29	16.2	40.6	16.3	39.7	16.3	40.2	30.5	43.5	22.5	42.1	26.4	42.8	25.4	42.5	20.4	41.3	22.9	41.9
26	67.86	20.2	43.3	22.3	42.6	21.2	42.9	38.4	46.2	29.6	44.8	33.9	45.5	31.9	45.2	27.1	44.1	29.5	44.7
27	71.43	29.5	46.0	31.1	45.4	30.3	45.7	46.4	49.0	40.3	47.6	43.3	48.3	40.4	47.9	37.2	46.9	38.8	47.4
28	75.00	42.9	48.7	42.9	48.3	42.9	48.5	58.2	51.7	52.5	50.3	55.2	51.0	52.7	50.6	49.2	49.7	51.0	50.1
29	78.57	57.3	51.4	57.7	51.1	57.5	51.3	69.3	54.5	65.8	53.1	67.5	53.8	65.0	53.3	63.1	52.4	64.0	52.9
30	82.14	73.1	54.1	70.8	54.0	71.9	54.1	80.3	57.2	77.4	55.9	78.8	56.5	77.7	56.1	75.2	55.2	76.4	55.6
31	85.71	83.8	56.8	80.0	56.8	82.0	56.8	88.2	60.0	86.0	58.6	87.1	59.3	86.7	58.8	84.0	58.0	85.3	58.4
32	89.29	89.9	59.6	87.8	59.7	88.9	59.6	94.4	62.7	91.2	61.4	92.8	62.0	92.8	61.5	90.1	60.8	91.4	61.1
33	92.86	94.3	62.3	93.7	62.5	94.0	62.4	97.4	65.5	96.0	64.2	96.7	64.8	96.3	64.2	95.3	63.5	95.8	63.8
34	96.43	97.2	65.0	98.5	65.4	97.8	65.2	99.2	68.2	98.3	66.9	98.7	67.5	98.5	66.9	98.4	66.3	98.4	66.6
35	100.00	100.0	67.7	100.0	68.2	100.0	67.9	100.0	71.0	100.0	69.7	100.0	70.3	100.0	69.6	100.0	69.1	100.0	69.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 45: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=281)		Males (n=272)		All (n=553)		Females (n=507)		Males (n=525)		All (n=1032)		Females (n=788)		Males (n=797)		All (n=1585)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29							0.3	6.8			0.2	7.2	0.2	6.0			0.1	6.6
12	17.86							0.3	9.6			0.2	9.9	0.2	8.8			0.1	9.3
13	21.43							0.5	12.3			0.3	12.6	0.3	11.5			0.2	12.0
14	25.00							0.5	15.0			0.3	15.3	0.3	13.9			0.2	14.7
15	28.57							0.5	17.8			0.2	17.9	0.3	16.4			0.2	17.4
16	32.14							0.9	20.5	0.4	20.6	0.6	20.6	0.6	19.8	0.3	20.4	0.4	20.1
17	35.71			0.6	22.8	0.3	22.0	1.4	23.3	0.7	23.2	1.0	23.3	0.9	22.5	0.5	23.1	0.7	22.8
18	39.29	0.6	23.8	0.9	25.5	0.6	24.7	2.2	26.0	1.2	25.8	1.6	25.9	1.5	25.3	1.0	25.7	1.3	25.5
19	42.86	1.2	26.7	1.3	28.2	1.1	27.5	2.8	28.7	2.3	28.4	2.5	28.6	2.2	28.1	1.9	28.4	2.0	28.2
20	46.43	2.9	29.5	3.3	30.9	3.1	30.2	5.1	31.5	3.2	31.1	4.2	31.3	4.3	30.8	3.3	31.0	3.8	30.9
21	50.00	5.3	32.3	6.2	33.6	5.8	33.0	8.3	34.2	5.9	33.7	7.1	34.0	7.2	33.6	6.0	33.7	6.6	33.7
22	53.57	8.9	35.1	10.3	36.3	9.5	35.8	10.5	36.9	9.9	36.3	10.2	36.7	9.9	36.4	10.0	36.3	10.0	36.4
23	57.14	15.3	38.0	20.9	39.0	18.1	38.5	16.3	39.7	18.7	39.0	17.6	39.3	16.0	39.1	19.5	39.0	17.7	39.1
24	60.71	23.5	40.8	26.5	41.7	25.0	41.3	23.6	42.4	24.4	41.6	24.0	42.0	23.6	41.9	25.1	41.6	24.4	41.8
25	64.29	32.1	43.6	33.5	44.4	32.7	44.0	34.1	45.2	34.6	44.2	34.3	44.7	33.4	44.6	34.2	44.3	33.8	44.5
26	67.86	41.6	46.5	43.3	47.1	42.5	46.8	45.4	47.9	44.1	46.9	44.7	47.4	44.0	47.4	43.8	47.0	43.9	47.2
27	71.43	51.2	49.3	54.7	49.8	52.9	49.6	56.9	50.6	53.8	49.5	55.3	50.0	54.9	50.2	54.1	49.6	54.5	49.9
28	75.00	64.1	52.1	64.7	52.5	64.4	52.3	69.5	53.4	63.3	52.1	66.4	52.7	67.6	52.9	63.8	52.3	65.7	52.6
29	78.57	72.3	54.9	75.3	55.2	73.8	55.1	78.0	56.1	70.9	54.8	74.4	55.4	76.0	55.7	72.4	54.9	74.2	55.3
30	82.14	82.3	57.8	80.8	57.9	81.6	57.8	85.6	58.9	79.5	57.4	82.5	58.1	84.4	58.4	80.0	57.6	82.2	58.0
31	85.71	88.0	60.6	85.6	60.6	86.8	60.6	91.3	61.6	86.0	60.0	88.6	60.8	90.1	61.2	85.8	60.2	88.0	60.7
32	89.29	91.5	63.4	92.2	63.3	91.9	63.4	94.5	64.3	90.3	62.7	92.4	63.4	93.4	64.0	91.0	62.9	92.2	63.4
33	92.86	96.8	66.2	94.8	66.0	95.8	66.1	96.8	67.1	95.4	65.3	96.1	66.1	96.8	66.7	95.2	65.5	96.0	66.1
34	96.43	97.5	69.1	98.5	68.7	98.0	68.9	98.4	69.8	97.3	67.9	97.9	68.8	98.1	69.5	97.7	68.2	97.9	68.8
35	100.00	100.0	71.9	100.0	71.4	100.0	71.6	100.0	72.5	100.0	70.5	100.0	71.5	100.0	72.3	100.0	70.8	100.0	71.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 46: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY Social Support &amp; Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=279)		Males (n=272)		All (n=551)		Females (n=504)		Males (n=525)		All (n=1029)		Females (n=783)		Males (n=797)		All (n=1580)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25																		
6	12.50							0.3	13.7	0.3	15.7	0.2	14.8	0.2	14.5	0.2	16.1	0.1	15.3
7	18.75	0.8	19.6			0.4	20.0	0.8	17.7	0.5	19.5	0.6	18.7	0.8	18.4	0.3	19.8	0.5	19.2
8	25.00	1.9	23.4	2.9	24.1	2.4	23.8	1.6	21.7	2.1	23.3	1.9	22.5	1.7	22.3	2.4	23.6	2.0	23.0
9	31.25	3.6	27.2	5.2	27.9	4.4	27.6	2.6	25.7	3.5	27.0	3.0	26.4	3.0	26.3	4.0	27.4	3.5	26.8
10	37.50	6.5	31.0	7.7	31.7	7.1	31.4	4.2	29.7	4.8	30.8	4.5	30.3	5.0	30.2	5.8	31.1	5.4	30.7
11	43.75	8.3	34.8	10.3	35.5	9.3	35.2	7.3	33.7	7.5	34.5	7.4	34.2	7.7	34.1	8.4	34.9	8.1	34.5
12	50.00	16.2	38.6	16.9	39.3	16.6	39.0	15.6	37.7	16.2	38.3	15.9	38.0	15.8	38.0	16.5	38.7	16.2	38.4
13	56.25	25.9	42.4	26.2	43.1	26.0	42.8	24.4	41.7	23.4	42.1	23.9	41.9	24.9	42.0	24.3	42.5	24.6	42.2
14	62.50	38.4	46.2	40.1	47.0	39.3	46.6	37.5	45.8	39.0	45.8	38.3	45.8	37.8	45.9	39.4	46.2	38.6	46.1
15	68.75	54.9	49.9	56.3	50.8	55.6	50.3	50.4	49.8	55.2	49.6	52.8	49.7	52.0	49.8	55.6	50.0	53.8	49.9
16	75.00	74.3	53.7	78.1	54.6	76.1	54.1	75.2	53.8	72.8	53.4	74.0	53.6	74.8	53.8	74.6	53.8	74.7	53.8
17	81.25	82.1	57.5	88.0	58.4	85.0	57.9	85.7	57.8	81.4	57.1	83.5	57.4	84.4	57.7	83.6	57.5	84.0	57.6
18	87.50	90.6	61.3	91.6	62.2	91.1	61.7	91.9	61.8	88.2	60.9	90.0	61.3	91.4	61.6	89.4	61.3	90.4	61.4
19	93.75	96.4	65.1	97.1	66.0	96.7	65.5	96.8	65.8	94.9	64.7	95.8	65.2	96.7	65.5	95.6	65.1	96.1	65.3
20	100.00	100.0	68.9	100.0	69.8	100.0	69.3	100.0	69.8	100.0	68.4	100.0	69.1	100.0	69.5	100.0	68.8	100.0	69.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 47: CZ – Czech Republic. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=269)		All (n=547)		Females (n=503)		Males (n=521)		All (n=1024)		Females (n=781)		Males (n=790)		All (n=1571)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25									0.3	18.7	0.2	17.6			0.2	18.0	0.1	16.7
6	12.50							0.3	19.5	1.3	22.3	0.8	21.2	0.2	18.4	0.9	21.6	0.5	20.3
7	18.75			1.2	22.5	0.6	20.7	0.7	23.2	2.1	26.0	1.4	24.8	0.4	22.0	1.8	25.1	1.1	23.8
8	25.00	0.6	21.9	2.3	26.1	1.3	24.4	1.4	26.8	3.6	29.6	2.5	28.4	1.0	25.6	3.2	28.7	2.1	27.4
9	31.25	1.8	25.7	4.1	29.7	2.9	28.0	3.2	30.5	5.6	33.2	4.4	32.0	2.7	29.2	5.1	32.2	3.9	30.9
10	37.50	4.0	29.4	6.8	33.3	5.3	31.6	7.2	34.1	10.4	36.8	8.8	35.6	6.0	32.8	9.2	35.8	7.6	34.5
11	43.75	7.6	33.2	12.4	36.9	9.9	35.2	13.9	37.8	18.3	40.4	16.2	39.2	11.7	36.5	16.3	39.4	14.0	38.0
12	50.00	15.5	36.9	23.9	40.5	19.6	38.9	29.6	41.5	35.5	44.0	32.6	42.8	24.6	40.1	31.6	42.9	28.1	41.6
13	56.25	24.6	40.6	35.0	44.1	29.7	42.5	39.6	45.1	49.9	47.6	44.8	46.4	34.2	43.7	44.8	46.5	39.6	45.1
14	62.50	32.9	44.4	45.8	47.7	39.2	46.1	50.9	48.8	63.5	51.2	57.3	50.0	44.5	47.3	57.5	50.0	51.0	48.7
15	68.75	45.4	48.1	59.1	51.3	52.2	49.7	64.4	52.4	74.5	54.8	69.5	53.6	57.7	50.9	69.3	53.6	63.5	52.2
16	75.00	61.5	51.8	72.9	54.9	67.1	53.3	80.3	56.1	85.6	58.5	83.0	57.2	73.6	54.5	81.3	57.1	77.5	55.8
17	81.25	75.1	55.6	83.7	58.5	79.3	57.0	86.9	59.8	91.4	62.1	89.2	60.9	82.7	58.1	88.7	60.7	85.7	59.3
18	87.50	86.0	59.3	91.4	62.1	88.7	60.6	93.2	63.4	94.6	65.7	93.9	64.5	90.6	61.7	93.6	64.3	92.1	62.9
19	93.75	94.3	63.1	98.1	65.7	96.2	64.2	95.6	67.1	97.7	69.3	96.7	68.1	95.2	65.3	97.8	67.8	96.5	66.4
20	100.00	100.0	66.8	100.0	69.3	100.0	67.8	100.0	70.7	100.0	72.9	100.0	71.7	100.0	68.9	100.0	71.4	100.0	70.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 48: CZ – Czech Republic. Individual norm data KIDSCREEN-10-PROXY Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=276)		Males (n=264)		All (n=540)		Females (n=502)		Males (n=518)		All (n=1020)		Females (n=778)		Males (n=782)		All (n=1560)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50							0.3	11.3			0.2	9.5	0.2	10.3			0.1	9.1
22	30.00							0.3	13.4			0.2	11.7	0.2	12.5			0.1	11.3
23	32.50							0.3	15.6			0.2	14.0	0.2	14.6			0.1	13.5
24	35.00			0.6	14.2	0.3	14.2	0.5	17.7	0.3	14.6	0.3	16.2	0.3	16.8	0.3	14.6	0.3	15.7
25	37.50	0.8	16.2	1.0	16.5	0.8	16.4	0.5	19.9	0.5	16.9	0.4	18.5	0.5	18.9	0.6	16.9	0.5	17.9
26	40.00	1.3	18.4	1.6	18.7	1.3	18.6	1.4	22.0	0.5	19.2	0.9	20.7	1.3	21.0	0.8	19.2	1.0	20.2
27	42.50	1.7	20.6	1.6	21.0	1.6	20.8	1.7	24.2	0.7	21.5	1.1	22.9	1.6	23.2	1.0	21.4	1.2	22.4
28	45.00	2.9	22.8	1.6	23.2	2.2	23.0	2.0	26.3	1.4	23.9	1.7	25.2	2.3	25.3	1.4	23.7	1.9	24.6
29	47.50	3.4	24.9	1.6	25.5	2.5	25.3	3.2	28.5	2.1	26.2	2.6	27.4	3.2	27.5	1.9	26.0	2.6	26.8
30	50.00	3.8	27.1	2.4	27.7	3.0	27.5	4.6	30.6	2.7	28.5	3.6	29.6	4.2	29.6	2.6	28.3	3.4	29.0
31	52.50	4.8	29.3	3.1	30.0	3.9	29.7	6.1	32.8	3.3	30.9	4.7	31.9	5.6	31.8	3.2	30.6	4.4	31.2
32	55.00	5.5	31.5	4.2	32.2	4.8	31.9	8.1	34.9	5.2	33.2	6.7	34.1	7.2	33.9	4.9	32.9	6.0	33.4
33	57.50	6.6	33.7	5.7	34.5	6.1	34.1	11.7	37.1	9.7	35.5	10.7	36.3	9.8	36.1	8.3	35.2	9.1	35.7
34	60.00	8.7	35.9	11.4	36.7	10.0	36.3	15.7	39.2	14.5	37.8	15.1	38.6	13.2	38.2	13.4	37.5	13.3	37.9
35	62.50	11.2	38.1	15.2	39.0	13.1	38.6	21.5	41.4	19.9	40.2	20.7	40.8	17.8	40.3	18.3	39.8	18.1	40.1
36	65.00	17.0	40.3	21.3	41.2	19.1	40.8	26.9	43.5	24.1	42.5	25.5	43.0	23.4	42.5	23.2	42.1	23.3	42.3
37	67.50	22.8	42.5	28.5	43.5	25.6	43.0	35.2	45.7	31.1	44.8	33.1	45.3	30.8	44.6	30.2	44.4	30.5	44.5
38	70.00	29.3	44.7	37.9	45.7	33.5	45.2	44.4	47.8	42.1	47.2	43.2	47.5	39.1	46.8	40.7	46.7	39.9	46.7
39	72.50	38.4	46.9	44.3	48.0	41.3	47.4	51.8	50.0	51.3	49.5	51.6	49.7	47.1	48.9	49.0	49.0	48.0	48.9
40	75.00	48.5	49.1	55.3	50.2	51.8	49.7	60.4	52.1	61.9	51.8	61.2	52.0	56.2	51.1	59.7	51.3	57.9	51.2
41	77.50	55.7	51.3	62.5	52.5	59.0	51.9	69.1	54.3	70.0	54.1	69.6	54.2	64.4	53.2	67.5	53.5	65.9	53.4
42	80.00	65.9	53.5	70.8	54.7	68.3	54.1	76.5	56.4	78.4	56.5	77.4	56.4	72.7	55.4	75.8	55.8	74.3	55.6
43	82.50	73.9	55.7	77.2	57.0	75.5	56.3	83.9	58.6	84.6	58.8	84.2	58.7	80.3	57.5	82.1	58.1	81.2	57.8
44	85.00	82.6	57.9	84.8	59.2	83.7	58.5	89.4	60.7	90.0	61.1	89.7	60.9	87.0	59.6	88.2	60.4	87.6	60.0
45	87.50	88.4	60.1	90.1	61.5	89.2	60.7	93.2	62.9	92.8	63.4	93.0	63.1	91.5	61.8	91.9	62.7	91.7	62.2
46	90.00	93.9	62.3	93.9	63.7	93.9	63.0	96.2	65.0	95.7	65.8	96.0	65.4	95.4	63.9	95.1	65.0	95.3	64.4
47	92.50	95.3	64.5	97.0	66.0	96.1	65.2	97.6	67.2	97.9	68.1	97.7	67.6	96.8	66.1	97.6	67.3	97.2	66.7
48	95.00	98.9	66.7	98.5	68.2	98.7	67.4	99.0	69.3	98.4	70.4	98.7	69.8	99.0	68.2	98.5	69.6	98.7	68.9
49	97.50	99.6	68.9	99.6	70.5	99.6	69.6	99.2	71.5	99.2	72.8	99.2	72.1	99.3	70.4	99.4	71.9	99.4	71.1
50	100.00	100.0	71.1	100.0	72.7	100.0	71.8	100.0	73.6	100.0	75.1	100.0	74.3	100.0	72.5	100.0	74.2	100.0	73.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 49: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=297)		Males (n=301)		All (n=598)		Females (n=554)		Males (n=509)		All (n=1063)		Females (n=851)		Males (n=810)		All (n=1661)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56						0.3	11.0			0.1	10.3	0.2	7.8				0.1	6.9
7	11.11						0.5	14.4			0.2	13.6	0.3	11.3				0.2	10.4
8	16.67						0.6	17.7	0.5	15.8	0.5	17.0	0.4	14.8	0.3	12.7		0.3	13.9
9	22.22	0.5	6.8	0.5	7.5	0.4	7.2	0.8	21.1	1.0	19.2	0.9	20.3	0.6	18.2	0.8	16.3	0.7	17.4
10	27.78	0.5	11.0	0.5	11.6	0.4	11.4	1.6	24.5	1.6	22.6	1.6	23.7	1.2	21.7	1.1	19.8	1.1	20.9
11	33.33	0.5	15.3	0.9	15.7	0.6	15.5	3.6	27.9	3.0	26.0	3.3	27.1	2.5	25.2	2.1	23.3	2.3	24.4
12	38.89	0.9	19.5	2.1	19.9	1.4	19.7	6.7	31.3	5.1	29.3	5.9	30.4	4.6	28.7	4.0	26.9	4.3	27.9
13	44.44	1.7	23.8	2.8	24.0	2.2	23.9	8.6	34.6	7.7	32.7	8.2	33.8	6.2	32.2	5.8	30.4	6.0	31.4
14	50.00	5.4	28.0	4.3	28.1	4.9	28.1	15.0	38.0	12.4	36.1	13.7	37.2	11.6	35.7	9.4	33.9	10.5	34.9
15	55.56	8.5	32.3	7.6	32.2	8.0	32.3	21.3	41.4	18.1	39.5	19.8	40.5	16.8	39.1	14.2	37.4	15.5	38.3
16	61.11	13.2	36.5	11.6	36.3	12.4	36.4	33.8	44.8	25.6	42.8	29.9	43.9	26.6	42.6	20.4	41.0	23.6	41.8
17	66.67	20.9	40.8	18.9	40.5	19.9	40.6	46.4	48.1	35.6	46.2	41.3	47.2	37.5	46.1	29.4	44.5	33.6	45.3
18	72.22	33.7	45.0	31.2	44.6	32.4	44.8	59.2	51.5	51.9	49.6	55.7	50.6	50.4	49.6	44.2	48.0	47.3	48.8
19	77.78	48.5	49.3	46.8	48.7	47.6	49.0	73.5	54.9	63.4	53.0	68.7	54.0	64.8	53.1	57.2	51.5	61.1	52.3
20	83.33	67.7	53.5	64.4	52.8	66.0	53.1	84.1	58.3	77.4	56.4	80.9	57.3	78.4	56.6	72.6	55.1	75.6	55.8
21	88.89	86.5	57.7	80.7	56.9	83.6	57.3	91.9	61.7	89.2	59.7	90.6	60.7	90.0	60.0	86.0	58.6	88.1	59.3
22	94.44	95.6	62.0	96.0	61.1	95.8	61.5	97.3	65.0	96.3	63.1	96.8	64.0	96.7	63.5	96.2	62.1	96.4	62.8
23	100.00	100.0	66.2	100.0	65.2	100.0	65.7	100.0	68.4	100.0	66.5	100.0	67.4	100.0	67.0	100.0	65.6	100.0	66.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 50: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=301)		Males (n=302)		All (n=603)		Females (n=564)		Males (n=522)		All (n=1086)		Females (n=865)		Males (n=824)		All (n=1689)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17								0.3	-1.5	0.1	-2.8			0.2	-4.5	0.1	-6	
8	8.33								0.3	1.5	0.1	0.3			0.2	-1.4	0.1	-2.9	
9	12.50							0.3	2.1	0.3	4.5	0.2	3.3	0.2	-1.2	0.2	1.7	0.2	0.3
10	16.67							0.3	5.2	0.3	7.5	0.2	6.4	0.2	-0.5	0.2	4.9	0.2	3.5
11	20.83							0.5	8.3	0.3	10.5	0.3	9.4	0.3	5.3	0.2	8.0	0.2	6.7
12	25.00							0.6	11.4	0.6	13.5	0.6	12.5	0.4	8.5	0.4	11.1	0.4	9.9
13	29.17							0.8	14.5	1.0	16.5	0.8	15.5	0.5	11.8	0.6	14.2	0.5	13.0
14	33.33							1.0	17.6	1.4	19.5	1.1	18.6	0.7	15.0	0.9	17.3	0.7	16.2
15	37.50	0.5	11.2	0.5	15.2	0.4	13.4	1.4	20.7	1.9	22.5	1.7	21.6	1.1	18.3	1.3	20.4	1.2	19.4
16	41.67	1.1	14.9	1.4	18.7	1.2	17.0	2.0	23.8	2.9	25.5	2.4	24.7	1.6	21.5	2.3	23.5	2.0	22.6
17	45.83	1.1	18.7	3.0	22.1	2.0	20.6	4.2	26.9	3.5	28.5	3.9	27.7	3.1	24.8	3.3	26.6	3.2	25.7
18	50.00	2.3	22.4	5.0	25.6	3.7	24.1	5.6	30.1	6.5	31.5	6.1	30.8	4.5	28.0	6.0	29.8	5.2	28.9
19	54.17	3.1	26.1	5.8	29.1	4.3	27.7	8.0	33.2	8.8	34.5	8.4	33.8	6.2	31.3	7.7	32.9	6.9	32.1
20	58.33	4.3	29.8	7.7	32.5	6.0	31.3	10.6	36.3	12.2	37.5	11.4	36.9	8.4	34.5	10.6	36.0	9.5	35.3
21	62.50	7.3	33.6	10.6	36.0	9.0	34.9	16.8	39.4	19.5	40.5	18.1	39.9	13.5	37.8	16.3	39.1	14.9	38.5
22	66.67	12.3	37.3	14.0	39.5	13.1	38.5	22.0	42.5	24.3	43.5	23.1	43.0	18.6	41.0	20.5	42.2	19.5	41.6
23	70.83	17.7	41.0	18.7	42.9	18.2	42.1	28.9	45.6	31.4	46.5	30.1	46.0	25.0	44.3	26.7	45.4	25.8	44.8
24	75.00	35.9	44.8	39.2	46.4	37.5	45.6	45.3	48.7	51.3	49.5	48.2	49.1	42.0	47.5	46.9	48.5	44.4	48.0
25	79.17	49.9	48.5	53.8	49.9	51.8	49.2	59.5	51.8	65.1	52.5	62.2	52.1	56.2	50.8	61.0	51.6	58.5	51.2
26	83.33	61.5	52.3	65.6	53.3	63.6	52.8	71.6	54.9	75.2	55.5	73.3	55.2	68.1	54.0	71.7	54.7	69.9	54.4
27	87.50	82.8	56.0	84.1	56.8	83.5	56.4	89.1	58.0	87.6	58.5	88.4	58.2	86.9	57.3	86.3	57.8	86.6	57.5
28	91.67	88.8	59.7	91.4	60.3	90.1	60.0	93.1	61.1	92.5	61.5	92.8	61.3	91.6	60.5	92.1	61.0	91.8	60.7
29	95.83	93.4	63.5	96.0	63.7	94.7	63.6	96.3	64.2	96.4	64.5	96.3	64.3	95.3	63.8	96.2	64.1	95.7	63.9
30	100.00	100.0	67.2	100.0	67.2	100.0	67.1	100.0	67.3	100.0	67.5	100.0	67.4	100.0	67.0	100.0	67.2	100.0	67.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 51: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=300)		Males (n=300)		All (n=600)		Females (n=564)		Males (n=525)		All (n=1079)		Females (n=864)		Males (n=825)		All (n=1689)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86	0.5	-2.9			0.3	1.2							0.2	1.8			0.1	4.0
13	21.43	0.5	0.1			0.3	3.9							0.2	4.6			0.1	6.6
14	25.00	0.5	3.0			0.3	6.7							0.2	7.3			0.1	9.3
15	28.57	0.5	6.0			0.3	9.4			0.4	14.3	0.2	13.0	0.2	10.1	0.3	13.6	0.2	11.9
16	32.14	0.5	8.9			0.3	12.1	0.6	14.4	1.0	16.8	0.7	15.6	0.5	12.8	0.6	16.2	0.5	14.6
17	35.71	0.5	11.9	0.5	17.3	0.4	14.9	0.6	17.1	1.0	19.4	0.7	18.2	0.5	15.6	0.8	18.7	0.6	17.2
18	39.29	0.9	14.8	1.4	19.9	1.0	17.7	0.8	19.7	2.3	21.9	1.5	20.8	0.7	18.3	1.9	21.2	1.3	19.8
19	42.86	1.2	17.8	1.4	22.5	1.3	20.4	1.8	22.4	3.1	24.4	2.4	23.4	1.5	21.0	2.4	23.8	2.0	22.5
20	46.43	1.2	20.7	2.4	25.1	1.7	23.1	3.0	25.1	3.7	26.9	3.3	26.0	2.3	23.8	3.2	26.3	2.7	25.1
21	50.00	1.8	23.7	3.3	27.7	2.5	25.9	3.5	27.7	4.6	29.5	4.0	28.6	2.8	26.5	4.1	28.9	3.4	27.7
22	53.57	3.7	26.6	5.7	30.3	4.7	28.6	5.3	30.4	5.9	32.0	5.6	31.2	4.8	29.3	5.8	31.4	5.3	30.4
23	57.14	4.7	29.6	7.7	32.8	6.2	31.4	8.4	33.1	8.2	34.5	8.3	33.8	7.1	32.0	8.0	33.9	7.5	33.0
24	60.71	6.3	32.5	11.7	35.4	9.0	34.1	11.6	35.7	11.3	37.0	11.4	36.4	9.8	34.8	11.4	36.5	10.6	35.7
25	64.29	10.0	35.5	15.4	38.0	12.7	36.9	14.9	38.4	16.4	39.6	15.7	39.0	13.2	37.5	16.0	39.0	14.6	38.3
26	67.86	14.0	38.4	19.4	40.6	16.7	39.6	20.3	41.1	22.2	42.1	21.2	41.6	18.1	40.2	21.2	41.6	19.6	40.9
27	71.43	20.3	41.4	27.8	43.2	24.0	42.4	26.1	43.7	30.0	44.6	28.0	44.2	24.1	43.0	29.2	44.1	26.6	43.6
28	75.00	27.0	44.3	34.8	45.7	30.9	45.1	36.0	46.4	37.9	47.1	36.9	46.8	32.9	45.7	36.8	46.6	34.8	46.2
29	78.57	40.4	47.3	40.8	48.3	40.6	47.8	46.3	49.1	50.7	49.7	48.4	49.4	44.2	48.5	47.1	49.2	45.6	48.8
30	82.14	53.4	50.2	51.5	50.9	52.5	50.6	57.8	51.7	60.0	52.2	58.9	52.0	56.3	51.2	56.9	51.7	56.6	51.5
31	85.71	63.1	53.2	62.8	53.5	63.0	53.3	68.6	54.4	69.6	54.7	69.1	54.5	66.7	54.0	67.1	54.3	66.9	54.1
32	89.29	74.7	56.1	73.5	56.1	74.1	56.1	77.9	57.1	78.0	57.2	77.9	57.1	76.8	56.7	76.3	56.8	76.6	56.8
33	92.86	87.3	59.1	83.5	58.7	85.4	58.8	88.1	59.7	87.3	59.7	87.7	59.7	87.8	59.5	85.9	59.3	86.9	59.4
34	96.43	95.7	62.0	92.8	61.2	94.2	61.6	94.3	62.4	93.7	62.3	94.0	62.3	94.8	62.2	93.4	61.9	94.1	62.0
35	100.00	100.0	65.0	100.0	63.8	100.0	64.3	100.0	65.1	100.0	64.8	100.0	64.9	100.0	65.0	100.0	64.4	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 52: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=299)		Males (n=300)		All (n=599)		Females (n=572)		Males (n=519)		All (n=1081)		Females (n=871)		Males (n=819)		All (n=1690)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00																		
8	15.00																		
9	20.00	0.5	7.5			0.3	3.5	0.3	15.7	0.3	4.0	0.1	8.6	0.2	13.3	0.3	1.4	0.2	9.0
10	25.00	0.9	11.0			0.4	7.2	0.5	18.6	0.5	7.5	0.4	14.8	0.4	16.3	0.3	5.0	0.3	12.2
11	30.00	0.9	14.5			0.4	10.9	1.6	21.6	0.5	11.1	1.0	17.9	1.3	19.3	0.3	8.7	0.8	15.4
12	35.00	1.2	17.9			0.6	14.5	2.3	24.5	0.5	14.6	1.4	21.0	1.7	22.3	0.3	12.3	1.0	18.6
13	40.00	2.0	21.4	0.8	13.4	1.3	18.2	3.1	27.5	0.7	18.1	1.9	24.2	2.4	25.3	0.4	15.9	1.4	21.8
14	45.00	2.7	24.8	1.7	17.4	2.1	21.8	4.9	30.4	1.4	21.7	3.2	27.3	3.9	28.3	1.1	19.5	2.5	25.0
15	50.00	4.0	28.3	2.2	21.5	3.0	25.5	8.0	33.4	2.2	25.2	5.2	30.4	6.2	31.3	2.0	23.1	4.1	28.3
16	55.00	6.3	31.7	3.3	25.5	4.8	29.2	12.4	36.3	3.7	28.7	8.3	33.5	9.5	34.3	3.1	26.8	6.4	31.5
17	60.00	9.7	35.2	5.3	29.5	7.5	32.8	18.5	39.3	6.7	32.3	12.9	36.6	14.3	37.3	5.5	30.4	10.0	34.7
18	65.00	16.7	38.7	10.2	33.5	13.4	36.5	25.1	42.2	10.6	35.8	18.2	39.7	19.8	40.4	8.6	34.0	14.4	37.9
19	70.00	22.7	42.1	14.9	37.5	18.8	40.1	32.2	45.2	17.7	39.4	25.3	42.9	26.9	43.4	15.0	37.6	21.1	41.1
20	75.00	34.1	45.6	21.0	41.5	27.5	43.8	43.0	48.1	26.9	42.9	35.4	46.0	36.1	46.4	22.5	41.3	29.5	44.3
21	80.00	46.2	49.0	32.7	45.6	39.4	47.5	55.5	51.1	40.5	46.4	48.4	49.1	48.1	49.4	33.4	44.9	41.0	47.5
22	85.00	59.9	52.5	47.7	49.6	53.8	51.1	68.4	54.0	51.7	50.0	60.5	52.2	60.8	52.4	44.7	48.5	53.0	50.7
23	90.00	77.3	56.0	65.3	53.6	71.3	54.8	78.7	57.0	65.1	53.5	72.3	55.3	72.3	55.4	58.7	52.1	65.7	53.9
24	95.00	87.9	59.4	84.6	57.6	86.3	58.5	87.4	59.9	79.6	57.1	83.7	58.4	84.0	58.4	74.4	55.8	79.3	57.1
25	100.00	100.0	62.9	100.0	61.6	100.0	62.1	94.9	62.9	91.2	60.6	93.1	61.6	92.5	61.4	88.8	59.4	90.7	60.3
								100.0	65.8	100.0	64.1	100.0	64.7	100.0	64.5	100.0	63.0	100.0	63.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 53: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=300)		Males (n=301)		All (n=601)		Females (n=570)		Males (n=522)		All (n=1092)		Females (n=870)		Males (n=823)		All (n=1693)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00																		
8	15.00																		
9	20.00																		
10	25.00									0.3	1.2	0.1	4.8			0.2	-0.3	0.1	3.1
11	30.00	0.5	6.3			0.3	3.5	0.7	11.0	0.3	5.2	0.5	8.6	0.6	9.6	0.2	4.0	0.4	7.1
12	35.00	0.8	10.5	0.5	4.7	0.5	7.9	1.1	14.7	0.3	9.3	0.7	12.4	0.9	13.4	0.3	8.2	0.6	11.1
13	40.00	1.2	14.6	0.5	9.4	0.8	12.3	1.3	18.3	0.5	13.3	0.9	16.2	1.2	17.2	0.4	12.4	0.8	15.1
14	45.00	1.2	18.7	0.5	14.2	0.8	16.7	1.8	21.9	0.5	17.3	1.1	20.0	1.5	21.0	0.4	16.7	1.0	19.1
15	50.00	1.7	22.8	0.9	18.9	1.2	21.1	2.6	25.6	1.2	21.4	1.9	23.8	2.3	24.8	1.0	20.9	1.6	23.0
16	55.00	3.3	26.9	2.0	23.7	2.7	25.5	4.5	29.2	2.7	25.4	3.6	27.6	4.1	28.5	2.4	25.1	3.3	27.0
17	60.00	6.0	31.1	4.7	28.4	5.3	29.9	6.3	32.9	4.2	29.5	5.3	31.4	6.2	32.3	4.4	29.3	5.3	31.0
18	65.00	8.3	35.2	7.3	33.2	7.8	34.3	10.9	36.5	7.1	33.5	9.0	35.2	10.0	36.1	7.2	33.6	8.6	35.0
19	70.00	15.2	39.3	12.7	37.9	13.9	38.7	18.1	40.1	13.2	37.6	15.8	39.0	17.1	39.9	13.0	37.8	15.1	39.0
20	75.00	29.0	43.4	28.6	42.7	28.8	43.1	33.5	43.8	27.5	41.6	30.6	42.8	31.9	43.7	27.9	42.0	30.0	42.9
21	80.00	47.2	47.6	48.5	47.4	47.9	47.5	43.2	47.4	40.5	45.6	41.9	46.6	44.6	47.5	43.5	46.3	44.0	46.9
22	85.00	62.0	51.7	66.5	52.2	64.2	51.9	54.9	51.0	52.6	49.7	53.8	50.4	57.3	51.2	57.7	50.5	57.5	50.9
23	90.00	76.9	55.8	82.4	56.9	79.7	56.3	68.5	54.7	64.9	53.7	66.8	54.2	71.4	55.0	71.3	54.7	71.4	54.9
24	95.00	87.3	59.9	92.0	61.7	89.7	60.7	81.7	58.3	76.8	57.8	79.3	58.0	83.6	58.8	82.4	59.0	83.0	58.9
25	100.00	100.0	64.1	100.0	66.4	100.0	65.1	100.0	62.0	100.0	61.8	100.0	61.8	100.0	62.6	100.0	63.2	100.0	62.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 54: DE – Germany. Individual norm data KIDSCREEN-52 Parent Relations &amp; Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=296)		Males (n=297)		All (n=593)		Females (n=566)		Males (n=513)		All (n=1079)		Females (n=862)		Males (n=810)		All (n=1672)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50									0.3	5.3	0.1	4.6			0.2	2.9	0.1	1.9
10	16.67							0.3	6.8	0.3	8.2	0.2	7.5	0.2	4.1	0.2	5.9	0.2	5.0
11	20.83							0.3	9.7	0.3	11.2	0.2	10.4	0.2	7.2	0.2	9.0	0.2	8.1
12	25.00							0.3	12.7	0.3	14.1	0.2	13.4	0.2	10.3	0.2	12.0	0.2	11.1
13	29.17	0.5	7.3	0.5	10.3	0.4	8.9	0.5	15.6	0.6	17.0	0.5	16.3	0.4	13.4	0.5	15.0	0.4	14.2
14	33.33	0.5	10.8	0.5	13.6	0.4	12.3	0.6	18.6	1.4	19.9	0.9	19.3	0.5	16.5	1.0	18.0	0.7	17.3
15	37.50	0.5	14.3	0.5	16.9	0.4	15.7	0.9	21.6	1.8	22.8	1.3	22.2	0.7	19.6	1.3	21.0	1.0	20.3
16	41.67	0.9	17.8	0.9	20.2	0.7	19.1	1.3	24.5	2.0	25.7	1.6	25.1	1.1	22.7	1.5	24.1	1.3	23.4
17	45.83	1.7	21.3	1.2	23.5	1.4	22.5	3.0	27.5	3.5	28.7	3.2	28.1	2.5	25.8	2.6	27.1	2.6	26.4
18	50.00	2.5	24.8	4.7	26.8	3.6	25.9	4.8	30.4	5.3	31.6	5.0	31.0	3.9	28.8	5.1	30.1	4.5	29.5
19	54.17	4.1	28.3	5.8	30.1	4.9	29.3	8.3	33.4	8.4	34.5	8.4	34.0	6.9	31.9	7.4	33.2	7.1	32.6
20	58.33	6.5	31.8	9.1	33.4	7.8	32.7	13.2	36.3	14.5	37.4	13.9	36.9	10.9	35.0	12.5	36.2	11.7	35.6
21	62.50	10.5	35.2	12.8	36.7	11.6	36.0	18.9	39.3	21.4	40.4	20.0	39.8	16.0	38.1	18.2	39.2	17.1	38.7
22	66.67	15.6	38.7	18.8	40.0	17.2	39.4	25.5	42.3	27.0	43.3	26.2	42.8	22.1	41.2	24.0	42.3	23.0	41.8
23	70.83	22.7	42.2	27.3	43.3	25.0	42.8	31.6	45.2	33.8	46.2	32.6	45.7	28.5	44.3	31.4	45.3	29.9	44.8
24	75.00	34.9	45.7	38.3	46.7	36.6	46.2	41.9	48.2	49.0	49.2	45.2	48.6	39.5	47.4	45.1	48.3	42.2	47.9
25	79.17	50.1	49.2	50.8	50.0	50.4	49.6	55.3	51.1	60.8	52.1	57.9	51.6	53.5	50.5	57.1	51.4	55.3	50.9
26	83.33	64.5	52.7	63.5	53.3	64.0	53.0	69.1	54.1	72.5	55.0	70.7	54.5	67.5	53.6	69.2	54.4	68.3	54.0
27	87.50	77.3	56.2	76.7	56.6	77.0	56.4	79.2	57.1	82.0	57.9	80.5	57.5	78.5	56.7	80.1	57.4	79.3	57.1
28	91.67	89.1	59.7	89.9	59.9	89.5	59.8	88.0	60.0	90.8	60.9	89.3	60.4	88.4	59.8	90.5	60.4	89.4	60.1
29	95.83	96.3	63.2	97.9	63.2	97.1	63.1	95.2	63.0	95.9	63.8	95.6	63.3	95.6	62.9	96.7	63.5	96.1	63.2
30	100.00	100.0	66.6	100.0	66.5	100.0	66.5	100.0	65.9	100.0	66.7	100.0	66.3	100.0	66.0	100.0	66.5	100.0	66.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 55: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=296)		Males (n=294)		All (n=590)		Females (n=566)		Males (n=510)		All (n=1076)		Females (n=862)		Males (n=804)		All (n=1666)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.5	-1.1			0.3	1.3			0.3	7.9	0.1	6.9	0.2	3.8	0.2	6.3	0.1	5.2
7	4.17	0.5	1.9			0.3	4.2	0.3	8.5	0.3	10.5	0.2	9.5	0.3	6.6	0.2	9.0	0.2	7.9
8	8.33	0.5	4.8	0.8	8.8	0.6	7.1	0.6	11.1	0.5	13.0	0.5	12.1	0.5	9.3	0.5	11.6	0.5	10.5
9	12.50	0.9	7.8	0.8	11.7	0.8	10.0	0.6	13.7	0.7	15.5	0.6	14.7	0.6	12.0	0.7	14.3	0.6	13.2
10	16.67	0.9	10.8	0.8	14.5	0.8	12.9	0.9	16.3	0.7	18.1	0.8	17.2	0.8	14.7	0.7	17.0	0.7	15.9
11	20.83	0.9	13.8	0.8	17.4	0.8	15.8	1.2	18.9	0.7	20.6	0.9	19.8	1.0	17.4	0.7	19.6	0.8	18.6
12	25.00	0.9	16.8	1.7	20.2	1.2	18.7	1.5	21.5	2.2	23.2	1.8	22.4	1.2	20.1	2.0	22.3	1.6	21.3
13	29.17	1.2	19.8	2.3	23.1	1.6	21.6	2.3	24.1	3.1	25.8	2.7	25.0	1.9	22.9	2.7	24.9	2.3	23.9
14	33.33	1.2	22.8	2.6	25.9	1.8	24.5	3.0	26.7	4.3	28.3	3.6	27.6	2.3	25.6	3.6	27.6	2.9	26.6
15	37.50	2.4	25.8	3.5	28.8	2.9	27.5	4.4	29.3	5.7	30.9	5.0	30.1	3.7	28.3	4.9	30.2	4.3	29.3
16	41.67	4.8	28.8	4.5	31.7	4.6	30.4	6.6	31.9	7.3	33.5	6.9	32.7	5.9	31.0	6.2	32.9	6.1	32.0
17	45.83	6.1	31.8	7.8	34.5	6.9	33.3	9.2	34.5	10.0	36.0	9.6	35.3	8.1	33.7	9.2	35.5	8.6	34.7
18	50.00	8.5	34.8	11.9	37.4	10.2	36.2	12.2	37.1	13.9	38.6	13.0	37.9	10.9	36.4	13.2	38.2	12.0	37.3
19	54.17	12.5	37.7	18.1	40.2	15.3	39.1	17.4	39.7	18.9	41.1	18.1	40.4	15.7	39.1	18.6	40.8	17.1	40.0
20	58.33	18.6	40.7	23.8	43.1	21.2	42.0	22.0	42.3	25.5	43.7	23.7	43.0	20.8	41.9	24.9	43.5	22.8	42.7
21	62.50	25.4	43.7	35.0	45.9	30.2	44.9	28.4	44.9	36.7	46.3	32.3	45.6	27.4	44.6	36.1	46.2	31.6	45.4
22	66.67	34.9	46.7	46.9	48.8	40.9	47.8	38.1	47.5	44.6	48.8	41.1	48.2	37.0	47.3	45.4	48.8	41.0	48.0
23	70.83	50.3	49.7	57.5	51.6	53.9	50.7	50.2	50.2	56.1	51.4	53.0	50.7	50.3	50.0	56.6	51.5	53.3	50.7
24	75.00	67.8	52.7	75.8	54.5	71.8	53.6	65.0	52.8	72.8	54.0	68.7	53.3	66.0	52.7	73.9	54.1	69.8	53.4
25	79.17	76.5	55.7	84.0	57.3	80.2	56.5	74.7	55.4	82.2	56.5	78.3	55.9	75.4	55.4	82.8	56.8	79.0	56.1
26	83.33	88.1	58.7	88.7	60.2	88.4	59.4	84.3	58.0	86.3	59.1	85.2	58.5	85.6	58.2	87.2	59.4	86.3	58.8
27	87.50	94.2	61.7	94.9	63.0	94.6	62.3	90.6	60.6	91.4	61.6	91.0	61.0	91.9	60.9	92.7	62.1	92.3	61.4
28	91.67	97.0	64.7	96.9	65.9	96.9	65.2	95.6	63.2	94.9	64.2	95.3	63.6	96.0	63.6	95.7	64.7	95.9	64.1
29	95.83	97.6	67.7	98.3	68.7	98.0	68.1	97.5	65.8	97.1	66.8	97.3	66.2	97.6	66.3	97.5	67.4	97.5	66.8
30	100.00	100.0	70.6	100.0	71.6	100.0	71.0	100.0	68.4	100.0	69.3	100.0	68.8	100.0	69.0	100.0	70.1	100.0	69.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 56: DE – Germany. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=296)		Males (n=303)		All (n=599)		Females (n=567)		Males (n=519)		All (n=1086)		Females (n=863)		Males (n=822)		All (n=1685)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33									0.3	13.1	0.1	12.4			0.2	12.9	0.1	11.8
9	12.50			0.5	13.0	0.3	9.9	0.3	14.0	0.3	15.7	0.2	15.0	0.2	12.6	0.3	15.4	0.2	14.3
10	16.67			0.5	15.5	0.3	12.5	0.4	16.7	0.3	18.4	0.3	17.7	0.3	15.2	0.3	18.0	0.3	16.8
11	20.83			0.8	18.1	0.4	15.1	0.8	19.3	1.0	21.0	0.8	20.3	0.5	17.8	0.9	20.5	0.7	19.4
12	25.00	0.5	12.7	1.2	20.7	0.7	17.8	1.4	21.9	1.4	23.7	1.4	22.9	1.0	20.3	1.2	23.1	1.1	21.9
13	29.17	0.9	15.6	1.2	23.3	0.9	20.4	1.8	24.5	2.1	26.3	1.9	25.5	1.4	22.9	1.7	25.6	1.5	24.5
14	33.33	1.2	18.4	2.0	25.8	1.5	23.0	3.3	27.2	2.9	29.0	3.1	28.1	2.5	25.5	2.6	28.2	2.6	27.0
15	37.50	1.5	21.2	3.0	28.3	2.2	25.6	4.8	29.8	6.4	31.6	5.5	30.8	3.6	28.1	5.1	30.8	4.3	29.6
16	41.67	2.7	24.1	5.3	30.9	4.0	28.2	6.7	32.4	8.7	34.3	7.6	33.4	5.3	30.6	7.4	33.3	6.3	32.1
17	45.83	4.4	26.9	7.9	33.4	6.2	30.9	8.8	35.0	12.7	36.9	10.7	36.0	7.3	33.2	10.9	35.9	9.1	34.6
18	50.00	5.5	29.8	11.5	35.9	8.5	33.5	13.3	37.6	18.5	39.6	15.8	38.6	10.6	35.8	15.9	38.4	13.2	37.2
19	54.17	6.8	32.6	15.8	38.5	11.3	36.1	18.3	40.3	24.3	42.2	21.2	41.2	14.3	38.3	21.2	41.0	17.7	39.7
20	58.33	8.5	35.4	18.4	41.0	13.5	38.7	25.3	42.9	32.4	44.9	28.7	43.9	19.6	40.9	27.2	43.5	23.3	42.3
21	62.50	13.8	38.3	26.4	43.6	20.2	41.3	33.1	45.5	41.1	47.5	36.9	46.5	26.5	43.5	35.7	46.1	31.0	44.8
22	66.67	19.6	41.1	36.6	46.1	28.2	43.9	43.6	48.1	50.5	50.2	46.9	49.1	35.4	46.0	45.4	48.7	40.3	47.3
23	70.83	27.7	44.0	45.9	48.7	36.9	46.6	54.8	50.8	62.7	52.8	58.6	51.7	45.5	48.6	56.5	51.2	50.9	49.9
24	75.00	40.1	46.8	59.7	51.2	50.0	49.2	67.4	53.4	77.5	55.5	72.2	54.3	58.0	51.2	71.0	53.8	64.3	52.4
25	79.17	50.9	49.6	69.6	53.8	60.4	51.8	76.7	56.0	84.6	58.1	80.5	57.0	67.9	53.8	79.1	56.3	73.3	55.0
26	83.33	60.1	52.5	75.9	56.3	68.1	54.4	85.2	58.6	90.2	60.8	87.6	59.6	76.6	56.3	84.9	58.9	80.7	57.5
27	87.50	70.9	55.3	83.8	58.8	77.4	57.0	89.2	61.2	94.1	63.4	91.5	62.2	82.9	58.9	90.3	61.5	86.5	60.1
28	91.67	79.4	58.1	88.8	61.4	84.1	59.6	95.2	63.9	97.0	66.1	96.0	64.8	89.8	61.5	93.9	64.0	91.8	62.6
29	95.83	92.9	61.0	93.7	63.9	93.3	62.3	97.9	66.5	98.1	68.7	98.0	67.5	96.2	64.0	96.5	66.6	96.3	65.1
30	100.00	100.0	63.8	100.0	66.5	100.0	64.9	100.0	69.1	100.0	71.4	100.0	70.1	100.0	66.6	100.0	69.1	100.0	67.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 57: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=297)		Males (n=303)		All (n=600)		Females (n=570)		Males (n=525)		All (n=1095)		Females (n=867)		Males (n=828)		All (n=1695)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00																		
4	8.33									0.3	-1.2	0.1	-5.4			0.2	2.0	0.1	-1.4
5	16.67			0.8	10.5	0.4	8.5	0.3	-4.3	0.5	4.1	0.3	0.3	0.2	0.0	0.5	7.1	0.3	3.9
6	25.00	0.5	10.9	1.5	15.4	0.9	13.5	0.7	1.8	1.0	9.4	0.8	6.0	0.6	5.7	1.1	12.2	0.8	9.3
7	33.33	1.4	16.2	1.5	20.4	1.4	18.6	1.1	7.9	1.6	14.7	1.3	11.6	1.2	11.4	1.5	17.3	1.3	14.7
8	41.67	2.7	21.4	3.6	25.3	3.2	23.6	1.3	14.0	2.7	20.0	1.9	17.3	1.7	17.1	3.0	22.4	2.4	20.0
9	50.00	6.4	26.6	7.9	30.2	7.1	28.6	3.7	20.1	5.1	25.4	4.4	23.0	4.6	22.8	6.1	27.5	5.4	25.4
10	58.33	9.7	31.8	12.2	35.1	10.9	33.6	5.4	26.2	7.6	30.7	6.5	28.6	6.9	28.5	9.3	32.6	8.1	30.8
11	66.67	13.7	37.1	17.7	40.0	15.8	38.7	7.3	32.3	10.9	36.0	9.0	34.3	9.5	34.3	13.4	37.7	11.4	36.1
12	75.00	22.9	42.3	31.3	44.9	27.1	43.7	14.9	38.4	19.6	41.3	17.2	40.0	17.6	40.0	23.9	42.8	20.7	41.5
13	83.33	38.4	47.5	49.4	49.8	44.0	48.7	26.1	44.5	34.5	46.7	30.1	45.6	30.3	45.7	39.9	47.9	35.0	46.8
14	91.67	57.6	52.8	69.6	54.7	63.6	53.7	48.5	50.6	53.7	52.0	51.0	51.3	51.6	51.4	59.5	53.0	55.5	52.2
15	100.00	100.0	58.0	100.0	59.6	100.0	58.8	100.0	56.7	100.0	57.3	100.0	56.9	100.0	57.1	100.0	58.1	100.0	57.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 58: DE – Germany. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=295)		Males (n=300)		All (n=595)		Females (n=569)		Males (n=525)		All (n=1094)		Females (n=864)		Males (n=825)		All (n=1689)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00							0.3	4.7			0.1	5.9	0.2	2.4			0.1	4.1
4	8.33							0.4	9.4	0.4	11.6	0.4	10.5	0.3	7.3	0.3	10.3	0.2	8.9
5	16.67	0.5	7.0			0.3	10.2	0.8	14.1	0.8	16.2	0.7	15.1	0.6	12.1	0.5	14.9	0.5	13.6
6	25.00	0.5	12.3	0.5	17.3	0.4	15.3	1.6	18.8	1.9	20.7	1.7	19.7	1.2	17.0	1.3	19.6	1.2	18.4
7	33.33	1.1	17.6	1.4	22.3	1.2	20.4	2.5	23.5	3.4	25.2	2.9	24.4	2.0	21.9	2.6	24.2	2.3	23.1
8	41.67	1.8	22.9	3.0	27.3	2.4	25.4	4.4	28.2	6.1	29.7	5.2	29.0	3.5	26.7	5.0	28.9	4.2	27.9
9	50.00	5.1	28.2	8.7	32.2	6.9	30.5	8.6	32.9	10.1	34.2	9.3	33.6	7.4	31.6	9.6	33.6	8.5	32.6
10	58.33	9.8	33.5	17.3	37.2	13.6	35.6	15.0	37.6	16.8	38.8	15.8	38.2	13.2	36.4	17.0	38.2	15.1	37.4
11	66.67	16.9	38.8	26.1	42.2	21.5	40.7	23.1	42.3	25.3	43.3	24.1	42.8	21.0	41.3	25.6	42.9	23.2	42.1
12	75.00	37.3	44.1	45.4	47.1	41.3	45.7	42.7	47.0	47.1	47.8	44.8	47.4	40.9	46.1	46.5	47.6	43.6	46.9
13	83.33	49.5	49.5	63.6	52.1	56.6	50.8	60.9	51.7	61.4	52.3	61.1	52.0	57.0	51.0	62.2	52.2	59.5	51.6
14	91.67	67.4	54.8	76.4	57.1	71.9	55.9	76.2	56.4	77.9	56.8	77.0	56.6	73.2	55.8	77.3	56.9	75.2	56.3
15	100.00	100.0	60.1	100.0	62.0	100.0	61.0	100.0	61.1	100.0	61.3	100.0	61.2	100.0	60.7	100.0	61.6	100.0	61.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 59: DE – Germany. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=297)		Males (n=301)		All (n=598)		Females (n=554)		Males (n=509)		All (n=1063)		Females (n=851)		Males (n=810)		All (n=1661)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.3	11.0			0.2	10.3	0.2	7.8			0.1	6.9
7	11.11							0.5	14.4			0.2	13.6	0.3	11.3			0.2	10.4
8	16.67							0.6	17.8	0.5	15.8	0.5	17.0	0.4	14.8	0.3	12.7	0.3	13.9
9	22.22	0.5	6.8	0.5	7.5	0.4	7.2	0.8	21.1	1.0	19.2	0.9	20.4	0.6	18.3	0.8	16.3	0.7	17.4
10	27.78	0.5	11.1	0.5	11.6	0.4	11.4	1.6	24.5	1.6	22.6	1.6	23.7	1.2	21.7	1.1	19.8	1.1	20.9
11	33.33	0.5	15.3	0.9	15.7	0.6	15.6	3.6	27.9	3.0	26.0	3.3	27.1	2.5	25.2	2.1	23.3	2.3	24.4
12	38.89	0.9	19.6	2.0	19.8	1.3	19.7	6.7	31.3	5.2	29.3	5.9	30.4	4.6	28.7	4.0	26.9	4.3	27.9
13	44.44	1.7	23.8	2.8	24.0	2.2	23.9	8.6	34.6	7.7	32.7	8.2	33.8	6.2	32.2	5.8	30.4	6.0	31.4
14	50.00	5.4	28.1	4.3	28.1	4.8	28.1	15.0	38.0	12.4	36.1	13.8	37.2	11.6	35.7	9.4	33.9	10.5	34.9
15	55.56	8.4	32.3	7.7	32.2	8.0	32.3	21.3	41.4	18.1	39.5	19.8	40.5	16.8	39.2	14.2	37.4	15.5	38.4
16	61.11	13.1	36.6	11.7	36.3	12.4	36.4	33.8	44.8	25.6	42.9	29.9	43.9	26.6	42.6	20.4	41.0	23.6	41.8
17	66.67	20.9	40.8	19.0	40.4	20.0	40.6	46.4	48.1	35.6	46.2	41.2	47.2	37.5	46.1	29.4	44.5	33.6	45.3
18	72.22	33.7	45.0	31.3	44.6	32.5	44.8	59.2	51.5	51.9	49.6	55.7	50.6	50.3	49.6	44.3	48.0	47.4	48.8
19	77.78	48.5	49.3	46.9	48.7	47.7	49.0	73.4	54.9	63.5	53.0	68.7	54.0	64.7	53.1	57.3	51.5	61.1	52.3
20	83.33	67.7	53.5	64.5	52.8	66.1	53.1	84.1	58.3	77.4	56.4	80.9	57.3	78.4	56.6	72.6	55.1	75.6	55.8
21	88.89	86.5	57.8	80.7	56.9	83.6	57.3	91.9	61.6	89.2	59.7	90.6	60.7	90.0	60.0	86.1	58.6	88.1	59.3
22	94.44	95.6	62.0	96.0	61.0	95.8	61.5	97.3	65.0	96.3	63.1	96.8	64.0	96.7	63.5	96.2	62.1	96.5	62.8
23	100.00	100.0	66.3	100.0	65.1	100.0	65.7	100.0	68.4	100.0	66.5	100.0	67.4	100.0	67.0	100.0	65.6	100.0	66.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 60: DE – Germany. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=297)		All (n=595)		Females (n=564)		Males (n=518)		All (n=1082)		Females (n=862)		Males (n=815)		All (n=1677)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86									0.3	3.1	0.2	1.9			0.2	0.9	0.1	-0.8
13	21.43									0.3	5.9	0.2	4.8			0.2	3.8	0.1	2.2
14	25.00							0.3	6.6	0.3	8.7	0.2	7.7	0.2	3.5	0.2	6.7	0.2	5.2
15	28.57							0.5	9.6	0.3	11.5	0.3	10.6	0.3	6.6	0.2	9.6	0.2	8.2
16	32.14	0.5	1.7			0.3	5.3	0.6	12.5	0.5	14.3	0.5	13.4	0.5	9.8	0.3	12.5	0.4	11.2
17	35.71	0.9	5.3			0.4	8.6	0.8	15.5	0.8	17.1	0.8	16.3	0.7	12.9	0.5	15.4	0.6	14.1
18	39.29	0.9	8.9	0.5	14.4	0.6	12.0	1.0	18.4	1.8	19.9	1.3	19.2	0.9	16.0	1.2	18.2	1.0	17.1
19	42.86	0.9	12.4	1.1	17.6	0.9	15.3	1.5	21.4	2.2	22.7	1.8	22.1	1.2	19.1	1.7	21.1	1.4	20.1
20	46.43	0.9	16.0	2.4	20.7	1.5	18.6	2.3	24.4	3.5	25.5	2.9	25.0	1.8	22.2	3.1	24.0	2.4	23.1
21	50.00	0.9	19.5	3.1	23.8	1.9	21.9	3.7	27.3	4.7	28.3	4.2	27.8	2.7	25.3	4.0	26.9	3.3	26.1
22	53.57	1.7	23.1	4.0	26.9	2.8	25.2	5.7	30.3	5.8	31.1	5.7	30.7	4.3	28.4	5.2	29.8	4.7	29.1
23	57.14	3.1	26.6	6.3	30.0	4.7	28.5	7.7	33.2	8.1	33.9	7.9	33.6	6.1	31.5	7.5	32.7	6.7	32.1
24	60.71	5.0	30.2	9.0	33.2	7.0	31.8	11.0	36.2	10.4	36.7	10.7	36.5	9.0	34.6	9.9	35.6	9.4	35.1
25	64.29	8.7	33.8	11.7	36.3	10.2	35.1	16.3	39.2	14.9	39.5	15.6	39.3	13.7	37.7	13.7	38.5	13.7	38.1
26	67.86	12.1	37.3	15.4	39.4	13.7	38.5	22.7	42.1	21.1	42.3	21.9	42.2	19.0	40.8	19.0	41.4	19.0	41.1
27	71.43	17.1	40.9	20.1	42.5	18.6	41.8	30.0	45.1	30.9	45.1	30.4	45.1	25.5	43.9	27.0	44.3	26.2	44.1
28	75.00	28.2	44.4	30.2	45.6	29.2	45.1	40.0	48.0	41.8	47.9	40.9	48.0	35.9	47.0	37.6	47.1	36.7	47.1
29	78.57	44.6	48.0	42.4	48.7	43.5	48.4	55.5	51.0	55.0	50.7	55.3	50.8	51.8	50.1	50.4	50.0	51.1	50.1
30	82.14	63.4	51.5	60.2	51.9	61.8	51.7	68.8	54.0	66.0	53.5	67.5	53.7	67.0	53.2	63.9	52.9	65.5	53.0
31	85.71	77.9	55.1	73.4	55.0	75.6	55.0	80.9	56.9	77.5	56.3	79.3	56.6	79.8	56.3	76.0	55.8	78.0	56.0
32	89.29	87.3	58.7	87.2	58.1	87.2	58.3	91.5	59.9	87.4	59.1	89.5	59.5	90.0	59.4	87.3	58.7	88.7	59.0
33	92.86	94.0	62.2	93.9	61.2	94.0	61.6	95.6	62.8	94.1	61.9	94.9	62.4	95.0	62.5	94.1	61.6	94.6	62.0
34	96.43	97.0	65.8	98.0	64.3	97.5	65.0	98.0	65.8	97.5	64.7	97.8	65.2	97.7	65.6	97.6	64.5	97.7	65.0
35	100.00	100.0	69.3	100.0	67.5	100.0	68.3	100.0	68.8	100.0	67.5	100.0	68.1	100.0	68.7	100.0	67.4	100.0	68.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 61: DE – Germany. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy

Raw-Score	0-100 Score	Females (n=294)		Children 8-11 Males (n=298)		All (n=592)		Females (n=564)		Adolescents 12-18 Males (n=515)		All (n=1079)		Children & Adolescents 8-18 Females (n=858)		Males (n=813)		All (n=1671)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00																		
15	28.57	0.5	0.9			0.3	1.7							0.2	4.7			0.1	4.2
16	32.14	0.5	4.3			0.3	5.1	0.3	9.3			0.1	8.5	0.3	7.8			0.2	7.4
17	35.71	0.5	7.6	0.5	8.9	0.4	8.4	0.5	12.4			0.2	11.6	0.4	11.0	0.2	10.1	0.3	10.6
18	39.29	0.5	11.0	0.5	12.3	0.4	11.8	0.5	15.5			0.2	14.8	0.4	14.2	0.2	13.4	0.3	13.8
19	42.86	0.5	14.4	0.5	15.6	0.4	15.1	0.6	18.5	0.3	17.1	0.4	17.9	0.5	17.3	0.3	16.6	0.4	17.0
20	46.43	0.5	17.7	1.1	19.0	0.7	18.5	1.3	21.6	0.8	20.3	1.0	21.0	1.0	20.4	0.9	19.8	0.9	20.2
21	50.00	1.1	21.1	1.5	22.4	1.2	21.8	2.0	24.6	1.4	23.5	1.7	24.1	1.6	23.6	1.4	23.1	1.5	23.3
22	53.57	1.6	24.4	2.4	25.7	1.9	25.2	3.0	27.7	2.1	26.7	2.6	27.2	2.4	26.7	2.2	26.3	2.3	26.5
23	57.14	2.4	27.8	3.1	29.1	2.7	28.5	5.0	30.7	4.7	29.9	4.8	30.4	4.1	29.9	4.1	29.6	4.1	29.7
24	60.71	4.7	31.2	5.7	32.4	5.2	31.9	8.2	33.8	7.8	33.1	8.0	33.5	7.0	33.0	7.0	32.9	7.0	32.9
25	64.29	9.2	34.5	10.1	35.8	9.7	35.2	13.3	36.9	12.0	36.3	12.7	36.6	11.9	36.1	11.3	36.1	11.6	36.1
26	67.86	15.3	37.9	15.2	39.1	15.2	38.5	18.6	39.9	17.7	39.5	18.2	39.7	17.5	39.3	16.8	39.4	17.1	39.3
27	71.43	24.5	41.2	28.6	42.5	26.5	41.9	26.6	43.0	25.7	42.7	26.2	42.8	25.9	42.4	26.7	42.6	26.3	42.5
28	75.00	31.7	44.6	40.3	45.9	36.0	45.2	37.6	46.0	38.5	45.9	38.0	46.0	35.6	45.6	39.2	45.9	37.3	45.7
29	78.57	44.3	48.0	51.4	49.2	47.9	48.6	48.2	49.1	51.3	49.1	49.7	49.1	46.9	48.7	51.3	49.1	49.1	48.9
30	82.14	59.0	51.3	63.1	52.6	61.1	51.9	60.3	52.2	63.7	52.3	61.9	52.2	59.8	51.9	63.5	52.4	61.6	52.1
31	85.71	69.8	54.7	75.6	55.9	72.7	55.3	71.6	55.2	73.8	55.5	72.7	55.3	71.0	55.0	74.5	55.6	72.7	55.3
32	89.29	81.7	58.0	86.6	59.3	84.2	58.6	83.7	58.3	83.1	58.7	83.4	58.5	83	58.2	84.4	58.9	83.7	58.5
33	92.86	93.2	61.4	94.0	62.6	93.6	62.0	92.0	61.3	91.5	61.9	91.7	61.6	92.4	61.3	92.4	62.2	92.4	61.7
34	96.43	99.0	64.8	98.0	66.0	98.5	65.3	97.3	64.4	97.7	65.1	97.5	64.7	97.9	64.5	97.8	65.4	97.8	64.9
35	100.00	100.0	68.1	100.0	69.3	100.0	68.7	100.0	67.4	100.0	68.3	100.0	67.8	100.0	67.6	100.0	68.7	100.0	68.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 62: DE – Germany. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=298)		Males (n=298)		All (n=596)		Females (n=566)		Males (n=514)		All (n=1080)		Females (n=864)		Males (n=812)		All (n=1676)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.5	-0.9			0.3	1.0			0.3	6.8	0.1	6.3	0.2	3.8	0.2	5.3	0.1	4.7
5	6.25	0.5	3.5			0.3	5.3	0.4	9.7	0.3	10.7	0.3	10.2	0.4	7.9	0.2	9.4	0.3	8.7
6	12.50	0.9	7.9	0.8	10.9	0.7	9.6	0.8	13.6	0.6	14.6	0.7	14.1	0.7	11.9	0.6	13.4	0.7	12.7
7	18.75	0.9	12.3	0.8	15.2	0.7	14.0	1.1	17.5	0.9	18.5	0.9	18.0	1.0	16.0	0.8	17.4	0.8	16.7
8	25.00	0.9	16.8	1.4	19.5	1.1	18.3	1.6	21.4	2.1	22.4	1.8	21.9	1.3	20.0	1.8	21.4	1.5	20.8
9	31.25	1.2	21.2	2.7	23.7	1.8	22.6	2.8	25.3	3.5	26.3	3.1	25.8	2.2	24.1	3.2	25.4	2.7	24.8
10	37.50	2.4	25.6	3.2	28.0	2.7	26.9	5.1	29.2	6.2	30.1	5.6	29.7	4.2	28.1	5.0	29.4	4.6	28.8
11	43.75	5.3	30.0	7.4	32.3	6.4	31.2	8.3	33.1	8.4	34.0	8.3	33.6	7.3	32.2	8.0	33.5	7.6	32.8
12	50.00	8.0	34.4	12.5	36.5	10.2	35.5	12.8	37.0	13.4	37.9	13.1	37.5	11.1	36.2	13.1	37.5	12.1	36.9
13	56.25	16.1	38.8	19.6	40.8	17.8	39.9	20.2	40.9	21.9	41.8	21.0	41.4	18.8	40.3	21.1	41.5	19.9	40.9
14	62.50	24.5	43.2	34.7	45.1	29.6	44.2	30.8	44.8	33.6	45.7	32.2	45.3	28.6	44.3	34.0	45.5	31.2	44.9
15	68.75	44.6	47.6	49.4	49.3	47.0	48.5	45.3	48.7	49.8	49.6	47.4	49.1	45.1	48.4	49.6	49.5	47.3	48.9
16	75.00	68.8	52.0	75.5	53.6	72.2	52.8	68.1	52.6	74.4	53.5	71.1	53.0	68.3	52.4	74.8	53.5	71.5	53.0
17	81.25	82.3	56.5	85.6	57.9	83.9	57.2	81.3	56.5	85.9	57.4	83.5	56.9	81.6	56.5	85.8	57.5	83.7	57.0
18	87.50	92.7	60.9	94.9	62.2	93.8	61.5	92.8	60.4	92.2	61.3	92.5	60.8	92.7	60.5	93.2	61.6	93.0	61.0
19	93.75	97.0	65.3	97.6	66.4	97.3	65.8	96.6	64.3	96.1	65.2	96.4	64.7	96.8	64.6	96.7	65.6	96.7	65.0
20	100.00	100.0	69.7	100.0	70.7	100.0	70.1	100.0	68.2	100.0	69.0	100.0	68.6	100.0	68.6	100.0	69.6	100.0	69.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 63: DE – Germany. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=296)		Males (n=303)		All (n=599)		Females (n=568)		Males (n=521)		All (n=1089)		Females (n=864)		Males (n=824)		All (n=1688)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25																		
6	12.50			0.5	11.8	0.3	7.8	0.3	12.6	0.4	15.1	0.3	14.0	0.2	10.4	0.4	14.3	0.2	12.7
7	18.75			0.5	15.8	0.3	12.0	0.5	16.6	0.4	19.1	0.4	18.0	0.3	14.4	0.4	18.2	0.3	16.6
8	25.00	0.5	9.6	0.9	19.7	0.6	16.1	1.1	20.6	1.7	23.0	1.4	21.9	0.8	18.4	1.3	22.1	1.1	20.5
9	31.25	0.9	14.3	1.4	23.6	1.0	20.2	2.7	24.6	3.1	26.9	2.9	25.8	2.0	22.4	2.4	26.0	2.2	24.4
10	37.50	0.9	18.9	2.7	27.5	1.7	24.3	4.4	28.6	5.7	30.8	5.1	29.8	3.1	26.4	4.6	29.9	3.9	28.3
11	43.75	1.7	23.5	5.7	31.5	3.7	28.4	6.7	32.5	10.7	34.7	8.6	33.7	5.0	30.5	8.9	33.7	6.9	32.3
12	50.00	4.4	28.1	12.2	35.4	8.3	32.6	12.4	36.5	17.4	38.7	14.8	37.6	9.6	34.5	15.5	37.6	12.5	36.2
13	56.25	7.4	32.7	18.2	39.4	12.9	36.7	21.2	40.5	26.6	42.6	23.8	41.6	16.5	38.5	23.5	41.5	19.9	40.1
14	62.50	13.4	37.3	28.1	43.3	20.8	40.8	32.1	44.5	37.8	46.5	34.8	45.5	25.7	42.5	34.2	45.4	29.8	44.0
15	68.75	22.9	41.9	43.2	47.3	33.2	45.0	46.3	48.4	52.8	50.5	49.4	49.4	38.3	46.5	49.3	49.3	43.6	47.9
16	75.00	43.9	46.5	63.4	51.2	53.8	49.1	66.5	52.4	76.2	54.4	71.2	53.3	58.8	50.6	71.5	53.2	65.0	51.8
17	81.25	64.0	51.1	76.9	55.1	70.5	53.2	79.0	56.4	87.7	58.3	83.2	57.3	73.8	54.6	83.7	57.1	78.7	55.8
18	87.50	75.4	55.7	84.1	59.1	79.8	57.3	91.0	60.4	93.5	62.2	92.2	61.2	85.7	58.6	90.1	60.9	87.8	59.7
19	93.75	89.9	60.3	93.4	63.0	91.6	61.5	96.5	64.4	97.3	66.2	96.9	65.1	94.2	62.6	95.9	64.8	95.0	63.6
20	100.00	100.0	65.0	100.0	67.0	100.0	65.6	100.0	68.3	100.0	70.1	100.0	69.1	100.0	66.6	100.0	68.7	100.0	67.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 64: DE – Germany. Individual norm data KIDSCREEN-10-PROXY Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=293)		Males (n=296)		All (n=589)		Females (n=563)		Males (n=506)		All (n=1069)		Females (n=856)		Males (n=802)		All (n=1658)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50																		
22	30.00																		
23	32.50	0.5	0.3			0.3	3.4							0.2	7.1			0.1	7.7
24	35.00	0.5	3.0			0.3	5.9							0.2	9.5			0.1	10.1
25	37.50	0.5	5.6			0.3	8.5							0.2	11.8			0.1	12.4
26	40.00	0.9	8.3	0.8	13.1	0.7	11.0			0.3	16.4	0.1	16.4	0.3	14.2	0.4	15.3	0.3	14.8
27	42.50	0.9	10.9	0.8	15.5	0.7	13.5	0.4	18.6	0.8	18.7	0.6	18.7	0.5	16.6	0.8	17.7	0.6	17.2
28	45.00	0.9	13.6	0.8	18.0	0.7	16.1	1.2	20.9	1.4	21.1	1.3	21.0	1.1	19.0	1.1	20.1	1.1	19.5
29	47.50	0.9	16.2	1.2	20.4	1.0	18.6	1.6	23.2	1.7	23.4	1.6	23.3	1.3	21.4	1.4	22.4	1.3	21.9
30	50.00	0.9	18.3	1.6	22.8	1.1	21.1	2.5	25.6	2.2	25.7	2.3	25.6	1.9	23.8	1.9	24.8	1.9	24.3
31	52.50	0.9	21.5	2.2	25.3	1.4	23.6	3.7	27.9	2.8	28.0	3.3	27.9	2.7	26.2	2.5	27.1	2.6	26.6
32	55.00	2.1	24.1	2.8	27.7	2.4	26.1	4.6	30.2	4.5	30.3	4.6	30.3	3.7	28.5	3.9	29.5	3.8	29.0
33	57.50	3.4	26.8	4.1	30.2	3.7	28.7	7.3	32.5	6.1	32.7	6.7	32.6	6.0	30.9	5.4	31.8	5.7	31.4
34	60.00	4.2	29.4	6.0	32.6	5.1	31.2	9.6	34.8	9.5	35.0	9.5	34.9	7.7	33.3	8.2	34.2	8.0	33.7
35	62.50	5.8	32.1	7.7	35.1	6.8	33.7	11.9	37.1	12.2	37.3	12.1	37.2	9.8	35.7	10.6	36.5	10.2	36.1
36	65.00	8.6	34.7	14.1	37.5	11.4	36.2	16.3	39.4	18.2	39.6	17.2	39.5	13.7	38.1	16.7	38.9	15.1	38.5
37	67.50	10.6	37.3	17.9	39.9	14.3	38.8	21.5	41.7	23.5	41.9	22.4	41.8	17.8	40.5	21.4	41.2	19.5	40.9
38	70.00	14.4	40.0	24.3	42.4	19.4	41.3	26.7	44.0	29.5	44.2	28.0	44.1	22.5	42.9	27.6	43.6	24.9	43.2
39	72.50	19.8	42.6	30.4	44.8	25.1	43.8	36.1	46.3	37.2	46.6	36.6	46.4	30.5	45.2	34.7	46.0	32.5	45.6
40	75.00	29.7	45.3	42.2	47.3	36.0	46.3	45.3	48.7	45.5	48.9	45.4	48.8	40.0	47.6	44.3	48.3	42.1	48.0
41	77.50	44.7	47.9	50.3	49.7	47.5	48.9	55.4	51.0	55.8	51.2	55.6	51.1	51.8	50.0	53.8	50.7	52.7	50.3
42	80.00	58.4	50.6	61.5	52.2	59.9	51.4	66.1	53.3	66.5	53.5	66.3	53.4	63.5	52.4	64.6	53.0	64.0	52.7
43	82.50	71.1	53.2	69.2	54.6	70.1	53.9	73.9	55.6	75.0	55.8	74.4	55.7	72.9	54.8	72.8	55.4	72.9	55.1
44	85.00	78.2	55.8	76.7	57.1	77.4	56.4	82.8	57.9	83.0	58.2	82.9	58.0	81.2	57.2	80.7	57.7	81.0	57.4
45	87.50	83.6	58.5	86.5	59.5	85.0	59.0	88.3	60.2	89.7	60.5	89.0	60.3	86.7	59.6	88.5	60.1	87.6	59.8
46	90.00	91.8	61.1	92.5	61.9	92.2	61.5	93.3	62.5	92.7	62.8	93.0	62.6	92.8	61.9	92.6	62.4	92.7	62.2
47	92.50	94.5	63.8	96.6	64.4	95.6	64.0	96.3	64.8	96.1	65.1	96.2	65.0	95.7	64.3	96.3	64.8	96.0	64.5
48	95.00	97.3	66.4	98.6	66.8	97.9	66.5	98.0	67.1	99.0	67.4	98.5	67.3	97.8	66.7	98.9	67.2	98.3	66.9
49	97.50	98.6	69.1	99.6	69.3	99.1	69.1	99.3	69.4	99.6	69.7	99.4	69.6	99.1	69.1	99.6	69.5	99.3	69.3
50	100.00	100.0	71.7	100.0	71.7	100.0	71.6	100.0	71.8	100.0	72.1	100.0	71.9	100.0	71.5	100.0	71.9	100.0	71.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 65: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Physical Well-being for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=605)		Males (n=405)		All (n=1010)	
		PR	TS	PR	TS	PR	TS
5	0.00			0.4	0.3	0.2	5.8
6	5.56			0.4	3.9	0.2	9.3
7	11.11	0.3	14.5	0.4	7.6	0.3	12.7
8	16.67	0.7	17.9	0.6	11.2	0.6	16.1
9	22.22	1.2	21.3	1.1	14.8	1.1	19.5
10	27.78	2.0	24.7	1.4	18.5	1.7	22.9
11	33.33	2.8	28.1	1.6	22.1	2.3	26.3
12	38.89	5.1	31.5	2.9	25.7	4.3	29.7
13	44.44	9.1	34.9	3.9	29.4	7.0	33.1
14	50.00	15.7	38.2	7.4	33.0	12.4	36.5
15	55.56	23.7	41.6	11.1	36.6	18.6	39.9
16	61.11	35.0	45.0	17.5	40.3	28.0	43.3
17	66.67	46.6	48.4	27.4	43.9	38.9	46.8
18	72.22	62.2	51.8	43.4	47.6	54.6	50.2
19	77.78	76.0	55.2	60.4	51.2	69.8	53.6
20	83.33	85.6	58.6	75.5	54.8	81.6	57.0
21	88.89	91.1	62.0	86.1	58.5	89.1	60.4
22	94.44	96.0	65.4	92.1	62.1	94.4	63.8
23	100.00	100.0	68.7	100.0	65.8	100.0	67.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 66: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=603)		Males (n=409)		All (n=1012)	
		PR	TS	PR	TS	PR	TS
6	0.00						
7	4.17						
8	8.33						
9	12.50						
10	16.67						
11	20.83	0.3	16.1	0.4	10.3	0.2	12.3
12	25.00	0.5	18.8	0.4	13.1	0.3	15.0
13	29.17	0.9	21.5	0.4	16.0	0.4	17.8
14	33.33	0.9	21.5	0.8	18.8	0.8	20.6
15	37.50	1.8	24.3	0.8	21.7	1.4	23.3
16	41.67	2.8	27.0	1.5	24.5	2.3	26.1
17	45.83	4.5	29.7	2.2	27.3	3.5	28.9
18	50.00	6.6	32.5	3.7	30.1	5.4	31.6
19	54.17	9.5	35.2	7.6	32.9	8.7	34.4
20	58.33	14.4	38.0	10.8	35.8	12.9	37.1
21	62.50	20.7	40.7	15.4	38.6	18.6	39.9
22	66.67	27.8	43.4	22.5	41.4	25.7	42.7
23	70.83	35.8	46.2	29.8	44.2	33.4	45.4
24	75.00	47.9	48.9	40.8	47.1	45.1	48.2
25	79.17	60.2	51.6	55.7	49.9	58.4	50.9
26	83.33	69.8	54.4	65.0	52.7	67.9	53.7
27	87.50	79.3	57.1	73.6	55.6	77.0	56.5
28	91.67	87.7	59.8	83.8	58.4	86.2	59.2
29	95.83	93.2	62.6	88.0	61.2	91.1	62.0
30	100.00	95.9	65.3	94.1	64.0	95.1	64.8
		100.0	68.1	100.0	66.9	100.0	67.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 67: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Moods &amp; Emotions for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=599)		Males (n=397)		All (n=996)	
		PR	TS	PR	TS	PR	TS
7	0.00						
8	3.57						
9	7.14						
10	10.71						
11	14.29						
12	17.86						
13	21.43						
14	25.00						
15	28.57	0.5	15.0	0.4	10.8	0.4	13.7
16	32.14	0.5	17.6	0.4	13.5	0.4	16.2
17	35.71	1.7	20.1	0.7	16.1	1.2	18.8
18	39.29	2.2	22.6	1.3	18.8	1.8	21.3
19	42.86	2.8	25.1	2.1	21.4	2.5	23.8
20	46.43	3.8	27.6	3.6	24.0	3.7	26.4
21	50.00	4.5	30.1	4.0	26.7	4.2	28.9
22	53.57	6.7	32.6	5.8	29.3	6.3	31.5
23	57.14	9.7	35.1	7.1	32.0	8.6	34.0
24	60.71	13.0	37.6	9.1	34.6	11.4	36.6
25	64.29	17.3	40.2	12.3	37.3	15.3	39.1
26	67.86	24.2	42.7	14.9	39.9	20.5	41.7
27	71.43	31.4	45.2	22.2	42.5	27.7	44.2
28	75.00	41.2	47.7	30.5	45.2	37.0	46.7
29	78.57	50.6	50.2	39.6	47.8	46.2	49.3
30	82.14	62.6	52.7	51.1	50.5	58.0	51.8
31	85.71	71.5	55.2	62.7	53.1	68.0	54.4
32	89.29	79.7	57.7	73.8	55.7	77.3	56.9
33	92.86	88.8	60.2	83.4	58.4	86.7	59.5
34	96.43	95.0	62.7	92.9	61.0	94.2	62.0
35	100.00	100.0	65.3	100.0	63.7	100.0	64.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 68: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Self Perception for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=610)		Males (n=406)		All (n=1016)	
		PR	TS	PR	TS	PR	TS
5	0.00						
6	5.00						
7	10.00	0.5	18.9			0.3	16.3
8	15.00	0.9	21.5	0.4	12.1	0.6	19.0
9	20.00	1.6	24.1	1.0	15.1	1.4	21.7
10	25.00	2.5	26.8	1.0	18.1	1.9	24.4
11	30.00	3.3	29.4	1.4	21.1	2.5	27.1
12	35.00	4.9	32.0	2.5	24.1	3.9	29.7
13	40.00	8.9	34.7	3.7	27.1	6.8	32.4
14	45.00	12.9	37.3	5.0	30.1	9.7	35.1
15	50.00	19.5	39.9	8.2	33.1	15.0	37.8
16	55.00	27.0	42.5	10.9	36.2	20.6	40.5
17	60.00	35.2	45.2	15.8	39.2	27.4	43.2
18	65.00	44.6	47.8	23.6	42.2	36.2	45.9
19	70.00	54.2	50.4	34.0	45.2	46.1	48.5
20	75.00	63.7	53.0	43.4	48.2	55.6	51.2
21	80.00	74.7	55.7	55.2	51.2	66.9	53.9
22	85.00	81.0	58.3	66.3	54.2	75.1	56.6
23	90.00	87.7	60.9	78.1	57.2	83.9	59.3
24	95.00	93.0	63.6	89.9	60.2	91.7	62.0
25	100.00	100.0	66.2	100.0	63.2	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 69: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Autonomy for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=610)		Males (n=407)		All (n=1017)	
		PR	TS	PR	TS	PR	TS
5	0.00			0.6	19.9	0.2	21.3
6	5.00	0.3	24.3	0.9	22.2	0.4	23.7
7	10.00	0.5	26.7	0.9	24.6	0.6	26.0
8	15.00	0.9	29.1	1.3	26.9	1.0	28.4
9	20.00	1.3	31.5	2.2	29.2	1.7	30.7
10	25.00	6.7	33.8	6.1	31.6	6.5	33.1
11	30.00	11.2	36.2	7.6	33.9	9.8	35.4
12	35.00	15.9	38.6	12.2	36.2	14.5	37.7
13	40.00	24.8	41.0	15.9	38.6	21.2	40.1
14	45.00	32.0	43.3	20.8	40.9	27.5	42.4
15	50.00	42.0	45.7	31.6	43.3	37.8	44.8
16	55.00	50.3	48.1	39.5	45.6	46.0	47.1
17	60.00	58.4	50.5	44.4	47.9	52.8	49.4
18	65.00	64.7	52.8	51.3	50.3	59.3	51.8
19	70.00	69.5	55.2	58.4	52.6	65.0	54.1
20	75.00	79.4	57.6	69.3	55.0	75.4	56.5
21	80.00	83.7	60.0	79.8	57.3	82.1	58.8
22	85.00	89.2	62.3	85.8	59.6	87.8	61.2
23	90.00	92.7	64.7	90.0	62.0	91.6	63.5
24	95.00	96.1	67.1	93.6	64.3	95.1	65.8
25	100.00	100.0	69.5	100.0	66.6	100.0	68.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 70: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Parent Relations &amp; Home Life for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=601)		Males (n=402)		All (n=1003)	
		PR	TS	PR	TS	PR	TS
6	0.00						
7	4.17						
8	8.33	0.3	12.2			0.2	10.2
9	12.50	0.3	14.6			0.2	12.7
10	16.67	0.4	16.9			0.3	15.1
11	20.83	0.7	19.3	0.4	14.4	0.5	17.6
12	25.00	1.0	21.7	0.8	17.0	0.9	20.0
13	29.17	1.8	24.0	0.8	19.7	1.4	22.5
14	33.33	2.7	26.4	1.1	22.3	2.0	25.0
15	37.50	3.8	28.8	2.5	25.0	3.3	27.4
16	41.67	5.5	31.2	4.0	27.6	4.9	29.9
17	45.83	8.8	33.5	5.7	30.3	7.6	32.4
18	50.00	11.4	35.9	8.5	32.9	10.2	34.8
19	54.17	14.8	38.3	12.0	35.6	13.6	37.3
20	58.33	20.3	40.6	14.2	38.3	17.8	39.8
21	62.50	26.4	43.0	20.4	40.9	24.0	42.3
22	66.67	34.7	45.4	26.4	43.6	31.4	44.7
23	70.83	41.2	47.8	33.6	46.2	38.2	47.2
24	75.00	49.0	50.1	45.5	48.9	47.6	49.7
25	79.17	57.7	52.5	56.7	51.5	57.3	52.1
26	83.33	67.2	54.9	68.1	54.2	67.5	54.6
27	87.50	77.1	57.2	77.3	56.8	77.2	57.1
28	91.67	85.8	59.6	86.8	59.5	86.2	59.5
29	95.83	94.2	62.0	93.5	62.1	93.9	62.0
30	100.00	100.0	64.4	100.0	64.8	100.0	64.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 71: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Social Support &amp; Peers for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=592)		Males (n=396)		All (n=988)	
		PR	TS	PR	TS	PR	TS
6	0.00						
7	4.17						
8	8.33						
9	12.50	0.5	23.6	0.4	20.7	0.4	22.6
10	16.67	1.5	25.7	0.8	22.9	1.2	24.7
11	20.83	2.5	27.8	1.2	25.2	1.9	26.8
12	25.00	3.4	29.9	2.1	27.4	2.8	29.0
13	29.17	4.6	32.0	3.8	29.6	4.3	31.1
14	33.33	5.9	34.1	5.8	31.8	5.9	33.3
15	37.50	11.3	36.2	7.6	34.0	9.8	35.4
16	41.67	16.5	38.3	10.1	36.3	14.0	37.5
17	45.83	19.9	40.4	15.1	38.5	18.0	39.7
18	50.00	29.0	42.4	23.5	40.7	26.8	41.8
19	54.17	34.4	44.5	28.0	42.9	31.8	43.9
20	58.33	40.7	46.6	35.1	45.1	38.4	46.1
21	62.50	47.4	48.7	43.0	47.4	45.6	48.2
22	66.67	55.4	50.8	49.8	49.6	53.2	50.3
23	70.83	62.0	52.9	56.4	51.8	59.7	52.5
24	75.00	68.9	55.0	67.8	54.0	68.5	54.6
25	79.17	73.9	57.1	74.3	56.2	74.1	56.7
26	83.33	82.1	59.2	81.8	58.4	82.0	58.9
27	87.50	88.7	61.2	88.2	60.7	88.5	61.0
28	91.67	92.9	63.3	92.2	62.9	92.6	63.1
29	95.83	96.6	65.4	94.7	65.1	95.9	65.3
30	100.00	100.0	67.5	100.0	67.3	100.0	67.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 72: EL – Greece. Individual norm data KIDSCREEN-52-PROXY School Environment for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=606)		Males (n=401)		All (n=1007)	
		PR	TS	PR	TS	PR	TS
6	0.00						
7	4.17	0.3	8.9			0.2	9.3
8	8.33	0.3	11.5			0.2	11.9
9	12.50	0.3	14.1			0.2	14.5
10	16.67	0.3	16.6	0.4	17.6	0.3	17.1
11	20.83	0.5	19.2	0.6	20.2	0.5	19.6
12	25.00	0.9	21.8	1.1	22.8	0.9	22.2
13	29.17	1.8	24.4	1.4	25.4	1.6	24.8
14	33.33	2.6	26.9	2.8	28.0	2.7	27.4
15	37.50	3.6	29.5	4.7	30.6	4.1	30.0
16	41.67	5.6	32.1	8.0	33.1	6.6	32.6
17	45.83	8.2	34.7	10.7	35.7	9.2	35.1
18	50.00	12.2	37.3	16.2	38.3	13.8	37.7
19	54.17	18.9	39.9	22.4	40.9	20.3	40.3
20	58.33	26.8	42.4	28.7	43.5	27.6	42.9
21	62.50	34.6	45.0	36.1	46.1	35.2	45.5
22	66.67	42.7	47.6	46.3	48.7	44.2	48.0
23	70.83	52.3	50.2	56.2	51.3	53.9	50.6
24	75.00	63.5	52.8	68.3	53.9	65.4	53.2
25	79.17	70.1	55.4	75.8	56.5	72.4	55.8
26	83.33	79.7	57.9	84.0	59.1	81.4	58.4
27	87.50	89.8	60.5	92.5	61.6	90.9	61.0
28	91.67	94.7	63.1	95.3	64.2	94.9	63.5
29	95.83	97.5	65.7	98.2	66.8	97.8	66.1
30	100.00	100.0	68.3	100.0	69.4	100.0	68.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 73: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Social Acceptance for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=612)		Males (n=409)		All (n=1021)	
		PR	TS	PR	TS	PR	TS
3	0.00			0.4	-24.7	0.2	-35.5
4	8.33			0.4	-18.0	0.2	-27.9
5	16.67			0.4	-11.3	0.2	-20.3
6	25.00	0.3	-20.7	0.4	-4.6	0.3	-12.7
7	33.33	0.3	-12.5	0.6	2.1	0.4	-5.0
8	41.67	0.4	-3.6	1.1	8.9	0.6	2.6
9	50.00	0.4	5.0	2.2	15.6	1.1	10.2
10	58.33	1.3	13.5	3.0	22.3	2.0	17.8
11	66.67	3.1	22.0	5.1	29.0	3.9	25.5
12	75.00	10.2	30.6	13.2	35.7	11.4	33.1
13	83.33	17.7	39.1	22.5	42.4	19.6	40.7
14	91.67	39.2	47.6	39.1	49.2	39.1	48.4
15	100.00	100.0	56.2	100.0	55.9	100.0	56.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 74: EL – Greece. Individual norm data KIDSCREEN-52-PROXY Financial Resources for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=607)		Males (n=407)		All (n=1014)	
		PR	TS	PR	TS	PR	TS
3	0.00	1.3	21.4	1.0	20.2	1.2	21.0
4	8.33	2.2	25.1	1.3	24.0	1.8	24.7
5	16.67	3.5	28.7	3.2	27.8	3.4	28.4
6	25.00	7.3	32.4	7.1	31.7	7.2	32.1
7	33.33	11.1	36.0	10.8	35.5	10.9	35.8
8	41.67	18.3	39.7	14.7	39.3	16.9	39.5
9	50.00	33.3	43.3	33.4	43.1	33.4	43.2
10	58.33	43.2	46.9	45.7	46.9	44.2	46.9
11	66.67	53.8	50.6	54.5	50.7	54.1	50.6
12	75.00	71.9	54.2	72.2	54.5	72.0	54.3
13	83.33	80.1	57.9	82.0	58.3	80.9	58.0
14	91.67	91.0	61.5	92.9	62.1	91.7	61.8
15	100.00	100.0	65.2	100.0	66.0	100.0	65.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 75: EL – Greece. Individual norm data KIDSCREEN-27-PROXY Physical Well-being for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=605)		Males (n=405)		All (n=1010)	
		PR	TS	PR	TS	PR	TS
5	0.00			0.4	0.3	0.2	5.9
6	5.56			0.4	3.9	0.2	9.3
7	11.11	0.3	14.6	0.4	7.6	0.3	12.7
8	16.67	0.7	17.9	0.6	11.2	0.6	16.1
9	22.22	1.2	21.3	1.1	14.8	1.1	19.5
10	27.78	2.0	24.7	1.4	18.5	1.7	22.9
11	33.33	2.8	28.1	1.6	22.1	2.3	26.3
12	38.89	5.1	31.5	3.0	25.7	4.3	29.7
13	44.44	9.1	34.9	4.0	29.4	7.0	33.1
14	50.00	15.7	38.3	7.4	33.0	12.4	36.5
15	55.56	23.6	41.7	11.1	36.7	18.6	40.0
16	61.11	35.0	45.0	17.5	40.3	28.0	43.4
17	66.67	46.6	48.4	27.3	43.9	38.9	46.8
18	72.22	62.2	51.8	43.3	47.6	54.6	50.2
19	77.78	76.1	55.2	60.3	51.2	69.8	53.6
20	83.33	85.6	58.6	75.5	54.8	81.5	57.0
21	88.89	91.1	62.0	86.1	58.5	89.1	60.4
22	94.44	96.0	65.4	92.0	62.1	94.4	63.8
23	100.00	100.0	68.7	100.0	65.8	100.0	67.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 76: EL – Greece. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=600)		Males (n=400)		All (n=1000)	
		PR	TS	PR	TS	PR	TS
7	0.00						
8	3.57						
9	7.14						
10	10.71						
11	14.29						
12	17.86						
13	21.43						
14	25.00			0.4	10.0	0.2	13.1
15	28.57			0.4	12.7	0.2	15.7
16	32.14	0.3	19.6	0.4	15.3	0.3	18.2
17	35.71	1.3	22.1	0.6	18.0	1.0	20.8
18	39.29	2.3	24.7	1.1	20.7	1.8	23.4
19	42.86	3.1	27.2	2.3	23.3	2.8	25.9
20	46.43	4.5	29.8	3.3	26.0	4.0	28.5
21	50.00	8.0	32.3	4.1	28.7	6.4	31.1
22	53.57	10.8	34.9	4.6	31.4	8.3	33.6
23	57.14	13.4	37.4	6.7	34.0	10.7	36.2
24	60.71	17.7	40.0	11.7	36.7	15.3	38.8
25	64.29	24.3	42.5	16.8	39.4	21.3	41.4
26	67.86	31.5	45.0	24.3	42.1	28.6	43.9
27	71.43	39.5	47.6	33.3	44.7	37.0	46.5
28	75.00	51.3	50.1	42.3	47.4	47.7	49.1
29	78.57	63.2	52.7	50.8	50.1	58.2	51.7
30	82.14	73.0	55.2	62.5	52.8	68.8	54.2
31	85.71	80.7	57.8	71.5	55.4	77.0	56.8
32	89.29	88.3	60.3	81.0	58.1	85.4	59.4
33	92.86	94.3	62.9	89.7	60.8	92.5	61.9
34	96.43	98.0	65.4	96.2	63.5	97.3	64.5
35	100.00	100.0	67.9	100.0	66.1	100.0	67.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 77: EL – Greece. Individual norm data KIDSCREEN-27-PROXY Parent Relations &amp; Autonomy for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=598)		Males (n=400)		All (n=998)	
		PR	TS	PR	TS	PR	TS
7	0.00						
8	3.57						
9	7.14						
10	10.71	0.3	16.0			0.2	15.1
11	14.29	0.3	18.2			0.2	17.3
12	17.86	0.3	20.3			0.2	19.5
13	21.43	0.3	22.5			0.2	21.6
14	25.00	0.8	24.6	0.4	22.2	0.6	23.8
15	28.57	1.1	26.8	0.8	24.4	0.9	25.9
16	32.14	2.0	28.9	1.8	26.6	1.9	28.1
17	35.71	5.2	31.1	2.6	28.8	4.1	30.3
18	39.29	6.3	33.3	4.5	31.0	5.6	32.5
19	42.86	8.1	35.4	7.3	33.3	7.8	34.6
20	46.43	12.2	37.6	11.3	35.5	11.8	36.8
21	50.00	18.2	39.8	13.3	37.7	16.2	39.0
22	53.57	24.2	41.9	17.8	39.9	21.6	41.2
23	57.14	31.6	44.1	26.3	42.1	29.5	43.3
24	60.71	41.1	46.2	33.3	44.3	38.0	45.5
25	64.29	49.4	48.4	40.2	46.5	45.7	47.7
26	67.86	56.9	50.6	47.7	48.8	53.2	49.9
27	71.43	64.6	52.7	55.7	51.0	61.0	52.0
28	75.00	71.9	54.9	63.0	53.2	68.3	54.2
29	78.57	77.6	57.1	71.7	55.4	75.2	56.4
30	82.14	82.4	59.2	79.0	57.6	81.0	58.6
31	85.71	87.3	61.4	85.3	59.8	86.5	60.7
32	89.29	91.0	63.5	90.5	62.0	90.8	62.9
33	92.86	95.8	65.7	94.0	64.3	95.1	65.1
34	96.43	98.2	67.9	97.5	66.5	97.9	67.2
35	100.00	100.0	70.0	100.0	68.7	100.0	69.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 78: EL – Greece. Individual norm data KIDSCREEN-27-PROXY Social Support &amp; Peers for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=601)		Males (n=403)		All (n=1004)	
		PR	TS	PR	TS	PR	TS
4	0.00						
5	6.25	0.3	20.6			0.2	19.6
6	12.50	0.8	23.7	0.6	21.1	0.7	22.8
7	18.75	2.0	26.8	1.3	24.3	1.7	25.9
8	25.00	3.7	29.9	2.7	27.5	3.3	29.0
9	31.25	5.6	32.9	4.7	30.7	5.3	32.1
10	37.50	11.1	36.0	8.2	34.0	9.9	35.3
11	43.75	19.3	39.1	12.4	37.2	16.5	38.4
12	50.00	30.2	42.2	23.3	40.4	27.4	41.5
13	56.25	37.7	45.3	32.2	43.6	35.5	44.6
14	62.50	46.6	48.4	42.9	46.8	45.1	47.8
15	68.75	58.5	51.5	53.3	50.0	56.4	50.9
16	75.00	69.5	54.5	64.0	53.2	67.3	54.0
17	81.25	79.1	57.6	74.7	56.4	77.4	57.1
18	87.50	88.1	60.7	87.1	59.6	87.7	60.2
19	93.75	94.3	63.8	92.1	62.8	93.4	63.4
20	100.00	100.0	66.9	100.0	66.0	100.0	66.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 79: EL – Greece. Individual norm data KIDSCREEN-27-PROXY School Environment for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=611)		Males (n=404)		All (n=1015)	
		PR	TS	PR	TS	PR	TS
4	0.00						
5	6.25	0.3	7.1			0.2	8.1
6	12.50	0.3	11.1			0.2	12.1
7	18.75	0.3	15.2	0.4	17.3	0.3	16.1
8	25.00	0.5	19.2	1.2	21.2	0.8	20.1
9	31.25	1.1	23.2	1.6	25.1	1.3	24.1
10	37.50	2.8	27.3	3.5	29.1	3.1	28.1
11	43.75	4.4	31.3	8.4	33.0	6.0	32.0
12	50.00	11.0	35.3	15.6	37.0	12.8	36.0
13	56.25	21.1	39.4	24.0	40.9	22.3	40.0
14	62.50	31.4	43.4	34.7	44.9	32.7	44.0
15	68.75	43.5	47.4	47.8	48.8	45.2	48.0
16	75.00	63.0	51.5	64.3	52.8	63.5	52.0
17	81.25	74.0	55.5	79.7	56.7	76.3	56.0
18	87.50	87.1	59.5	91.6	60.7	88.9	60.0
19	93.75	95.9	63.6	97.5	64.6	96.5	63.9
20	100.00	100.0	67.6	100.0	68.5	100.0	67.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 80: EL – Greece. Individual norm data KIDSCREEN-10-PROXY Index for Greece

Raw-Score	0-100 Score	Adolescents 12-18					
		Females (n=587)		Males (n=390)		All (n=977)	
		PR	TS	PR	TS	PR	TS
10	0.00						
11	2.50						
12	5.00						
13	7.50						
14	10.00						
15	12.50						
16	15.00						
17	17.50						
18	20.00						
19	22.50						
20	25.00						
21	27.50						
22	30.00			0.4	12.6	0.2	16.4
23	32.50	0.3	20.2	0.4	14.8	0.3	18.4
24	35.00	0.4	22.2	0.4	16.9	0.4	20.5
25	37.50	0.7	24.2	0.7	19.1	0.6	22.5
26	40.00	1.2	26.2	1.3	21.3	1.2	24.6
27	42.50	1.9	28.2	1.3	23.5	1.7	26.6
28	45.00	2.6	30.2	1.9	25.7	2.3	28.6
29	47.50	4.9	32.2	2.4	27.8	3.9	30.7
30	50.00	7.0	34.1	3.6	30.0	5.6	32.7
31	52.50	10.8	36.1	5.4	32.2	8.6	34.8
32	55.00	13.8	38.1	7.2	34.4	11.2	36.8
33	57.50	18.8	40.1	10.2	36.5	15.4	38.8
34	60.00	24.6	42.1	14.8	38.7	20.7	40.9
35	62.50	32.5	44.1	19.9	40.9	27.5	42.9
36	65.00	39.4	46.0	25.8	43.1	33.9	45.0
37	67.50	45.2	48.0	33.3	45.3	40.4	47.0
38	70.00	52.8	50.0	43.2	47.4	49.0	49.0
39	72.50	61.6	52.0	52.0	49.6	57.7	51.1
40	75.00	68.4	54.0	60.7	51.8	65.3	53.1
41	77.50	74.7	56.0	68.6	54.0	72.3	55.2
42	80.00	80.9	57.9	75.3	56.2	78.6	57.2
43	82.50	85.8	59.9	82.7	58.3	84.6	59.3
44	85.00	89.2	61.9	88.9	60.5	89.1	61.3
45	87.50	91.8	63.9	91.8	62.7	91.8	63.3
46	90.00	95.0	65.9	94.6	64.9	94.9	65.4
47	92.50	97.4	67.9	97.2	67.1	97.3	67.4
48	95.00	99.0	69.9	99.2	69.2	99.1	69.5
49	97.50	99.5	71.8	99.2	71.4	99.4	71.5
50	100.00	100.0	73.8	100.0	73.6	100.0	73.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 81: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11				Adolescents 12-18				Children & Adolescents 8-18									
		Females (n=145)		Males (n=168)		All (n=313)		Females (n=272)		Males (n=260)		All (n=532)		Females (n=417)		Males (n=428)		All (n=845)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56									0.6	8.7	0.3	15.0			0.4	5.8	0.2	12.0
7	11.11									1.0	12.1	0.5	18.1			0.6	9.4	0.3	15.2
8	16.67							1.2	24.3	1.0	15.5	1.0	21.2	0.8	22.0	0.6	12.9	0.6	18.4
9	22.22							2.0	27.3	1.0	19.0	1.4	24.3	1.3	25.0	0.6	16.5	0.9	21.6
10	27.78	1.6	18.3			0.7	16.0	5.2	30.3	1.6	22.4	3.4	27.4	3.8	28.0	1.0	20.0	2.4	24.8
11	33.33	2.5	21.8	0.9	17.7	1.4	19.8	7.4	33.3	2.7	25.9	5.1	30.5	5.5	31.0	1.9	23.5	3.7	27.9
12	38.89	3.1	25.4	0.9	21.7	1.8	23.6	12.2	36.3	3.6	29.3	7.9	33.6	8.9	33.9	2.4	27.1	5.6	31.1
13	44.44	4.3	29.0	2.0	25.6	2.9	27.3	20.3	39.3	6.9	32.8	13.7	36.7	14.6	36.9	4.9	30.6	9.7	34.3
14	50.00	6.4	32.5	4.8	29.6	5.5	31.1	27.6	42.3	9.6	36.2	18.8	39.8	20.2	39.9	7.7	34.2	13.9	37.5
15	55.56	11.1	36.1	10.8	33.5	10.9	34.8	34.3	45.3	18.1	39.6	26.4	42.9	26.2	42.9	15.2	37.7	20.7	40.7
16	61.11	18.0	39.7	12.6	37.5	15.1	38.6	46.0	48.3	24.7	43.1	35.6	46.0	36.3	45.9	19.9	41.3	28.0	43.9
17	66.67	24.2	43.2	23.9	41.5	24.0	42.3	54.8	51.3	37.0	46.5	46.1	49.1	44.2	48.8	31.8	44.8	37.9	47.0
18	72.22	42.1	46.8	39.8	45.4	40.9	46.1	70.6	54.3	57.3	49.9	64.1	52.2	60.7	51.8	50.4	48.4	55.5	50.2
19	77.78	60.7	50.4	53.5	49.4	56.8	49.9	80.9	57.2	72.7	53.4	76.9	55.3	73.9	54.8	65.2	51.9	69.5	53.4
20	83.33	70.3	53.9	66.7	53.4	68.3	53.6	89.0	60.2	81.2	56.8	85.2	58.4	82.5	57.8	75.5	55.4	78.9	56.6
21	88.89	79.2	57.5	80.4	57.3	79.8	57.4	93.8	63.2	87.4	60.3	90.6	61.5	88.7	60.8	84.6	59.0	86.6	59.8
22	94.44	88.3	61.1	89.9	61.3	89.1	61.1	96.7	66.2	93.1	63.7	95.0	64.7	93.8	63.8	91.9	62.5	92.8	62.9
23	100.00	100.0	64.6	100.0	65.2	100.0	64.9	100.0	69.2	100.0	67.1	100.0	67.8	100.0	66.7	100.0	66.1	100.0	66.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 82: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=144)		Males (n=165)		All (n=309)		Females (n=272)		Males (n=259)		All (n=531)		Females (n=416)		Males (n=424)		All (n=840)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67																		
11	20.83							0.8	11.8			0.4	10.3	0.6	8.6			0.3	8.1
12	25.00							0.8	14.7	0.6	11.5	0.7	13.2	0.6	11.6	0.4	10.6	0.4	11.2
13	29.17							1.3	17.5	0.6	14.6	0.9	16.2	0.8	14.6	0.4	13.7	0.5	14.2
14	33.33							1.7	20.3	1.0	17.7	1.2	19.1	1.1	17.5	0.6	16.8	0.7	17.2
15	37.50							2.1	23.2	1.4	20.7	1.6	22.1	1.3	20.5	0.8	19.8	1.0	20.2
16	41.67							3.0	26.0	2.4	23.8	2.6	25.0	1.9	23.5	1.5	22.9	1.7	23.2
17	45.83			1.4	24.0	0.8	22.0	3.5	28.8	3.2	26.9	3.2	28.0	2.3	26.5	2.4	26.0	2.3	26.2
18	50.00	1.1	22.5	3.1	27.2	2.0	25.3	5.8	31.7	5.0	30.0	5.4	30.9	4.0	29.4	4.2	29.1	4.1	29.3
19	54.17	2.3	26.0	4.9	30.3	3.6	28.6	8.8	34.5	5.9	33.0	7.3	33.8	6.5	32.4	5.4	32.1	5.9	32.3
20	58.33	4.9	29.6	9.7	33.4	7.4	31.8	11.8	37.3	11.2	36.1	11.5	36.8	9.4	35.4	10.6	35.2	10.0	35.3
21	62.50	7.0	33.1	11.6	36.5	9.4	35.1	18.0	40.2	16.6	39.2	17.3	39.7	14.2	38.3	14.6	38.3	14.4	38.3
22	66.67	10.4	36.6	16.4	39.6	13.6	38.4	23.5	43.0	20.5	42.3	22.0	42.7	19.0	41.3	18.9	41.3	18.9	41.3
23	70.83	15.9	40.1	23.1	42.7	19.8	41.6	33.8	45.9	33.2	45.3	33.5	45.6	27.6	44.3	29.2	44.4	28.4	44.3
24	75.00	36.0	43.6	45.0	45.9	40.8	44.9	48.6	48.7	51.3	48.4	49.9	48.6	44.2	47.3	48.8	47.5	46.6	47.4
25	79.17	49.2	47.2	54.1	49.0	51.8	48.2	58.4	51.5	60.6	51.5	59.5	51.5	55.2	50.2	58.0	50.5	56.6	50.4
26	83.33	61.0	50.7	61.3	52.1	61.2	51.5	71.3	54.4	73.3	54.6	72.3	54.5	67.8	53.2	68.7	53.6	68.2	53.4
27	87.50	71.4	54.2	71.0	55.2	71.2	54.7	82.0	57.2	80.7	57.7	81.4	57.4	78.3	56.2	76.9	56.7	77.6	56.4
28	91.67	74.9	57.7	78.9	58.3	77.0	58.0	86.8	60.1	87.7	60.7	87.2	60.4	82.6	59.1	84.3	59.7	83.5	59.4
29	95.83	85.3	61.2	87.9	61.4	86.7	61.3	93.0	62.9	95.4	63.8	94.2	63.3	90.3	62.1	92.5	62.8	91.4	62.4
30	100.00	100.0	64.8	100.0	64.6	100.0	64.6	100.0	65.7	100.0	66.9	100.0	66.2	100.0	65.1	100.0	65.9	100.0	65.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 83: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=143)		Males (n=166)		All (n=309)		Females (n=270)		Males (n=253)		All (n=523)		Females (n=413)		Males (n=419)		All (n=832)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00																		
15	28.57	1.1	9.6			0.5	7.5	0.6	12.1			0.3	12.5	0.4	11.0			0.2	10.4
16	32.14	1.1	12.1	1.0	8.1	0.8	10.2	0.6	14.5	0.6	15.2	0.5	14.9	0.6	13.4	0.4	12.3	0.4	12.9
17	35.71	1.1	14.6	1.0	10.9	0.8	12.9	0.6	17.0	0.6	17.6	0.5	17.3	0.6	15.8	0.6	14.8	0.5	15.3
18	39.29	1.1	17.2	1.0	13.7	0.8	15.5	0.6	19.4	1.0	20.0	0.7	19.7	0.6	18.3	0.9	17.2	0.7	17.8
19	42.86	1.1	19.7	1.0	16.5	0.8	18.2	0.9	21.8	1.0	22.4	0.9	22.1	0.9	20.7	0.9	19.7	0.8	20.2
20	46.43	1.1	19.7	1.0	16.5	0.8	18.2	1.6	24.3	1.4	24.7	1.4	24.5	1.3	23.1	1.1	22.2	1.1	22.7
21	50.00	1.8	22.2	1.6	19.3	1.4	20.8	4.0	26.7	3.6	27.1	3.8	26.9	3.1	25.6	2.6	24.7	2.9	25.1
22	53.57	3.0	24.7	1.6	22.1	2.1	23.5	4.9	29.1	4.5	29.4	4.6	29.3	4.1	28.0	3.2	27.2	3.6	27.6
23	57.14	3.9	27.2	2.2	24.9	2.7	26.1	5.4	31.6	7.5	31.8	6.3	31.7	4.7	30.4	5.3	29.7	4.9	30.0
24	60.71	7.0	29.8	3.7	27.7	5.2	28.8	7.4	34.0	10.7	34.2	9.0	34.1	7.3	32.8	7.9	32.1	7.6	32.5
25	64.29	9.2	32.3	7.9	30.5	8.4	31.4	12.9	36.4	13.8	36.5	13.4	36.5	11.6	35.3	11.5	34.6	11.5	35.0
26	67.86	11.3	34.8	10.3	33.3	10.7	34.1	15.9	38.9	18.7	38.9	17.3	38.9	14.3	37.7	15.3	37.1	14.8	37.4
27	71.43	14.7	37.3	11.6	36.1	13.0	36.7	21.9	41.3	22.2	41.3	22.0	41.3	19.4	40.1	17.9	39.6	18.6	39.9
28	75.00	18.9	39.8	15.7	38.9	17.2	39.4	28.2	43.7	27.2	43.6	27.7	43.7	24.9	42.5	22.6	42.1	23.8	42.3
29	78.57	24.5	42.3	19.9	41.7	22.0	42.1	37.1	46.2	33.2	46.0	35.2	46.1	32.7	45.0	27.9	44.6	30.3	44.8
30	82.14	28.7	44.9	30.1	44.5	29.4	44.7	44.4	48.6	40.7	48.4	42.6	48.5	39.0	47.4	36.5	47.0	37.7	47.2
31	85.71	31.5	47.4	37.9	47.3	34.9	47.4	55.6	51.0	48.6	50.7	52.2	50.9	47.2	49.8	44.4	49.5	45.8	49.7
32	89.29	39.9	49.9	47.0	50.2	43.7	50.0	63.7	53.5	59.7	53.1	61.8	53.3	55.5	52.2	54.6	52.0	55.1	52.1
33	92.86	54.5	52.4	57.3	53.0	56.0	52.7	71.1	55.9	66.3	55.5	68.8	55.7	65.4	54.6	62.7	54.5	64.0	54.6
34	96.43	62.1	54.9	71.7	55.8	67.3	55.3	78.9	58.3	80.6	57.8	79.7	58.1	73.1	57.1	77.1	57.0	75.1	57.0
35	100.00	83.2	57.5	85.5	58.6	84.4	58.0	87.4	60.8	89.7	60.2	88.5	60.5	85.9	59.5	88.1	59.5	87.0	59.5
		100.0	60.0	100.0	61.4	100.0	60.7	100.0	63.2	100.0	62.6	100.0	62.9	100.0	61.9	100.0	61.9	100.0	61.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 84: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=144)		Males (n=166)		All (n=310)		Females (n=274)		Males (n=256)		All (n=530)		Females (n=418)		Males (n=422)		All (n=840)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00																		
8	15.00							0.6	16.0			0.3	12.8	0.4	14.1			0.2	10.6
9	20.00							1.5	19.1	0.6	10.3	1.0	16.0	1.0	17.3	0.4	8.2	0.6	14.0
10	25.00							2.0	22.3	0.6	13.9	1.2	19.2	1.3	20.5	0.4	11.8	0.8	17.3
11	30.00							2.4	25.4	0.6	17.4	1.4	22.5	1.6	23.7	0.4	15.5	0.9	20.6
12	35.00	1.1	22.5			0.5	19.3	3.7	28.5	1.0	21.0	2.3	25.7	2.6	26.9	0.6	19.1	1.6	23.9
13	40.00	2.9	26.0			1.3	22.9	4.2	31.7	1.4	24.5	2.7	29.0	3.6	30.1	0.8	22.7	2.2	27.2
14	45.00	5.0	29.5	1.0	22.3	2.6	26.5	7.7	34.8	3.2	28.1	5.5	32.2	6.7	33.3	2.2	26.3	4.4	30.6
15	50.00	8.5	33.0	1.6	26.2	4.6	30.1	11.7	37.9	5.5	31.7	8.7	35.5	10.6	36.5	3.8	30.0	7.2	33.9
16	55.00	12.6	36.5	3.7	30.2	7.8	33.8	21.5	41.1	10.2	35.2	16.1	38.7	18.4	39.8	7.6	33.6	13.0	37.2
17	60.00	18.9	40.1	10.3	34.1	14.3	37.4	33.2	44.2	16.5	38.8	25.1	42.0	28.3	43.0	14.0	37.2	21.1	40.5
18	65.00	27.2	43.6	18.0	38.0	22.3	41.0	45.3	47.3	25.9	42.4	35.9	45.2	39.0	46.2	22.8	40.9	30.9	43.8
19	70.00	42.4	47.1	28.3	41.9	34.8	44.6	56.5	50.5	38.7	45.9	47.9	48.5	51.7	49.4	34.6	44.5	43.1	47.2
20	75.00	59.7	50.6	38.5	45.8	48.4	48.2	69.0	53.6	53.9	49.5	61.7	51.7	65.8	52.6	47.9	48.1	56.8	50.5
21	80.00	72.3	54.1	55.5	49.7	63.3	51.8	80.3	56.7	69.2	53.1	74.9	54.9	77.5	55.8	63.8	51.8	70.6	53.8
22	85.00	84.0	57.6	67.6	53.6	75.2	55.4	86.9	59.9	79.3	56.6	83.2	58.2	85.9	59.0	74.7	55.4	80.3	57.1
23	90.00	89.6	61.1	78.3	57.5	83.5	59.0	92.0	63.0	88.3	60.2	90.2	61.4	91.2	62.2	84.4	59.0	87.8	60.4
24	95.00	93.8	64.7	90.3	61.4	91.9	62.6	97.1	66.1	92.6	63.7	94.9	64.7	96.0	65.4	91.7	62.7	93.8	63.8
25	100.00	100.0	68.2	100.0	65.3	100.0	66.3	100.0	69.3	100.0	67.3	100.0	67.9	100.0	68.7	100.0	66.3	100.0	67.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 85: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=144)		Males (n=169)		All (n=313)		Females (n=276)		Males (n=264)		All (n=540)		Females (n=420)		Males (n=433)		All (n=853)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00							0.6	4.9			0.3	0.9	0.4	3.4			0.2	-0.8
7	10.00							0.9	8.0			0.5	4.1	0.6	6.6			0.3	2.5
8	15.00							0.9	11.0			0.5	7.3	0.6	9.7			0.3	5.9
9	20.00							1.3	14.0			0.7	10.5	0.8	12.8			0.4	9.2
10	25.00							1.9	17.0			1.0	13.7	1.3	16.0			0.6	12.6
11	30.00							2.4	20.0			1.2	16.9	1.5	19.1			0.8	15.9
12	35.00							2.7	23.0	0.6	16.0	1.5	20.1	1.8	22.2	0.4	15.3	1.0	19.3
13	40.00	1.1	23.6	1.4	17.7	1.0	20.9	2.7	26.0	1.0	19.6	1.8	23.4	2.0	25.4	1.0	19.0	1.4	22.6
14	45.00	2.3	27.1	1.4	21.6	1.7	24.5	5.0	29.0	2.3	23.1	3.7	26.6	4.0	28.5	1.9	22.6	2.9	25.9
15	50.00	6.2	30.5	3.1	25.4	4.5	28.1	6.2	32.0	3.5	26.6	4.8	29.8	6.1	31.6	3.2	26.3	4.7	29.3
16	55.00	10.4	33.9	4.9	29.3	7.3	31.8	7.2	35.0	5.0	30.1	6.1	33.0	8.3	34.8	4.9	29.9	6.5	32.6
17	60.00	15.2	37.4	8.9	33.2	11.8	35.4	13.0	38.1	8.3	33.7	10.7	36.2	13.8	37.9	8.6	33.5	11.1	36.0
18	65.00	21.4	40.8	12.5	37.1	16.6	39.0	18.5	41.1	12.1	37.2	15.3	39.4	19.5	41.0	12.2	37.2	15.8	39.3
19	70.00	33.9	44.3	20.8	41.0	26.8	42.6	24.6	44.1	19.6	40.7	22.2	42.6	27.8	44.2	20.1	40.8	23.9	42.7
20	75.00	45.8	47.7	33.8	44.8	39.3	46.3	40.9	47.1	36.3	44.3	38.7	45.9	42.6	47.3	35.3	44.5	38.9	46.0
21	80.00	57.7	51.1	49.3	48.7	53.1	49.9	49.2	50.1	46.5	47.8	47.9	49.1	52.1	50.4	47.6	48.1	49.8	49.4
22	85.00	65.9	54.6	66.5	52.6	66.2	53.5	63.1	53.1	56.8	51.3	60.0	52.3	64.0	53.5	60.6	51.8	62.3	52.7
23	90.00	81.1	58.0	76.4	56.5	78.6	57.1	76.5	56.1	68.6	54.9	72.6	55.5	78.1	56.7	71.6	55.4	74.8	56.0
24	95.00	91.6	61.4	88.7	60.3	90.0	60.8	86.7	59.1	77.7	58.4	82.3	58.7	88.3	59.8	82.0	59.1	85.1	59.4
25	100.00	100.0	64.9	100.0	64.2	100.0	64.4	100.0	62.1	100.0	61.9	100.0	61.9	100.0	62.9	100.0	62.7	100.0	62.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 86: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=143)		Males (n=166)		All (n=309)		Females (n=276)		Males (n=254)		All (n=530)		Females (n=419)		Males (n=420)		All (n=839)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67																		
11	20.83																		
12	25.00																		
13	29.17																		
14	33.33									0.6	8.5	0.3	9.0			0.4	5.8	0.2	6.4
15	37.50	1.1	7.9			0.5	7.6			0.6	11.8	0.3	12.2			0.4	9.2	0.2	9.8
16	41.67	1.8	11.6			0.8	11.4	0.6	18.8	0.6	15.1	0.3	15.5	0.4	13.5	0.4	12.7	0.3	13.1
17	45.83	1.8	15.3			0.8	15.1	1.2	22.0	0.6	18.4	0.5	18.7	0.8	16.8	0.4	16.1	0.5	16.5
18	50.00	1.8	19.0			0.8	18.9	2.2	25.2	1.0	21.7	1.0	21.9	1.3	20.2	0.6	19.5	0.8	19.9
19	54.17	1.8	22.6			0.8	22.6	4.4	28.3	1.4	25.0	1.7	25.1	1.9	23.5	0.8	23.0	1.3	23.3
20	58.33	2.5	26.3	3.0	26.2	2.6	26.3	4.4	28.3	2.8	28.3	3.6	28.4	3.3	26.8	1.7	26.4	2.5	26.6
21	62.50	6.3	29.9	4.4	30.0	2.6	26.3	6.1	31.5	7.0	31.6	6.6	31.6	4.8	30.1	5.5	29.9	5.1	30.0
22	66.67	6.3	29.9	4.4	30.0	5.2	30.0	9.0	34.7	11.0	34.9	10.0	34.8	8.1	33.4	8.3	33.3	8.2	33.4
23	70.83	7.8	33.6	9.6	33.8	8.7	33.7	14.8	37.9	15.4	38.2	15.1	38.1	12.4	36.7	13.1	36.8	12.7	36.7
24	75.00	11.8	37.3	18.0	37.6	15.1	37.5	25.0	41.1	23.2	41.5	24.1	41.3	20.5	40.0	21.2	40.2	20.8	40.1
25	79.17	20.9	41.0	26.4	41.3	23.8	41.2	33.4	44.2	35.0	44.8	34.2	44.5	29.1	43.3	31.6	43.6	30.4	43.5
26	83.33	32.1	44.6	37.2	45.1	34.9	44.9	43.1	47.4	47.7	48.1	45.3	47.8	39.4	46.6	43.6	47.1	41.5	46.8
27	87.50	42.6	48.3	45.7	48.9	44.3	48.6	51.8	50.6	55.5	51.4	53.6	51.0	48.7	49.9	51.6	50.5	50.2	50.2
28	91.67	56.7	52.0	60.8	52.7	58.9	52.4	65.2	53.8	69.6	54.7	67.3	54.2	62.3	53.2	66.1	54.0	64.2	53.6
29	95.83	75.5	55.7	78.8	56.5	77.3	56.1	76.4	57.0	80.7	58.0	78.5	57.5	76.1	56.5	80.0	57.4	78.0	56.9
30	100.00	90.9	59.3	87.9	60.3	89.3	59.8	87.0	60.2	92.5	61.3	89.6	60.7	88.3	59.8	90.7	60.8	89.5	60.3
30	100.00	100.0	63.0	100.0	64.1	100.0	63.5	100.0	63.3	100.0	64.6	100.0	63.9	100.0	63.1	100.0	64.3	100.0	63.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 87: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=137)		Males (n=164)		All (n=301)		Females (n=261)		Males (n=244)		All (n=505)		Females (n=398)		Males (n=408)		All (n=806)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67									0.6	11.8	0.3	9.6			0.4	9.8	0.2	8.2
11	20.83									1.1	14.3	0.5	12.3			0.6	12.5	0.3	11.0
12	25.00							0.6	12.7	1.5	16.9	0.9	14.9	0.4	11.9	0.9	15.2	0.5	13.7
13	29.17							0.6	15.5	1.5	19.5	0.9	17.6	0.4	14.8	0.9	17.9	0.5	16.5
14	33.33	1.2	16.1	1.0	17.9	0.8	17.2	0.6	18.3	1.9	22.0	1.1	20.3	0.7	17.6	1.3	20.6	0.9	19.2
15	37.50	1.2	19.1	1.0	20.9	0.8	20.2	1.0	21.1	2.3	24.6	1.4	22.9	0.9	20.4	1.6	23.3	1.1	22.0
16	41.67	1.2	22.1	1.5	23.8	1.2	23.1	1.4	23.8	3.0	27.1	2.0	25.6	1.1	23.3	2.2	26.0	1.6	24.8
17	45.83	1.2	25.0	1.5	26.8	1.2	26.1	2.0	26.6	3.0	29.7	2.4	28.3	1.6	26.1	2.2	28.7	1.9	27.5
18	50.00	2.4	28.0	4.9	29.7	3.7	29.0	3.9	29.4	5.7	32.3	4.8	30.9	3.3	29.0	5.4	31.4	4.4	30.3
19	54.17	7.3	31.0	6.9	32.7	7.0	32.0	7.7	32.2	11.4	34.8	9.5	33.6	7.6	31.8	9.6	34.1	8.6	33.1
20	58.33	10.3	34.0	9.8	35.7	10.0	35.0	11.1	35.0	13.5	37.4	12.3	36.2	10.8	34.7	12.0	36.8	11.4	35.8
21	62.50	13.2	36.9	18.4	38.7	16.0	37.9	15.4	37.8	17.6	39.9	16.5	38.9	14.6	37.5	17.9	39.5	16.3	38.6
22	66.67	18.3	39.9	23.3	41.6	21.0	40.9	20.4	40.6	23.3	42.5	21.8	41.6	19.6	40.4	23.3	42.2	21.5	41.3
23	70.83	24.1	42.9	33.0	44.6	29.0	43.8	26.5	43.4	30.7	45.1	28.5	44.2	25.7	43.2	31.6	44.9	28.7	44.1
24	75.00	42.4	45.9	47.0	47.6	44.9	46.8	37.9	46.1	42.1	47.6	40.0	46.9	39.5	46.1	44.1	47.6	41.8	46.9
25	79.17	48.3	48.8	56.8	50.5	52.9	49.8	48.7	48.9	52.8	50.2	50.7	49.6	48.6	48.9	54.4	50.3	51.5	49.6
26	83.33	57.1	51.8	62.8	53.5	60.2	52.7	57.5	51.7	61.4	52.7	59.4	52.2	57.4	51.7	62.0	53.0	59.7	52.4
27	87.50	69.5	54.8	73.9	56.5	71.9	55.7	67.5	54.5	69.5	55.3	68.5	54.9	68.2	54.6	71.3	55.7	69.7	55.2
28	91.67	77.5	57.8	85.5	59.5	81.9	58.7	76.7	57.3	77.8	57.9	77.2	57.6	77.0	57.4	80.8	58.4	78.9	57.9
29	95.83	88.4	60.8	92.8	62.4	90.8	61.6	83.9	60.1	88.0	60.4	85.9	60.2	85.5	60.3	89.9	61.1	87.7	60.7
30	100.00	100.0	63.7	100.0	65.4	100.0	64.6	100.0	62.9	100.0	63.0	100.0	62.9	100.0	63.1	100.0	63.8	100.0	63.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 88: ES – Spain. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=146)		Males (n=170)		All (n=316)		Females (n=271)		Males (n=255)		All (n=526)		Females (n=417)		Males (n=425)		All (n=442)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33								0.9	20.4	0.4	17.9			0.5	17.2	0.3	14.3	
9	12.50							0.8	16.2	1.4	22.6	1.0	20.1	0.5	12.3	0.8	19.4	0.6	16.6
10	16.67							1.3	18.5	2.4	24.8	1.7	22.3	0.8	14.8	1.4	21.6	1.1	18.9
11	20.83							1.7	20.9	3.0	27.0	2.1	24.5	1.1	17.3	1.8	23.9	1.3	21.2
12	25.00							2.0	23.2	3.9	29.2	2.8	26.8	1.3	19.8	2.4	26.1	1.8	23.5
13	29.17			0.9	17.7	0.5	14.5	2.4	25.6	5.8	31.4	4.0	29.0	1.6	22.2	3.7	28.3	2.6	25.8
14	33.33			2.0	20.5	1.1	17.4	3.4	27.9	7.8	33.6	5.5	31.2	2.2	24.7	5.4	30.5	3.8	28.1
15	37.50			2.0	23.2	1.1	20.3	4.5	30.3	11.3	35.7	7.8	33.4	2.9	27.2	7.5	32.7	5.2	30.4
16	41.67	1.1	18.8	3.1	25.9	1.9	23.2	5.6	32.6	14.1	37.9	9.7	35.6	3.8	29.7	9.6	34.9	6.7	32.7
17	45.83	1.7	22.1	4.4	28.7	2.9	26.2	8.5	35.0	18.4	40.1	13.3	37.8	6.0	32.2	12.7	37.1	9.4	35.0
18	50.00	2.4	25.3	7.1	31.4	4.7	29.1	12.9	37.3	23.1	42.3	17.8	40.1	9.1	34.7	16.7	39.3	12.9	37.3
19	54.17	3.1	28.6	9.0	34.1	6.0	32.0	16.2	39.7	30.1	44.5	22.9	42.3	11.5	37.2	21.6	41.5	16.6	39.6
20	58.33	5.4	31.8	11.7	36.9	8.8	34.9	23.3	42.0	38.4	46.7	30.6	44.5	17.0	39.6	27.7	43.7	22.4	42.0
21	62.50	10.9	35.1	16.4	39.6	13.9	37.8	30.7	44.4	47.4	48.9	38.8	46.7	23.8	42.1	35.0	46.0	29.4	44.3
22	66.67	15.0	38.3	23.5	42.3	19.5	40.8	39.5	46.7	53.7	51.1	46.4	48.9	31.0	44.6	41.6	48.2	36.3	46.6
23	70.83	25.5	41.6	31.7	45.1	28.8	43.7	47.7	49.1	61.5	53.3	54.3	51.1	39.9	47.1	49.5	50.4	44.8	48.9
24	75.00	37.1	44.9	42.2	47.8	39.8	46.6	57.2	51.4	70.5	55.4	63.6	53.4	50.1	49.6	59.2	52.6	54.7	51.2
25	79.17	45.9	48.1	54.0	50.5	50.3	49.5	63.1	53.8	79.5	57.6	71.0	55.6	57.1	52.1	69.3	54.8	63.3	53.5
26	83.33	57.5	51.4	64.7	53.3	61.3	52.4	73.0	56.1	87.8	59.8	80.2	57.8	67.6	54.6	78.5	57.0	73.1	55.8
27	87.50	66.4	54.6	74.1	56.0	70.6	55.4	83.3	58.5	93.3	62.0	88.2	60.0	77.4	57.0	85.6	59.2	81.6	58.1
28	91.67	81.5	57.9	81.8	58.7	81.7	58.3	88.5	60.8	95.7	64.2	92.0	62.2	86.1	59.5	90.1	61.4	88.1	60.4
29	95.83	89.0	61.1	91.8	61.5	90.5	61.2	94.4	63.2	98.4	66.4	96.3	64.4	92.5	62.0	95.8	63.6	94.2	62.7
30	100.00	100.0	64.4	100.0	64.2	100.0	64.1	100.0	65.5	100.0	68.6	100.0	66.7	100.0	64.5	100.0	65.8	100.0	65.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 89: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=140)		Males (n=168)		All (n=308)		Females (n=267)		Males (n=258)		All (n=525)		Females (n=407)		Males (n=426)		All (n=833)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00																		
4	8.33																		
5	16.67							0.6	-5.3	0.6	4.8	0.4	0.6	0.4	-1.5	0.4	8.0	0.3	4.2
6	25.00							0.6	0.9	0.6	10.1	0.4	6.2	0.4	4.4	0.4	13.1	0.3	9.6
7	33.33			1.4	21.0	0.7	18.3	0.6	7.0	0.6	15.3	0.4	11.8	0.4	10.3	0.8	18.1	0.5	14.9
8	41.67	1.7	19.6	2.5	25.8	2.0	23.5	0.6	13.2	0.6	20.6	0.4	17.4	0.8	16.2	1.2	23.1	1.0	20.3
9	50.00	5.0	25.3	9.6	30.7	7.5	28.6	2.6	19.3	7.4	25.8	5.0	23.0	3.4	22.0	8.3	28.1	5.9	25.6
10	58.33	8.6	31.0	15.5	35.5	12.4	33.8	6.0	25.5	9.4	31.1	7.6	28.7	6.9	27.9	11.8	33.1	9.4	31.0
11	66.67	13.6	36.7	20.9	40.4	17.6	39.0	9.0	31.6	13.9	36.3	11.4	34.3	10.6	33.8	16.7	38.1	13.7	36.3
12	75.00	29.9	42.4	36.2	45.2	33.4	44.1	16.1	37.8	23.6	41.6	19.8	39.9	20.9	39.7	28.6	43.2	24.8	41.7
13	83.33	42.1	48.1	48.2	50.1	45.4	49.3	26.2	43.9	33.3	46.8	29.7	45.5	31.7	45.5	39.1	48.2	35.5	47.0
14	91.67	66.5	53.8	67.2	54.9	66.9	54.4	39.7	50.1	49.6	52.1	44.5	51.1	48.9	51.4	56.5	53.2	52.8	52.4
15	100.00	100.0	59.5	100.0	59.7	100.0	59.6	100.0	56.2	100.0	57.3	100.0	56.7	100.0	57.3	100.0	58.2	100.0	57.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 90: ES – Spain. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=133)		Males (n=163)		All (n=296)		Females (n=270)		Males (n=262)		All (n=532)		Females (n=403)		Males (n=425)		All (n=828)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00			1.0	14.1	0.5	14.3	0.6	18.1	1.2	17.0	0.8	17.6	0.4	17.1	1.0	16.0	0.6	16.5
4	8.33			1.0	18.3	0.5	18.5	0.6	21.9	1.2	21.0	0.8	21.5	0.4	21.0	1.0	20.0	0.6	20.5
5	16.67	1.2	22.7	2.0	22.4	1.4	22.6	1.5	25.7	1.2	24.9	1.3	25.3	1.3	24.8	1.5	24.0	1.3	24.4
6	25.00	3.1	26.8	3.2	26.6	3.0	26.7	3.3	29.5	3.8	28.9	3.6	29.2	3.2	28.7	3.5	28.1	3.4	28.4
7	33.33	6.7	30.9	5.5	30.8	6.0	30.8	7.4	33.3	8.4	32.9	7.9	33.1	7.2	32.6	7.3	32.1	7.2	32.4
8	41.67	12.0	35.0	9.2	34.9	10.4	35.0	15.6	37.1	13.8	36.8	14.7	37.0	14.4	36.5	12.0	36.2	13.2	36.3
9	50.00	20.2	39.1	19.5	39.1	19.8	39.1	25.6	40.9	22.2	40.8	23.9	40.9	23.8	40.4	21.2	40.2	22.5	40.3
10	58.33	29.9	43.2	30.6	43.3	30.3	43.2	37.8	44.7	32.9	44.8	35.4	44.7	35.2	44.2	32.0	44.2	33.5	44.2
11	66.67	41.2	47.3	43.5	47.5	42.4	47.4	48.9	48.5	52.0	48.7	50.4	48.6	46.3	48.1	48.7	48.3	47.6	48.2
12	75.00	59.4	51.4	60.0	51.6	59.8	51.5	61.8	52.3	65.7	52.7	63.7	52.5	61.0	52.0	63.5	52.3	62.3	52.2
13	83.33	72.2	55.5	74.1	55.8	73.2	55.7	73.0	56.1	77.5	56.7	75.2	56.4	72.7	55.9	76.2	56.3	74.5	56.1
14	91.67	87.3	59.6	90.1	60.0	88.8	59.8	84.4	59.9	89.3	60.7	86.8	60.2	85.4	59.8	89.6	60.4	87.5	60.1
15	100.00	100.0	63.7	100.0	64.2	100.0	63.9	100.0	63.7	100.0	64.6	100.0	64.1	100.0	63.6	100.0	64.4	100.0	64.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 91: ES – Spain. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=145)		Males (n=168)		All (n=313)		Females (n=272)		Males (n=260)		All (n=532)		Females (n=417)		Males (n=428)		All (n=845)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56								0.6	8.7	0.3	14.9			0.4	5.9	0.2	12.0	
7	11.11								1.0	12.1	0.5	18.0			0.6	9.4	0.3	15.2	
8	16.67							1.2	24.3	1.0	15.5	1.0	21.1	0.8	21.9	0.6	12.9	0.6	18.4
9	22.22							1.9	27.3	1.0	19.0	1.4	24.2	1.3	24.9	0.6	16.5	0.9	21.5
10	27.78	1.6	18.1			0.7	16.1	5.1	30.3	1.7	22.4	3.3	27.3	3.8	27.9	1.0	20.0	2.3	24.7
11	33.33	2.5	21.7	0.9	17.9	1.4	19.8	7.3	33.3	2.7	25.9	5.0	30.5	5.5	30.9	1.9	23.6	3.6	27.9
12	38.89	3.1	25.3	0.9	21.9	1.8	23.6	12.1	36.3	3.6	29.3	7.9	33.6	8.8	33.9	2.4	27.1	5.6	31.1
13	44.44	4.3	28.9	2.0	25.8	2.9	27.3	20.2	39.2	7.0	32.8	13.7	36.7	14.6	36.9	4.9	30.7	9.7	34.3
14	50.00	6.3	32.5	4.8	29.7	5.5	31.1	27.5	42.2	9.6	36.2	18.8	39.8	20.1	39.9	7.8	34.2	13.9	37.5
15	55.56	11.0	36.0	10.8	33.6	10.9	34.9	34.1	45.2	18.1	39.6	26.3	42.9	26.1	42.9	15.3	37.7	20.6	40.7
16	61.11	18.0	39.6	12.7	37.6	15.1	38.6	45.9	48.2	24.7	43.1	35.5	46.0	36.2	45.8	20.0	41.3	28.0	43.8
17	66.67	24.2	43.2	23.9	41.5	24.0	42.4	54.7	51.2	37.0	46.5	46.1	49.1	44.1	48.8	31.9	44.8	37.9	47.0
18	72.22	42.0	46.8	39.9	45.5	40.9	46.1	70.5	54.2	57.4	49.9	64.1	52.2	60.6	51.8	50.5	48.4	55.5	50.2
19	77.78	60.7	50.4	53.5	49.4	56.8	49.9	80.9	57.2	72.7	53.4	76.9	55.3	73.9	54.8	65.2	51.9	69.5	53.4
20	83.33	70.3	53.9	66.5	53.4	68.3	53.6	88.9	60.2	81.2	56.8	85.1	58.4	82.4	57.8	75.4	55.5	78.9	56.6
21	88.89	79.3	57.5	80.3	57.3	79.8	57.4	93.7	63.2	87.3	60.2	90.6	61.5	88.7	60.8	84.6	59.0	86.6	59.8
22	94.44	88.2	61.1	89.8	61.3	89.1	61.2	96.7	66.2	93.1	63.7	94.9	64.6	93.7	63.8	91.8	62.5	92.8	63.0
23	100.00	100.0	64.7	100.0	65.2	100.0	64.9	100.0	69.2	100.0	67.1	100.0	67.8	100.0	66.8	100.0	66.1	100.0	66.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 92: ES – Spain. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=140)		Males (n=163)		All (n=303)		Females (n=270)		Males (n=253)		All (n=523)		Females (n=410)		Males (n=416)		All (n=826)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00							0.6	9.8			0.3	8.3	0.4	7.8			0.2	5.8
15	28.57							1.0	12.5			0.5	11.0	0.6	10.5			0.3	8.7
16	32.14							1.0	15.2			0.5	13.8	0.6	13.2			0.3	11.5
17	35.71							1.3	17.9	0.9	14.7	1.0	16.5	0.9	15.9	0.5	12.4	0.6	14.3
18	39.29							1.3	20.6	0.9	17.5	1.0	19.3	0.9	18.7	0.5	15.3	0.6	17.1
19	42.86							1.7	23.2	0.9	20.4	1.3	22.0	1.1	21.4	0.5	18.2	0.8	19.9
20	46.43							3.0	25.9	1.4	23.2	2.1	24.7	2.0	24.1	0.9	21.1	1.3	22.7
21	50.00	1.7	21.7			0.8	20.8	3.6	28.6	2.8	26.0	3.1	27.4	2.7	26.8	1.7	24.1	2.2	25.5
22	53.57	3.1	24.7	1.4	23.1	2.0	23.9	4.9	31.2	4.4	28.8	4.6	30.2	4.2	29.6	3.1	27.0	3.6	28.4
23	57.14	3.1	27.7	4.9	26.3	4.0	27.0	7.4	33.9	8.6	31.6	8.0	32.9	5.9	32.3	7.2	29.9	6.5	31.2
24	60.71	5.8	30.7	5.9	29.6	5.6	30.1	11.1	36.6	9.9	34.4	10.5	35.6	9.3	35.0	8.2	32.8	8.7	34.0
25	64.29	10.7	33.7	8.6	32.8	9.5	33.2	15.2	39.2	13.4	37.2	14.3	38.3	13.6	37.7	11.5	35.8	12.6	36.8
26	67.86	13.6	36.7	11.1	36.0	12.2	36.3	23.0	41.9	18.9	40.1	21.0	41.1	19.8	40.4	15.8	38.7	17.8	39.6
27	71.43	15.8	39.7	15.4	39.2	15.5	39.4	32.3	44.6	22.9	42.9	27.7	43.8	26.6	43.2	19.9	41.6	23.3	42.4
28	75.00	24.9	42.7	25.2	42.4	25.1	42.5	40.4	47.3	32.4	45.7	36.5	46.5	35.1	45.9	29.6	44.5	32.3	45.2
29	78.57	35.7	45.7	36.2	45.6	36.0	45.6	50.8	49.9	44.6	48.5	47.8	49.3	45.6	48.6	41.3	47.5	43.5	48.1
30	82.14	46.4	48.7	46.0	48.8	46.2	48.7	61.5	52.6	55.7	51.3	58.7	52.0	56.3	51.3	51.9	50.4	54.1	50.9
31	85.71	59.2	51.7	60.1	52.0	59.7	51.8	72.1	55.3	66.7	54.1	69.5	54.7	67.7	54.1	64.1	53.3	65.9	53.7
32	89.29	69.1	54.7	75.5	55.2	72.6	54.9	82.5	58.0	78.6	56.9	80.6	57.4	78.0	56.8	77.4	56.2	77.7	56.5
33	92.86	79.1	57.7	82.2	58.4	80.8	58.0	89.2	60.6	88.1	59.7	88.7	60.2	85.8	59.5	85.8	59.2	85.8	59.3
34	96.43	87.0	60.7	90.2	61.6	88.8	61.1	95.2	63.3	96.0	62.6	95.6	62.9	92.4	62.2	93.8	62.1	93.1	62.1
35	100.00	100.0	63.7	100.0	64.8	100.0	64.2	100.0	66.0	100.0	65.4	100.0	65.6	100.0	65.0	100.0	65.0	100.0	64.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 93: ES – Spain. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=134)		Males (n=159)		All (n=293)		Females (n=263)		Males (n=250)		All (n=513)		Females (n=397)		Males (n=409)		All (n=806)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00																		
15	28.57																		
16	32.14							0.6	15.1			0.3	12.0	0.4	12.7			0.2	10.0
17	35.71							0.6	17.8			0.3	14.6	0.4	15.5			0.2	13.0
18	39.29							1.0	20.4	0.6	13.9	0.6	17.7	0.6	18.3	0.4	13.1	0.4	15.9
19	42.86							1.3	23.0	0.6	17.0	0.9	20.5	0.9	21.1	0.4	16.3	0.6	18.9
20	46.43							2.3	25.7	1.0	20.1	1.6	23.3	1.5	23.9	0.6	19.4	1.0	21.8
21	50.00	1.2	22.2			0.5	21.8	3.1	28.3	2.1	23.2	2.5	26.2	2.3	26.6	1.3	22.6	1.7	24.8
22	53.57	1.9	25.4	1.0	24.8	1.1	25.1	4.9	30.9	2.1	26.4	3.5	29.0	3.7	29.4	1.6	25.8	2.6	27.8
23	57.14	2.6	28.6	3.2	28.0	2.8	28.3	8.0	33.6	3.6	29.5	5.8	31.8	6.0	32.2	3.4	29.0	4.7	30.7
24	60.71	4.6	31.8	5.2	31.3	4.8	31.5	11.8	36.2	6.0	32.6	9.0	34.7	9.3	35.0	5.6	32.1	7.4	33.7
25	64.29	9.0	35.0	10.7	34.6	9.9	34.8	17.5	38.8	9.2	35.7	13.5	37.5	14.7	37.8	9.8	35.3	12.2	36.6
26	67.86	19.4	38.1	15.8	37.8	17.5	38.0	24.4	41.5	18.0	38.8	21.3	40.3	22.7	40.5	17.1	38.5	19.9	39.6
27	71.43	27.6	41.3	22.7	41.1	25.0	41.2	29.7	44.1	26.0	42.0	27.9	43.2	29.0	43.3	24.7	41.7	26.8	42.5
28	75.00	35.9	44.5	33.3	44.4	34.5	44.4	37.7	46.7	33.6	45.1	35.7	46.0	37.1	46.1	33.5	44.8	35.3	45.5
29	78.57	44.8	47.7	44.1	47.6	44.5	47.7	47.9	49.4	45.2	48.2	46.6	48.9	46.9	48.9	44.8	48.0	45.8	48.5
30	82.14	53.8	50.9	59.9	50.9	57.1	50.9	60.2	52.0	60.4	51.3	60.3	51.7	58.0	51.7	60.2	51.2	59.1	51.4
31	85.71	65.7	54.1	71.8	54.2	69.0	54.1	69.6	54.6	69.6	54.5	69.6	54.5	68.3	54.4	70.5	54.3	69.4	54.4
32	89.29	78.4	57.3	81.8	57.5	80.2	57.4	77.2	57.3	80.5	57.6	78.8	57.4	77.6	57.2	81.0	57.5	79.3	57.3
33	92.86	86.6	60.5	86.8	60.7	86.7	60.6	86.4	59.9	88.9	60.7	87.6	60.2	86.4	60.0	88.0	60.7	87.3	60.3
34	96.43	97.0	63.6	92.4	64.0	94.5	63.8	92.8	62.5	95.2	63.8	94.0	63.0	94.2	62.8	94.1	63.9	94.2	63.3
35	100.00	100.0	66.8	100.0	67.3	100.0	67.0	100.0	65.1	100.0	66.9	100.0	65.9	100.0	65.6	100.0	67.0	100.0	66.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 94: ES – Spain. Individual norm data KIDSCREEN-27-PROXY Social Support &amp; Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=140)		Males (n=165)		All (n=305)		Females (n=264)		Males (n=246)		All (n=510)		Females (n=404)		Males (n=411)		All (n=815)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25																		
6	12.50																		
7	18.75																		
8	25.00							0.6	12.5	0.9	15.7	0.6	14.2	0.4	11.9	0.6	14.2	0.4	13.2
9	31.25							1.0	16.7	0.9	19.7	0.9	18.3	0.6	16.2	0.6	18.4	0.6	17.4
10	37.50	1.1	19.4	1.0	20.3	0.8	20.0	1.3	20.9	2.1	23.6	1.6	22.3	1.1	20.4	1.5	22.5	1.2	21.5
11	43.75	1.1	23.8	1.0	24.9	0.8	24.5	1.7	25.1	3.7	27.5	2.5	26.3	1.4	24.6	2.4	26.6	1.8	25.7
12	50.00	3.7	28.2	5.4	29.4	4.6	28.9	4.9	29.2	7.7	31.4	6.3	30.4	4.5	28.9	6.8	30.7	5.6	29.9
13	56.25	10.1	32.5	10.2	33.9	10.1	33.3	8.7	33.4	11.7	35.4	10.2	34.4	9.1	33.1	11.1	34.9	10.1	34.1
14	62.50	15.8	36.9	17.5	38.4	16.7	37.8	15.9	37.6	17.4	39.3	16.6	38.5	15.8	37.4	17.4	39.0	16.6	38.2
15	68.75	21.5	41.3	27.8	42.9	24.9	42.2	24.3	41.7	26.7	43.2	25.4	42.5	23.3	41.6	27.2	43.1	25.2	42.4
16	75.00	43.0	45.7	49.6	47.4	46.6	46.7	39.4	45.9	42.2	47.2	40.7	46.5	40.7	45.8	45.2	47.3	42.9	46.6
17	81.25	53.6	50.1	62.4	52.0	58.4	51.1	54.7	50.1	57.7	51.1	56.1	50.6	54.3	50.1	59.6	51.4	57.0	50.8
18	87.50	69.3	54.5	79.3	56.5	74.7	55.5	69.4	54.2	70.3	55.0	69.8	54.6	69.4	54.3	74.0	55.5	71.7	54.9
19	93.75	84.3	58.9	89.7	61.0	87.2	60.0	81.1	58.4	85.8	58.9	83.4	58.6	82.2	58.6	87.4	59.7	84.8	59.1
20	100.00	100.0	63.3	100.0	65.5	100.0	64.4	100.0	62.6	100.0	62.9	100.0	62.7	100.0	62.8	100.0	63.8	100.0	63.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 95: ES – Spain. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=146)		Males (n=170)		All (n=316)		Females (n=272)		Males (n=256)		All (n=528)		Females (n=418)		Males (n=426)		All (n=844)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25									0.6	17.9	0.3	15.6			0.4	14.9	0.2	12.1
6	12.50							0.6	15.2	1.0	21.2	0.6	19.0	0.4	11.3	0.6	18.3	0.4	15.6
7	18.75							1.2	18.7	2.4	24.6	1.7	22.3	0.8	15.1	1.4	21.7	1.1	19.1
8	25.00							1.9	22.2	3.9	27.9	2.9	25.7	1.3	18.8	2.4	25.1	1.8	22.5
9	31.25	1.1	10.9	1.4	19.4	1.0	16.3	3.4	25.7	5.9	31.3	4.5	29.0	2.4	22.5	4.0	28.4	3.2	26.0
10	37.50	1.1	15.7	1.4	23.5	1.0	20.6	4.5	29.2	9.4	34.6	6.8	32.4	3.1	26.3	6.1	31.8	4.6	29.5
11	43.75	1.1	20.5	4.1	27.5	2.6	24.8	5.9	32.8	13.4	38.0	9.5	35.7	4.1	30.0	9.7	35.2	6.9	33.0
12	50.00	1.8	25.3	8.8	31.5	5.4	29.1	11.8	36.3	23.8	41.3	17.6	39.1	8.2	33.8	17.8	38.6	13.0	36.5
13	56.25	5.5	30.1	12.4	35.5	9.2	33.4	18.7	39.8	32.9	44.7	25.6	42.4	14.1	37.5	24.7	41.9	19.5	40.0
14	62.50	9.5	34.9	17.7	39.6	13.9	37.7	29.4	43.3	47.7	48.0	38.3	45.8	22.5	41.3	35.7	45.3	29.2	43.5
15	68.75	18.5	39.7	28.2	43.6	23.7	42.0	39.0	46.8	58.2	51.3	48.3	49.1	31.8	45.0	46.2	48.7	39.1	47.0
16	75.00	39.0	44.5	44.8	47.6	42.1	46.3	56.7	50.3	70.4	54.7	63.3	52.5	50.5	48.7	60.1	52.0	55.4	50.5
17	81.25	56.1	49.3	59.4	51.6	57.9	50.6	67.4	53.9	82.5	58.0	74.7	55.8	63.4	52.5	73.3	55.4	68.4	54.0
18	87.50	69.0	54.1	74.1	55.7	71.8	54.9	81.0	57.4	92.3	61.4	86.4	59.1	76.8	56.2	85.0	58.8	80.9	57.5
19	93.75	83.4	58.9	88.8	59.7	86.3	59.2	89.4	60.9	97.7	64.7	93.4	62.5	87.3	60.0	94.2	62.2	90.8	61.0
20	100.00	100.0	63.7	100.0	63.7	100.0	63.5	100.0	64.4	100.0	68.1	100.0	65.8	100.0	63.7	100.0	65.5	100.0	64.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 96: ES – Spain. Individual norm data KIDSCREEN-10-PROXY Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=138)		Males (n=160)		All (n=298)		Females (n=255)		Males (n=235)		All (n=490)		Females (n=393)		Males (n=395)		All (n=788)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50																		
22	30.00																		
23	32.50																		
24	35.00																		
25	37.50																		
26	40.00							0.6	18.9			0.3	17.5	0.4	16.4			0.2	15.3
27	42.50							1.3	21.0	0.7	18.0	0.8	19.7	0.8	18.5	0.4	16.3	0.5	17.5
28	45.00							1.3	23.1	1.1	20.3	1.1	21.8	0.8	20.7	0.6	18.6	0.7	19.7
29	47.50							2.1	25.1	1.1	22.6	1.5	24.0	1.3	22.8	0.6	20.9	0.9	21.9
30	50.00	1.1	18.7			0.5	19.0	3.2	27.2	1.8	24.9	2.5	26.2	2.3	25.0	1.1	23.2	1.7	24.1
31	52.50	1.1	21.2			0.5	21.5	3.7	29.2	3.0	27.2	3.3	28.3	2.7	27.1	1.8	25.5	2.2	26.4
32	55.00	1.1	23.7	1.0	24.0	0.9	23.9	4.8	31.3	4.3	29.5	4.5	30.5	3.4	29.3	2.8	27.8	3.0	28.6
33	57.50	1.1	26.1	3.2	26.4	2.0	26.3	6.0	33.4	6.3	31.8	6.1	32.7	4.1	31.4	5.0	30.1	4.6	30.8
34	60.00	3.0	28.6	5.1	28.9	4.0	28.7	10.2	35.4	8.1	34.1	9.2	34.8	7.6	33.6	6.8	32.4	7.2	33.0
35	62.50	4.5	31.0	6.4	31.3	5.4	31.2	13.3	37.5	11.9	36.4	12.7	37.0	10.2	35.7	9.6	34.7	9.9	35.2
36	65.00	6.6	33.5	9.4	33.7	8.0	33.6	16.9	39.6	14.5	38.6	15.8	39.2	13.2	37.9	12.4	37.0	12.8	37.5
37	67.50	11.6	36.0	12.6	36.1	12.1	36.1	22.4	41.6	18.3	40.9	20.4	41.3	18.6	40.0	16.0	39.3	17.3	39.7
38	70.00	18.0	38.4	16.3	38.6	17.1	38.5	26.2	43.7	26.0	43.2	26.1	43.5	23.4	42.2	22.0	41.6	22.7	41.9
39	72.50	23.0	40.9	20.7	41.0	21.8	41.0	34.1	45.8	35.7	45.5	34.9	45.7	30.2	44.4	29.6	43.9	29.9	44.1
40	75.00	28.2	43.4	26.9	43.4	27.5	43.4	43.1	47.8	45.4	47.8	44.2	47.8	37.9	46.5	37.9	46.2	37.9	46.3
41	77.50	37.6	45.8	37.5	45.9	37.6	45.8	52.9	49.9	51.8	50.1	52.4	50.0	47.6	48.7	46.0	48.5	46.8	48.6
42	80.00	44.1	48.3	45.0	48.3	44.6	48.3	61.6	52.0	60.4	52.4	61.0	52.2	55.4	50.8	54.2	50.8	54.8	50.8
43	82.50	55.0	50.7	52.5	50.7	53.7	50.7	67.5	54.1	70.6	54.7	69.0	54.3	63.1	53.0	63.3	53.1	63.2	53.0
44	85.00	66.6	53.2	61.9	53.1	64.1	53.2	74.5	56.1	77.0	57.0	75.7	56.5	71.7	55.1	70.9	55.4	71.3	55.2
45	87.50	71.7	55.7	70.1	55.6	70.8	55.6	80.8	58.2	83.4	59.3	82.1	58.7	77.6	57.3	78.0	57.7	77.8	57.4
46	90.00	79.0	58.1	76.3	58.0	77.5	58.0	86.8	60.3	89.3	61.6	88.0	60.8	84.0	59.4	84.0	60.0	84.0	59.7
47	92.50	88.4	60.6	90.0	60.4	89.3	60.5	90.6	62.3	95.3	63.9	92.9	63.0	89.9	61.6	93.1	62.2	91.5	61.9
48	95.00	92.0	63.0	95.6	62.8	94.0	62.9	94.5	64.4	98.7	66.1	96.5	65.2	93.7	63.7	97.5	64.5	95.6	64.1
49	97.50	97.8	65.5	100.0	65.3	99.0	65.4	98.0	66.5	100.0	68.4	99.0	67.3	98.0	65.9	100.0	66.8	99.0	66.3
50	100.00	100.0	68.0			100.0	67.8	100.0	68.5			100.0	69.5	100.0	68.0			100.0	68.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 97: FR – France. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=174)		Males (n=188)		All (n=362)		Females (n=305)		Males (n=288)		All (n=593)		Females (n=479)		Males (n=476)		All (n=955)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.5	24.5			0.3	23.4	0.3	21.5			0.2	20.3
6	5.56							0.9	27.2	0.5	24.0	0.6	26.0	0.5	24.3	0.3	21.1	0.3	23.1
7	11.11			0.9	16.0	0.4	16.5	2.3	29.9	1.2	26.7	1.7	28.7	1.5	27.1	0.9	23.9	1.2	25.8
8	16.67	1.3	19.8	1.4	19.2	1.2	19.8	4.3	32.6	2.1	29.4	3.2	31.3	3.1	29.8	1.7	26.6	2.4	28.5
9	22.22	2.1	23.3	1.9	22.5	1.8	23.1	12.1	35.3	5.8	32.0	9.1	34.0	8.4	32.6	4.2	29.4	6.3	31.3
10	27.78	4.0	26.8	3.8	25.7	3.9	26.5	17.4	38.0	10.0	34.7	13.8	36.6	12.5	35.4	7.5	32.2	10.0	34.0
11	33.33	5.4	30.2	5.0	29.0	5.0	29.8	23.9	40.8	15.5	37.4	19.9	39.3	17.1	38.2	11.3	35.0	14.2	36.8
12	38.89	8.1	33.7	7.0	32.2	7.5	33.1	31.8	43.5	21.4	40.0	26.8	41.9	23.2	41.0	15.7	37.7	19.5	39.5
13	44.44	11.0	37.2	10.2	35.4	10.5	36.4	38.7	46.2	29.1	42.7	34.0	44.6	28.6	43.8	21.6	40.5	25.1	42.2
14	50.00	20.7	40.6	15.0	38.7	17.7	39.7	48.8	48.9	36.3	45.4	42.8	47.2	38.6	46.5	27.9	43.3	33.3	45.0
15	55.56	31.6	44.1	23.5	41.9	27.4	43.0	60.3	51.6	44.4	48.1	52.6	49.9	49.9	49.3	36.1	46.0	43.0	47.7
16	61.11	43.1	47.6	31.5	45.1	37.1	46.3	69.9	54.3	54.8	50.7	62.6	52.5	60.2	52.1	45.6	48.8	52.9	50.5
17	66.67	57.5	51.0	45.8	48.4	51.4	49.6	80.4	57.0	65.6	53.4	73.2	55.2	72.1	54.9	57.8	51.6	64.9	53.2
18	72.22	73.1	54.5	59.0	51.6	65.8	52.9	86.6	59.7	75.7	56.1	81.3	57.8	81.7	57.7	69.1	54.4	75.4	55.9
19	77.78	84.5	58.0	71.2	54.8	77.6	56.2	90.5	62.4	84.4	58.8	87.5	60.5	88.3	60.5	79.2	57.1	83.8	58.7
20	83.33	91.9	61.4	85.1	58.1	88.4	59.5	94.7	65.2	89.2	61.4	92.0	63.1	93.7	63.2	87.6	59.9	90.7	61.4
21	88.89	97.1	64.9	93.1	61.3	95.0	62.8	97.4	67.9	93.7	64.1	95.6	65.8	97.3	66.0	93.5	62.7	95.4	64.2
22	94.44	98.9	68.4	96.8	64.5	97.8	66.2	99.3	70.6	97.5	66.8	98.5	68.4	99.2	68.8	97.2	65.4	98.2	66.9
23	100.00	100.0	71.8	100.0	67.8	100.0	69.5	100.0	73.3	100.0	69.4	100.0	71.1	100.0	71.6	100.0	68.2	100.0	69.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 98: FR – France. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=192)		Males (n=190)		All (n=382)		Females (n=323)		Males (n=297)		All (n=620)		Females (n=515)		Males (n=487)		All (n=1002)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17							0.5	16.5			0.3	14.7	0.3	12.3			0.2	11.4
8	8.33							0.5	18.8			0.3	17.1	0.3	14.8			0.2	13.9
9	12.50							0.8	21.1			0.4	19.5	0.5	17.2			0.3	16.4
10	16.67	0.8	6.0			0.4	9.9	0.8	23.4			0.4	21.9	0.7	19.7			0.4	18.9
11	20.83	0.8	9.2			0.4	12.9	1.6	25.7	0.5	22.4	1.0	24.3	1.2	22.1	0.3	20.4	0.7	21.4
12	25.00	0.8	12.4	0.8	18.5	0.7	15.8	2.0	28.0	0.5	24.9	1.2	26.7	1.5	24.6	0.5	23.0	0.9	23.9
13	29.17	0.8	15.6	1.4	21.2	0.9	18.7	3.4	30.3	1.4	27.4	2.4	29.1	2.3	27.0	1.3	25.6	1.8	26.4
14	33.33	0.8	18.7	2.3	24.0	1.4	21.7	4.9	32.7	3.4	29.9	4.2	31.5	3.3	29.5	2.9	28.1	3.1	28.9
15	37.50	0.8	21.9	2.3	26.8	1.4	24.7	9.9	35.0	7.0	32.4	8.5	33.8	6.4	31.9	5.1	30.7	5.8	31.4
16	41.67	1.3	25.1	3.0	29.5	1.9	27.6	14.2	37.3	10.1	34.9	12.2	36.2	9.3	34.4	7.2	33.2	8.3	33.9
17	45.83	2.7	28.3	5.3	32.3	3.9	30.5	21.3	39.6	14.8	37.4	18.2	38.6	14.3	36.8	11.1	35.8	12.8	36.4
18	50.00	6.7	31.5	9.0	35.1	7.9	33.5	25.6	41.9	20.2	39.9	23.0	41.0	18.6	39.3	15.8	38.3	17.2	38.9
19	54.17	7.9	34.7	13.8	37.8	10.8	36.5	30.9	44.2	24.8	42.4	28.0	43.4	22.3	41.8	20.5	40.9	21.4	41.4
20	58.33	12.0	37.9	18.5	40.6	15.2	39.4	35.9	46.5	33.0	44.9	34.5	45.8	27.0	44.2	27.3	43.5	27.1	43.9
21	62.50	21.4	41.1	29.5	43.4	25.4	42.4	46.4	48.8	45.1	47.4	45.7	48.2	37.1	46.7	39.0	46.0	38.0	46.4
22	66.67	30.7	44.3	39.5	46.1	35.1	45.3	54.1	51.1	54.2	49.9	54.1	50.6	45.4	49.1	48.5	48.6	46.9	48.9
23	70.83	42.7	47.5	48.0	48.9	45.3	48.3	63.1	53.4	59.6	52.5	61.4	52.9	55.5	51.6	55.0	51.1	55.3	51.4
24	75.00	65.6	50.7	65.4	51.7	65.5	51.2	74.3	55.7	72.4	55.0	73.4	55.3	71.1	54.0	69.7	53.7	70.4	53.8
25	79.17	72.5	53.9	72.7	54.4	72.6	54.2	81.8	58.0	81.1	57.5	81.5	57.7	78.3	56.5	77.9	56.2	78.1	56.3
26	83.33	77.2	57.1	80.5	57.2	78.9	57.1	88.2	60.3	86.9	60.0	87.6	60.1	84.1	58.9	84.4	58.8	84.3	58.8
27	87.50	90.1	60.3	87.4	60.0	88.8	60.1	93.2	62.6	91.2	62.5	92.2	62.5	92.1	61.4	89.7	61.3	90.9	61.3
28	91.67	92.7	63.5	90.5	62.7	91.6	63.0	95.0	64.9	94.6	65.0	94.8	64.9	94.2	63.8	93.0	63.9	93.6	63.8
29	95.83	97.4	66.7	93.2	65.5	95.3	66.0	97.8	67.2	96.6	67.5	97.2	67.3	97.7	66.3	95.3	66.5	96.5	66.3
30	100.00	100.0	69.9	100.0	68.3	100.0	68.9	100.0	69.5	100.0	70.0	100.0	69.7	100.0	68.7	100.0	69.0	100.0	68.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 99: FR – France. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=186)		Males (n=189)		All (n=375)		Females (n=317)		Males (n=291)		All (n=608)		Females (n=503)		Males (n=480)		All (n=983)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00																		
15	28.57			0.8	-9.2	0.4	-18.2								0.3	-6.7	0.2	-8.0	
16	32.14			0.8	-5.7	0.4	-14.2								0.3	-3.3	0.2	-4.5	
17	35.71			0.8	-2.2	0.4	-10.2	0.5	3.8			0.3	2.7	0.3	-2.2	0.3	0.0	0.3	-1.0
18	39.29			0.8	1.3	0.4	-6.3	0.5	7.1	0.5	4.4	0.4	6.0	0.3	1.4	0.5	3.4	0.4	2.5
19	42.86			0.8	4.7	0.4	-2.3	0.5	10.4	0.5	7.8	0.4	9.3	0.3	5.0	0.5	6.8	0.4	6.0
20	46.43			0.8	8.2	0.4	1.7	0.5	13.6	0.9	11.2	0.6	12.6	0.3	8.6	0.7	10.2	0.5	9.5
21	50.00			1.8	11.7	0.9	5.7	0.5	16.9	1.5	14.5	0.9	15.9	0.3	12.2	1.5	13.6	0.8	12.9
22	53.57			1.8	15.2	0.9	9.7	1.0	20.2	1.9	17.9	1.3	19.2	0.7	15.8	1.8	17.0	1.1	16.4
23	57.14			2.5	18.7	1.2	13.7	3.2	23.4	2.3	21.2	2.6	22.5	2.0	19.4	2.2	20.4	2.1	19.9
24	60.71	0.9	10.1	2.5	22.2	1.5	17.7	4.2	26.7	3.8	24.6	4.0	25.8	2.8	23.0	3.1	23.7	3.0	23.4
25	64.29	0.9	15.0	3.8	25.7	2.2	21.7	6.1	30.0	4.3	27.9	5.1	29.1	4.0	26.6	4.0	27.1	4.0	26.9
26	67.86	1.8	19.8	4.6	29.1	3.0	25.7	8.3	33.3	6.2	31.3	7.3	32.4	5.8	30.2	5.4	30.5	5.6	30.4
27	71.43	3.3	24.7	5.2	32.6	4.1	29.7	12.0	36.6	9.0	34.6	10.6	35.7	8.8	33.8	7.3	33.9	8.1	33.9
28	75.00	5.4	29.6	10.6	36.1	8.0	33.7	18.6	39.8	12.0	38.0	15.5	39.0	13.7	37.4	11.5	37.3	12.6	37.4
29	78.57	10.8	34.4	13.2	39.6	12.0	37.6	26.5	43.1	20.3	41.3	23.5	42.3	20.7	41.0	17.5	40.7	19.1	40.8
30	82.14	17.2	39.3	20.6	43.1	18.9	41.6	34.4	46.4	28.9	44.7	31.7	45.6	28.1	44.6	25.6	44.1	26.9	44.3
31	85.71	31.1	44.1	34.8	46.6	33.0	45.6	44.2	49.7	38.5	48.0	41.5	48.9	39.4	48.2	37.1	47.5	38.2	47.8
32	89.29	50.0	49.0	48.6	50.0	49.3	49.6	63.4	53.0	55.7	51.4	59.7	52.2	58.4	51.8	52.9	50.9	55.7	51.3
33	92.86	68.7	53.9	66.7	53.5	67.7	53.6	76.7	56.2	71.2	54.7	74.0	55.5	73.7	55.4	69.4	54.2	71.6	54.8
34	96.43	90.3	58.7	83.0	57.0	86.6	57.6	90.6	59.5	84.2	58.1	87.5	58.8	90.5	59.0	83.7	57.6	87.2	58.3
35	100.00	100.0	63.6	100.0	60.5	100.0	61.6	100.0	62.8	100.0	61.4	100.0	62.1	100.0	62.6	100.0	61.0	100.0	61.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 100: FR – France. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=186)		Males (n=187)		All (n=373)		Females (n=316)		Males (n=290)		All (n=606)		Females (n=502)		Males (n=477)		All (n=979)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00							0.5	12.7			0.3	8.6	0.3	10.1			0.2	6.2
7	10.00							0.8	15.8			0.4	11.8	0.5	13.2			0.3	9.4
8	15.00							0.8	18.9			0.4	15.0	0.5	16.3			0.3	12.7
9	20.00							1.4	21.9			0.7	18.2	0.9	19.4			0.4	15.9
10	25.00							2.3	24.9			1.2	21.4	1.4	22.5			0.7	19.2
11	30.00	0.8	18.8			0.4	16.5	3.2	27.9	0.6	18.4	1.8	24.6	2.2	25.7	0.3	17.0	1.2	22.5
12	35.00	1.4	22.4	0.9	16.7	0.9	20.1	3.9	31.0	0.9	22.1	2.3	27.8	2.8	28.8	0.7	20.6	1.7	25.7
13	40.00	2.8	25.9	1.4	20.5	1.9	23.7	7.6	34.0	1.5	25.7	4.6	31.0	5.8	31.9	1.3	24.3	3.6	29.0
14	45.00	4.4	29.4	3.3	24.3	3.8	27.3	12.6	37.1	3.8	29.4	8.4	34.2	9.5	35.0	3.6	27.9	6.6	32.2
15	50.00	6.5	33.0	4.5	28.1	5.4	30.9	18.6	40.1	6.5	33.0	12.8	37.4	14.1	38.1	5.7	31.5	10.0	35.5
16	55.00	10.8	36.5	6.5	31.9	8.6	34.5	24.9	43.1	11.0	36.6	18.2	40.6	19.7	41.2	9.2	35.1	14.6	38.7
17	60.00	20.0	40.0	10.7	35.6	15.3	38.1	39.5	46.2	20.5	40.3	30.4	43.8	32.3	44.3	16.7	38.8	24.7	42.0
18	65.00	32.3	43.5	16.1	39.4	24.2	41.7	54.4	49.2	31.9	43.9	43.6	47.0	46.2	47.4	25.7	42.4	36.2	45.3
19	70.00	43.1	47.1	27.8	43.2	35.4	45.3	62.3	52.3	51.0	47.6	56.9	50.2	55.2	50.5	41.9	46.0	48.7	48.5
20	75.00	55.9	50.6	43.3	47.0	49.5	48.9	73.7	55.3	62.4	51.2	68.3	53.4	67.1	53.6	54.9	49.6	61.2	51.8
21	80.00	70.5	54.1	58.3	50.8	64.4	52.5	84.2	58.3	73.4	54.9	79.0	56.6	79.1	56.7	67.5	53.3	73.5	55.0
22	85.00	83.4	57.7	72.8	54.6	78.1	56.1	90.5	61.4	83.1	58.5	87.0	59.8	87.9	59.8	79.1	56.9	83.6	58.3
23	90.00	90.3	61.2	84.6	58.4	87.5	59.7	95.2	64.4	91.4	62.2	93.4	63.1	93.4	62.9	88.7	60.5	91.1	61.5
24	95.00	95.1	64.7	93.1	62.2	94.1	63.3	98.7	67.5	95.9	65.8	97.3	66.3	97.4	66.0	94.8	64.1	96.1	64.8
25	100.00	100.0	68.3	100.0	66.0	100.0	66.9	100.0	70.5	100.0	69.5	100.0	69.5	100.0	69.1	100.0	67.8	100.0	68.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 101: FR – France. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=185)		Males (n=193)		All (n=378)		Females (n=325)		Males (n=295)		All (n=620)		Females (n=510)		Males (n=488)		All (n=998)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00									0.5	18.3	0.3	20.5			0.3	17.3	0.2	18.9
7	10.00							0.5	24.5	0.5	20.9	0.4	22.9	0.3	22.8	0.3	20.0	0.3	21.5
8	15.00							0.5	26.9	0.5	23.5	0.4	25.4	0.3	25.4	0.3	22.7	0.3	24.2
9	20.00	0.9	24.6	0.8	24.2	0.6	24.4	1.6	29.3	1.4	26.1	1.5	27.9	1.2	27.9	1.0	25.4	1.1	26.8
10	25.00	2.8	27.5	1.3	27.1	1.9	27.3	4.9	31.7	4.1	28.7	4.5	30.4	4.1	30.4	2.9	28.1	3.5	29.4
11	30.00	3.9	30.4	2.2	29.9	2.9	30.2	8.6	34.1	4.9	31.3	6.8	32.9	6.9	33.0	3.7	30.8	5.3	32.0
12	35.00	6.0	33.3	6.2	32.8	6.1	33.1	12.3	36.5	8.5	33.9	10.5	35.4	10.0	35.5	7.6	33.5	8.8	34.6
13	40.00	11.9	36.2	12.4	35.6	12.2	35.9	16.9	38.8	12.2	36.5	14.6	37.8	15.1	38.1	12.3	36.2	13.7	37.2
14	45.00	17.3	39.1	20.8	38.5	19.1	38.8	24.3	41.2	18.6	39.2	21.6	40.3	21.8	40.6	19.5	38.9	20.6	39.8
15	50.00	30.3	42.1	28.1	41.3	29.2	41.7	33.8	43.6	26.1	41.8	30.1	42.8	32.5	43.2	26.9	41.6	29.8	42.4
16	55.00	36.8	45.0	31.2	44.2	33.9	44.6	39.7	46.0	31.8	44.4	35.9	45.3	38.6	45.7	31.5	44.3	35.2	45.1
17	60.00	45.5	47.9	40.0	47.0	42.7	47.4	49.3	48.4	38.9	47.0	44.3	47.8	47.9	48.2	39.3	47.0	43.7	47.7
18	65.00	53.5	50.8	50.3	49.9	51.9	50.3	56.0	50.8	49.4	49.6	52.9	50.3	55.1	50.8	49.7	49.7	52.5	50.3
19	70.00	65.5	53.7	63.2	52.7	64.3	53.2	64.0	53.2	59.2	52.2	61.7	52.7	64.6	53.3	60.8	52.4	62.7	52.9
20	75.00	78.4	56.6	72.5	55.6	75.4	56.1	73.0	55.6	73.8	54.8	73.4	55.2	75.0	55.9	73.3	55.1	74.2	55.5
21	80.00	88.1	59.5	86.1	58.4	87.1	59.0	77.6	58.0	82.3	57.4	79.8	57.7	81.4	58.4	83.8	57.8	82.6	58.1
22	85.00	91.8	62.4	90.7	61.3	91.3	61.8	85.5	60.4	86.7	60.1	86.1	60.2	87.8	61.0	88.3	60.5	88.0	60.7
23	90.00	96.3	65.4	94.3	64.2	95.3	64.7	89.6	62.7	91.5	62.7	90.5	62.7	92.0	63.5	92.6	63.2	92.3	63.3
24	95.00	97.9	68.3	96.9	67.0	97.4	67.6	95.7	65.1	94.9	65.3	95.3	65.1	96.5	66.1	95.7	65.9	96.1	65.9
25	100.00	100.0	71.2	100.0	69.9	100.0	70.5	100.0	67.5	100.0	67.9	100.0	67.6	100.0	68.6	100.0	68.6	100.0	68.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 102: FR – France. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=186)		Males (n=189)		All (n=375)		Females (n=314)		Males (n=288)		All (n=602)		Females (n=500)		Males (n=477)		All (n=977)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50							0.7	22.2	0.6	21.6	0.5	21.9	0.5	19.4	0.3	19.0	0.3	19.2
10	16.67							0.7	24.4	0.9	23.9	0.8	24.1	0.5	22.8	0.5	21.4	0.5	21.6
11	20.83							1.2	26.6	1.8	26.1	1.3	26.4	0.7	24.1	1.1	23.7	0.8	23.9
12	25.00			0.8	20.9	0.4	20.5	2.3	28.8	2.8	28.4	2.5	28.6	1.4	26.4	1.9	26.1	1.6	26.3
13	29.17			1.7	23.6	0.9	23.2	3.0	31.1	3.9	30.7	3.4	30.9	1.9	28.8	2.9	28.5	2.4	28.6
14	33.33	1.2	25.4	1.7	26.3	1.4	25.9	6.4	33.3	6.3	32.9	6.4	33.1	4.4	31.1	4.4	30.8	4.4	31.0
15	37.50	2.3	28.1	2.8	28.9	2.4	28.5	9.9	35.5	8.7	35.2	9.3	35.4	7.0	33.5	6.3	33.2	6.7	33.3
16	41.67	3.4	30.8	4.3	31.6	3.7	31.2	15.7	37.8	13.6	37.4	14.7	37.6	11.0	35.8	9.9	35.6	10.5	35.7
17	45.83	8.5	33.5	7.9	34.3	8.2	33.9	19.5	40.0	18.8	39.7	19.1	39.9	15.4	38.1	14.4	38.0	14.9	38.1
18	50.00	10.7	36.3	12.1	36.9	11.4	36.6	25.8	42.2	26.8	42.0	26.3	42.1	20.2	40.5	21.0	40.3	20.6	40.4
19	54.17	16.6	39.0	20.6	39.6	18.6	39.3	33.5	44.5	31.6	44.2	32.6	44.4	27.2	42.8	27.2	42.7	27.2	42.8
20	58.33	23.0	41.7	27.5	42.3	25.3	42.0	42.4	46.7	39.9	46.5	41.2	46.6	35.2	45.2	35.0	45.1	35.1	45.1
21	62.50	35.9	44.4	32.3	44.9	34.1	44.7	49.7	48.9	49.3	48.8	49.5	48.9	44.6	47.5	42.5	47.4	43.6	47.5
22	66.67	47.3	47.1	44.5	47.6	45.9	47.4	59.3	51.2	55.5	51.0	57.5	51.1	54.8	49.9	51.1	49.8	53.0	49.8
23	70.83	54.3	49.9	56.2	50.3	55.2	50.1	65.3	53.4	63.4	53.3	64.4	53.3	61.2	52.2	60.6	52.2	60.9	52.2
24	75.00	62.3	52.6	64.1	52.9	63.2	52.8	74.2	55.6	72.9	55.6	73.6	55.6	69.8	54.5	69.4	54.5	69.6	54.5
25	79.17	72.5	55.3	74.7	55.6	73.6	55.4	79.0	57.9	79.8	57.8	79.4	57.8	76.6	56.9	77.8	56.9	77.2	56.9
26	83.33	80.5	58.0	81.0	58.2	80.8	58.1	84.8	60.1	86.4	60.1	85.5	60.1	83.2	59.2	84.3	59.3	83.7	59.3
27	87.50	87.1	60.8	87.3	60.9	87.2	60.8	89.5	62.3	91.9	62.4	90.7	62.3	88.6	61.6	90.1	61.7	89.3	61.6
28	91.67	93.0	63.5	93.7	63.6	93.3	63.5	93.4	64.6	95.1	64.6	94.2	64.6	93.2	63.9	94.5	64.0	93.9	64.0
29	95.83	95.7	66.2	97.4	66.2	96.5	66.2	96.8	66.8	96.5	66.9	96.7	66.8	96.4	66.3	96.8	66.4	96.6	66.3
30	100.00	100.0	68.9	100.0	68.9	100.0	68.9	100.0	69.0	100.0	69.2	100.0	69.1	100.0	68.6	100.0	68.8	100.0	68.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 103: FR – France. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=171)		Males (n=176)		All (n=347)		Females (n=304)		Males (n=272)		All (n=576)		Females (n=475)		Males (n=448)		All (n=923)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.9	19.1	0.9	21.4	0.7	20.4	0.8	23.3	1.2	25.6	0.9	24.5	0.7	22.0	0.9	24.2	0.8	23.1
7	4.17	1.5	21.4	0.9	23.6	1.0	22.6	0.8	25.3	2.3	27.5	1.4	26.4	1.0	24.1	1.6	26.2	1.2	25.2
8	8.33	2.1	23.7	1.5	25.7	1.5	24.8	1.2	27.3	2.3	24.5	1.7	28.4	1.3	26.2	1.9	28.2	1.5	27.2
9	12.50	2.1	26.0	1.5	27.9	1.5	27.0	1.5	29.2	3.7	31.4	2.4	30.3	1.6	28.2	2.7	30.2	2.1	29.2
10	16.67	3.1	28.3	2.1	30.0	2.3	29.2	2.1	31.2	4.2	33.3	3.0	32.3	2.3	30.3	3.2	32.1	2.7	31.3
11	20.83	3.1	30.6	3.5	32.1	3.2	31.4	3.9	33.2	5.9	35.2	4.9	34.2	3.6	32.4	4.9	34.1	4.2	33.3
12	25.00	4.8	32.9	7.9	34.3	6.3	33.6	9.9	35.2	12.1	37.2	10.9	36.2	8.0	34.5	10.4	36.1	9.2	35.3
13	29.17	7.1	35.2	11.3	36.4	9.2	35.8	13.8	37.2	18.0	39.1	15.8	38.1	11.4	36.6	15.3	38.1	13.3	37.4
14	33.33	11.7	37.5	18.1	38.5	15.0	38.0	17.8	39.2	23.1	41.0	20.3	40.1	15.6	38.7	21.2	40.1	18.3	39.4
15	37.50	15.8	39.8	24.3	40.7	20.1	40.3	21.1	41.2	29.4	42.9	25.0	42.0	19.2	40.7	27.4	42.1	23.2	41.4
16	41.67	24.6	42.1	30.0	42.8	27.4	42.5	28.7	43.2	35.7	44.9	32.0	44.0	27.2	42.8	33.5	44.1	30.2	43.5
17	45.83	35.8	44.4	35.8	45.0	35.8	44.7	36.3	45.1	44.2	46.8	40.0	45.9	36.1	44.9	40.9	46.1	38.4	45.5
18	50.00	42.8	46.6	44.8	47.1	43.8	46.9	46.5	47.1	51.1	48.7	48.7	47.9	45.2	47.0	48.7	48.1	46.9	47.6
19	54.17	49.2	48.9	50.0	49.2	49.6	49.1	53.0	49.1	55.2	50.7	54.0	49.9	51.7	49.1	53.1	50.1	52.4	49.6
20	58.33	57.9	51.2	54.5	51.4	56.2	51.3	57.6	51.1	62.5	52.6	59.9	51.8	57.7	51.1	59.4	52.1	58.5	51.6
21	62.50	67.9	53.5	61.8	53.5	64.8	53.5	65.1	53.1	67.7	54.5	66.4	53.8	66.1	53.2	65.4	54.1	65.8	53.7
22	66.67	74.9	55.8	67.6	55.6	71.2	55.7	71.4	55.1	72.9	56.4	72.1	55.7	72.6	55.3	70.8	56.1	71.7	55.7
23	70.83	80.1	58.1	78.4	57.8	79.2	57.9	77.3	57.1	79.8	58.4	78.5	57.7	78.3	57.4	79.2	58.1	78.8	57.7
24	75.00	89.5	60.4	89.2	59.9	89.3	60.1	84.9	59.0	88.3	60.3	86.5	59.6	86.6	59.5	88.6	60.1	87.6	59.8
25	79.17	93.0	62.7	91.4	62.1	92.2	62.3	88.9	61.0	91.6	62.2	90.1	61.6	90.3	61.5	91.5	62.1	90.9	61.8
26	83.33	95.3	65.0	95.5	64.2	95.4	64.5	90.5	63.0	93.8	64.2	92.0	63.5	92.2	63.6	94.4	64.1	93.3	63.8
27	87.50	96.5	67.3	96.6	66.3	96.6	66.8	93.4	65.0	94.8	66.1	94.1	65.5	94.6	65.7	95.5	66.1	95.0	65.9
28	91.67	97.1	69.6	98.9	68.5	98.0	69.0	94.8	67.0	97.1	68.0	95.9	67.4	95.6	67.8	97.8	68.1	96.7	67.9
29	95.83	98.8	71.9	99.4	70.6	99.1	71.2	95.8	69.0	97.8	69.9	96.7	69.4	96.9	69.9	98.4	70.1	97.6	70.0
30	100.00	100.0	74.2	100.0	72.7	100.0	73.4	100.0	71.0	100.0	71.9	100.0	71.3	100.0	72.0	100.0	72.1	100.0	72.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 104: FR – France. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=186)		Males (n=192)		All (n=378)		Females (n=313)		Males (n=286)		All (n=599)		Females (n=499)		Males (n=478)		All (n=977)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33							1.0	21.7			0.5	22.8	0.6	19.1			0.3	21.1
9	12.50			0.8	19.3	0.4	14.4	1.5	23.9	0.8	26.0	1.0	25.1	0.9	21.3	0.7	24.7	0.7	23.2
10	16.67			0.8	21.6	0.4	16.9	2.0	26.2	1.5	28.3	1.7	27.3	1.3	23.5	1.1	26.9	1.1	25.4
11	20.83			1.8	23.8	0.9	19.3	2.6	28.5	2.8	30.6	2.7	29.6	1.7	25.8	2.3	29.0	2.0	27.6
12	25.00			2.8	26.0	1.4	21.8	5.1	30.8	6.0	32.8	5.5	31.8	3.2	28.0	4.6	31.1	3.9	29.7
13	29.17	0.8	16.9	3.8	28.3	2.2	24.2	7.9	33.1	10.2	35.1	9.0	34.1	5.2	30.2	7.6	33.3	6.3	31.9
14	33.33	0.8	19.8	4.5	30.5	2.5	26.6	9.5	35.4	14.7	37.3	12.0	36.4	6.2	32.4	10.5	35.4	8.3	34.0
15	37.50	0.8	22.6	5.9	32.8	3.2	29.1	13.7	37.6	20.7	39.6	17.0	38.6	8.8	34.6	14.7	37.5	11.7	36.2
16	41.67	1.8	25.5	8.9	35.0	5.3	31.5	19.8	39.9	25.3	41.9	22.4	40.9	13.0	36.9	18.7	39.7	15.8	38.4
17	45.83	3.8	28.4	13.1	37.2	8.5	34.0	23.6	42.2	31.6	44.1	27.4	43.2	16.2	39.1	24.1	41.8	20.1	40.5
18	50.00	7.6	31.3	17.3	39.5	12.5	36.4	30.4	44.5	38.2	46.4	34.1	45.4	21.9	41.3	29.8	43.9	25.7	42.7
19	54.17	9.7	34.2	25.0	41.7	17.5	38.9	38.4	46.8	48.7	48.6	43.3	47.7	27.7	43.5	39.2	46.1	33.3	44.8
20	58.33	13.4	37.1	29.2	44.0	21.5	41.3	47.4	49.1	56.4	50.9	51.7	49.9	34.7	45.7	45.5	48.2	40.0	47.0
21	62.50	19.4	40.0	37.0	46.2	28.3	43.8	57.5	51.3	64.7	53.2	61.0	52.2	43.3	47.9	53.6	50.3	48.3	49.2
22	66.67	24.2	42.9	44.3	48.5	34.4	46.2	66.2	53.6	72.5	55.4	69.2	54.5	50.5	50.2	61.2	52.5	55.7	51.3
23	70.83	33.8	45.8	55.3	50.7	44.7	48.6	75.7	55.9	81.1	57.7	78.3	56.7	60.1	52.4	70.8	54.6	65.3	53.5
24	75.00	48.4	48.7	66.2	53.0	57.4	51.1	83.4	58.2	87.1	59.9	85.1	59.0	70.3	54.6	78.7	56.7	74.4	55.6
25	79.17	59.2	51.6	71.3	55.2	65.4	53.5	89.2	60.5	89.5	62.2	89.3	61.3	78.0	56.8	82.2	58.9	80.1	57.8
26	83.33	70.5	54.5	77.1	57.5	73.9	56.0	92.7	62.8	94.0	64.4	93.3	63.5	84.4	59.0	87.2	61.0	85.8	60.0
27	87.50	78.5	57.3	83.9	59.7	81.3	58.4	95.2	65.0	97.2	66.7	96.1	65.8	89.0	61.3	91.8	63.1	90.4	62.1
28	91.67	89.2	60.2	90.6	61.9	89.9	60.9	97.4	67.3	98.2	69.0	97.8	68.0	94.4	63.5	95.2	65.3	94.8	64.3
29	95.83	93.0	63.1	94.8	64.2	93.9	63.3	99.1	69.6	98.9	71.2	99.0	70.3	96.8	65.7	97.3	67.4	97.0	66.4
30	100.00	100.0	66.0	100.0	66.4	100.0	65.7	100.0	71.9	100.0	73.5	100.0	72.6	100.0	67.9	100.0	69.5	100.0	68.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 105: FR – France. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=185)		Males (n=186)		All (n=371)		Females (n=315)		Males (n=290)		All (n=605)		Females (n=500)		Males (n=476)		All (n=976)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00																		
4	8.33			0.9	-13.8	0.4	-17.0									0.3	-24.1	0.2	-22.6
5	16.67			0.9	-7.3	0.4	-10.2									0.3		0.2	
6	25.00	0.8	-6.7	1.4	-0.8	0.9	-3.3							0.3	-7.2	0.5	-9.4	0.3	-8.1
7	33.33	0.8	0.6	1.9	5.6	1.2	3.5	1.0	-1.0			0.5	-4.8	0.8	0.0	0.7	-2.0	0.7	-0.9
8	41.67	0.8	7.8	1.9	12.1	1.2	10.4	1.7	6.2	0.8	-2.0	1.2	2.8	1.3	7.1	1.1	5.3	1.1	6.4
9	50.00	1.8	15.1	1.9	18.6	1.7	17.2	2.4	13.4	1.2	6.4	1.7	10.5	2.0	14.3	1.4	12.7	1.6	13.6
10	58.33	3.3	22.4	2.9	25.1	3.0	24.0	2.4	20.6	1.8	14.7	2.0	18.2	2.6	21.5	2.1	20.0	2.4	20.8
11	66.67	5.4	29.7	3.9	31.6	4.6	30.8	5.4	27.7	4.1	23.1	4.8	25.8	5.4	28.6	4.0	27.4	4.7	28.1
12	75.00	14.1	37.0	15.6	38.1	14.9	37.6	8.6	34.9	7.9	31.4	8.3	33.5	10.6	35.8	10.9	34.7	10.8	35.3
13	83.33	31.5	44.3	29.0	44.6	30.2	44.5	22.9	42.1	18.9	39.8	21.0	41.1	26.1	43.0	22.9	42.1	24.5	42.6
14	91.67	64.4	51.6	58.0	51.0	61.1	51.3	46.4	49.3	43.0	48.1	44.8	48.8	53.1	50.1	48.9	49.5	51.0	49.8
15	100.00	100.0	58.9	100.0	57.5	100.0	58.1	100.0	56.5	100.0	56.5	100.0	56.5	100.0	57.3	100.0	56.8	100.0	57.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 106: FR – France. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=151)		Males (n=154)		All (n=305)		Females (n=316)		Males (n=285)		All (n=601)		Females (n=467)		Males (n=439)		All (n=906)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
<b>3</b>	<b>0.00</b>	5.9	31.4	9.8	33.8	7.9	32.7	3.8	30.5	3.5	31.4	3.7	31.0	4.5	30.8	5.7	32.3	5.1	31.6
<b>4</b>	<b>8.33</b>	11.8	34.4	13.1	36.7	12.5	35.7	7.2	33.7	8.4	34.5	7.8	34.1	8.7	33.9	10.0	35.4	9.3	34.7
<b>5</b>	<b>16.67</b>	15.1	37.4	20.3	39.7	17.7	38.6	12.2	36.8	16.2	37.7	14.1	37.2	13.2	37.0	17.6	38.4	15.3	37.7
<b>6</b>	<b>25.00</b>	18.4	40.4	31.2	42.6	24.9	41.6	20.7	39.9	25.7	40.8	23.1	40.3	20.0	40.1	27.6	41.5	23.7	40.8
<b>7</b>	<b>33.33</b>	29.6	43.4	40.3	45.5	35.0	44.5	32.8	43.0	35.1	44.0	33.9	43.5	31.8	43.1	37.0	44.6	34.3	43.8
<b>8</b>	<b>41.67</b>	40.3	46.4	52.6	48.4	46.5	47.4	44.0	46.1	46.7	47.1	45.3	46.6	42.8	46.2	48.8	47.6	45.7	46.9
<b>9</b>	<b>50.00</b>	58.2	49.4	62.4	51.3	60.3	50.4	56.4	49.2	57.9	50.3	57.1	49.7	57.0	49.3	59.5	50.7	58.2	50.0
<b>10</b>	<b>58.33</b>	65.5	52.4	70.2	54.2	67.9	53.3	62.7	52.4	69.1	53.4	65.8	52.9	63.6	52.4	69.5	53.7	66.5	53.0
<b>11</b>	<b>66.67</b>	72.0	55.4	76.7	57.1	74.4	56.3	70.0	55.5	77.9	56.6	73.7	56.0	70.7	55.4	77.5	56.8	74.0	56.1
<b>12</b>	<b>75.00</b>	82.7	58.4	85.2	60.1	83.9	59.2	82.7	58.6	85.6	59.7	84.1	59.1	82.7	58.5	85.5	59.8	84.0	59.1
<b>13</b>	<b>83.33</b>	87.3	61.4	88.4	63.0	87.9	62.1	88.3	61.7	89.1	62.9	88.7	62.2	88.0	61.6	88.9	62.9	88.4	62.2
<b>14</b>	<b>91.67</b>	91.3	64.4	95.5	65.9	93.4	65.1	94.3	64.8	94.4	66.0	94.3	65.4	93.3	64.7	94.8	65.9	94.0	65.3
<b>15</b>	<b>100.00</b>	100.0	67.4	100.0	68.8	100.0	68.0	100.0	67.9	100.0	69.2	100.0	68.5	100.0	67.8	100.0	69.0	100.0	68.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 107: FR – France. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=174)		Males (n=188)		All (n=362)		Females (n=305)		Males (n=288)		All (n=593)		Females (n=479)		Males (n=476)		All (n=955)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00							0.5	24.5			0.3	23.4	0.3	21.5			0.2	20.3
6	5.56							0.9	27.2	0.6	24.0	0.6	26.0	0.5	24.3	0.3	21.1	0.4	23.0
7	11.11			0.9	16.0	0.4	16.4	2.3	29.9	1.2	26.7	1.7	28.7	1.5	27.0	0.9	23.8	1.2	25.8
8	16.67	1.3	19.7	1.4	19.2	1.1	19.8	4.3	32.6	2.1	29.4	3.2	31.3	3.1	29.8	1.7	26.6	2.4	28.5
9	22.22	2.0	23.2	1.9	22.4	1.7	23.1	12.2	35.3	5.9	32.0	9.1	34.0	8.4	32.6	4.2	29.4	6.3	31.3
10	27.78	4.0	26.7	3.8	25.7	3.8	26.4	17.5	38.0	10.1	34.7	13.9	36.6	12.6	35.4	7.6	32.2	10.1	34.0
11	33.33	5.3	30.1	5.0	28.9	5.0	29.7	24.0	40.8	15.7	37.4	20.0	39.3	17.2	38.2	11.4	34.9	14.3	36.7
12	38.89	8.0	33.6	7.0	32.2	7.5	33.0	31.9	43.5	21.5	40.1	26.8	41.9	23.2	41.0	15.8	37.7	19.5	39.5
13	44.44	10.9	37.1	10.2	35.4	10.5	36.3	38.7	46.2	29.1	42.7	34.1	44.6	28.6	43.7	21.7	40.5	25.1	42.2
14	50.00	20.6	40.6	15.0	38.6	17.7	39.6	48.8	48.9	36.5	45.4	42.8	47.2	38.6	46.5	28.0	43.3	33.3	45.0
15	55.56	31.6	44.1	23.4	41.9	27.3	43.0	60.3	51.6	44.4	48.1	52.6	49.9	49.9	49.3	36.1	46.0	43.0	47.7
16	61.11	43.0	47.5	31.4	45.1	37.0	46.3	69.8	54.3	54.8	50.8	62.5	52.5	60.1	52.1	45.6	48.8	52.8	50.5
17	66.67	57.4	51.0	45.7	48.4	51.3	49.6	80.3	57.0	65.6	53.4	73.2	55.2	72.0	54.9	57.7	51.6	64.9	53.2
18	72.22	72.9	54.5	59.0	51.6	65.7	52.9	86.5	59.7	75.6	56.1	81.2	57.8	81.6	57.7	69.1	54.4	75.3	55.9
19	77.78	84.5	58.0	71.2	54.8	77.6	56.2	90.5	62.4	84.4	58.8	87.5	60.5	88.3	60.4	79.2	57.1	83.8	58.7
20	83.33	92.0	61.4	85.0	58.1	88.4	59.5	94.8	65.2	89.2	61.5	92.1	63.1	93.8	63.2	87.6	59.9	90.7	61.4
21	88.89	97.1	64.9	93.0	61.3	95.0	62.9	97.4	67.9	93.7	64.1	95.6	65.8	97.3	66.0	93.5	62.7	95.4	64.2
22	94.44	98.9	68.4	96.8	64.6	97.8	66.2	99.4	70.6	97.6	66.8	98.5	68.4	99.2	68.8	97.3	65.5	98.2	66.9
23	100.00	100.0	71.9	100.0	67.8	100.0	69.5	100.0	73.3	100.0	69.5	100.0	71.1	100.0	71.6	100.0	68.2	100.0	69.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 108: FR – France. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=188)		Males (n=186)		All (n=374)		Females (n=314)		Males (n=292)		All (n=606)		Females (n=502)		Males (n=478)		All (n=980)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43									0.5	9.9	0.3	12.3			0.3	8.0	0.2	8.8
14	25.00									0.5	12.6	0.3	14.9			0.3	10.7	0.2	11.5
15	28.57							0.5	19.1	0.5	15.2	0.4	17.4	0.3	14.8	0.3	13.5	0.3	14.2
16	32.14							0.8	21.6	0.9	17.9	0.7	20.0	0.5	17.5	0.5	16.2	0.4	16.9
17	35.71			0.9	15.0	0.4	11.1	1.9	24.1	1.8	20.6	1.8	22.6	1.2	20.2	1.3	18.9	1.2	19.6
18	39.29			1.8	17.9	0.9	14.3	1.9	26.7	1.8	23.3	1.8	25.2	1.2	22.9	1.8	21.7	1.5	22.3
19	42.86			2.9	20.8	1.4	17.5	3.5	29.2	1.8	26.0	2.6	27.8	2.2	25.6	2.2	24.4	2.1	25.0
20	46.43	0.8	16.4	3.5	23.7	1.9	20.7	5.1	31.7	3.1	28.7	4.1	30.4	3.4	28.3	3.2	27.1	3.3	27.8
21	50.00	0.8	20.0	4.0	26.6	2.3	23.8	8.3	34.2	4.2	31.3	6.3	32.9	5.4	31.0	4.0	29.8	4.7	30.5
22	53.57	1.4	23.6	5.0	29.5	3.0	27.0	14.6	36.7	6.9	34.0	10.9	35.5	9.6	33.7	6.1	32.6	7.9	33.2
23	57.14	2.3	27.3	6.0	32.4	4.1	30.2	18.5	39.2	11.3	36.7	15.0	38.1	12.4	36.4	9.2	35.3	10.8	35.9
24	60.71	4.4	30.9	8.1	35.3	6.2	33.4	23.6	41.8	16.7	39.4	20.3	40.7	16.4	39.1	13.3	38.0	14.9	38.6
25	64.29	9.2	34.5	12.4	38.2	10.7	36.6	28.7	44.3	22.5	42.1	25.7	43.3	21.4	41.8	18.6	40.7	20.0	41.3
26	67.86	13.4	38.1	18.2	41.0	15.8	39.8	38.5	46.8	32.1	44.8	35.5	45.9	29.1	44.5	26.7	43.5	27.9	44.0
27	71.43	27.2	41.7	28.0	43.9	27.6	43.0	49.8	49.3	46.1	47.5	48.0	48.5	41.3	47.2	39.1	46.2	40.2	46.7
28	75.00	38.9	45.3	38.8	46.8	38.8	46.2	59.6	51.8	54.7	50.1	57.3	51.0	51.9	49.9	48.5	48.9	50.2	49.4
29	78.57	50.5	48.9	51.3	49.7	50.9	49.4	68.8	54.3	63.0	52.8	66.0	53.6	62.0	52.6	58.4	51.6	60.2	52.1
30	82.14	65.4	52.6	61.0	52.6	63.2	52.6	77.4	56.9	74.6	55.5	76.0	56.2	72.9	55.3	69.3	54.4	71.1	54.9
31	85.71	78.3	56.2	76.6	55.5	77.4	55.8	86.3	59.4	82.2	58.2	84.3	58.8	83.3	58.0	80.0	57.1	81.7	57.6
32	89.29	88.3	59.8	85.1	58.4	86.7	58.9	91.7	61.9	89.4	60.9	90.6	61.4	90.4	60.7	87.7	59.8	89.1	60.3
33	92.86	94.1	63.4	93.1	61.3	93.6	62.1	95.0	64.4	93.8	63.6	94.4	64.0	94.6	63.4	93.5	62.5	94.1	63.0
34	96.43	96.8	67.0	96.3	64.2	96.6	65.3	98.7	66.9	97.6	66.3	98.2	66.5	98.0	66.1	97.1	65.3	97.6	65.7
35	100.00	100.0	70.6	100.0	67.0	100.0	68.5	100.0	69.5	100.0	68.9	100.0	69.1	100.0	68.8	100.0	68.0	100.0	68.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 109: FR – France. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=159)		Males (n=158)		All (n=317)		Females (n=310)		Males (n=279)		All (n=589)		Females (n=469)		Males (n=437)		All (n=906)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71									0.6	22.7	0.3	23.0			0.4	21.7	0.2	21.8
11	14.29							0.5	25.2	0.6	24.8	0.4	25.0	0.3	23.8	0.4	23.8	0.3	23.8
12	17.86			1.0	23.9	0.5	23.3	1.1	27.2	0.9	26.8	0.9	27.0	0.7	25.9	0.8	25.9	0.7	25.9
13	21.43			1.0	26.1	0.5	25.5	2.0	29.2	1.3	28.8	1.5	29.0	1.3	27.9	1.0	27.9	1.1	27.9
14	25.00			1.0	28.3	0.5	27.7	2.4	31.2	2.5	30.9	2.4	31.0	1.6	30.0	1.9	30.0	1.7	30.0
15	28.57	2.0	29.3	2.6	30.5	2.2	29.9	4.5	33.1	3.7	32.9	4.1	33.0	3.6	32.0	3.2	32.1	3.4	32.1
16	32.14	2.9	31.5	4.0	32.7	3.2	32.1	9.4	35.1	9.0	35.0	9.2	35.1	7.1	34.1	7.1	34.2	7.1	34.1
17	35.71	5.6	33.7	8.8	34.9	7.2	34.3	11.4	37.1	13.3	37.0	12.3	37.1	9.4	36.1	11.7	36.3	10.5	36.2
18	39.29	10.0	35.9	12.1	37.1	11.0	36.5	15.9	39.1	17.9	39.0	16.8	39.1	13.9	38.2	15.8	38.4	14.8	38.3
19	42.86	16.3	38.1	19.6	39.3	18.0	38.7	24.2	41.1	24.0	41.1	24.1	41.1	21.5	40.2	22.4	40.5	22.0	40.3
20	46.43	23.2	40.3	26.0	41.5	24.6	40.9	32.3	43.1	31.1	43.1	31.7	43.1	29.2	42.2	29.3	42.6	29.2	42.4
21	50.00	28.2	42.5	31.0	43.7	29.6	43.1	38.4	45.1	35.1	45.1	36.8	45.1	35.0	44.3	33.6	44.7	34.3	44.5
22	53.57	35.2	44.7	38.5	45.9	36.9	45.4	45.2	47.0	42.7	47.2	44.0	47.1	41.8	46.3	41.2	46.8	41.5	46.5
23	57.14	41.5	46.9	49.9	48.2	45.7	47.6	51.0	49.0	50.1	49.2	50.6	49.1	47.8	48.4	50.1	48.8	48.9	48.6
24	60.71	52.2	49.1	56.3	50.4	54.2	49.8	58.7	51.0	59.1	51.2	58.9	51.1	56.5	50.4	58.1	50.9	57.3	50.7
25	64.29	61.0	51.4	65.8	52.6	63.4	52.0	62.6	53.0	65.5	53.3	64.0	53.1	62.1	52.5	65.6	53.0	63.8	52.7
26	67.86	68.5	53.6	70.8	54.8	69.7	54.2	69.0	55.0	73.4	55.3	71.1	55.1	68.9	54.5	72.4	55.1	70.6	54.8
27	71.43	76.7	55.8	76.5	57.0	76.6	56.4	75.2	57.0	78.0	57.3	76.5	57.1	75.7	56.6	77.5	57.2	76.6	56.9
28	75.00	80.5	58.0	81.0	59.2	80.7	58.6	81.3	59.0	83.5	59.4	82.3	59.1	81.0	58.6	82.6	59.3	81.8	58.9
29	78.57	83.7	60.2	87.3	61.4	85.5	60.8	87.1	60.9	88.5	61.4	87.7	61.2	85.9	60.6	88.0	61.4	86.9	61.0
30	82.14	89.9	62.4	90.4	63.6	90.2	63.0	91.0	62.9	93.1	63.5	92.0	63.2	90.6	62.7	92.2	63.5	91.4	63.1
31	85.71	92.5	64.6	96.2	65.8	94.3	65.2	93.6	64.9	94.2	65.5	93.9	65.2	93.2	64.7	94.9	65.6	94.0	65.1
32	89.29	96.9	66.8	98.7	68.0	97.8	67.4	96.8	66.9	96.7	67.5	96.8	67.2	96.8	66.8	97.5	67.7	97.1	67.2
33	92.86	97.5	69.0	99.4	70.2	98.4	69.6	99.0	68.9	98.2	69.6	98.6	69.2	98.5	68.8	98.6	69.8	98.6	69.3
34	96.43	98.7	71.2	90.4	72.5	99.1	71.8	99.3	70.9	98.5	71.6	99.0	71.2	99.1	70.9	98.8	71.8	99.0	71.3
35	100.00	100.0	73.4	100.0	74.7	100.0	74.0	100.0	72.9	100.0	73.6	100.0	73.2	100.0	72.9	100.0	73.9	100.0	73.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 110: FR – France. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=175)		Males (n=179)		All (n=354)		Females (n=312)		Males (n=278)		All (n=590)		Females (n=487)		Males (n=457)		All (n=944)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.9	19.1	0.9	21.1	0.7	20.1	0.7	23.8	1.8	25.5	1.2	24.7	0.7	22.4	1.3	24.0	1.0	23.2
5	6.25	1.9	22.5	0.9	24.3	1.2	23.4	1.4	26.7	2.3	28.4	1.7	27.6	1.5	25.4	1.6	27.0	1.5	26.2
6	12.50	1.9	25.9	1.4	27.5	1.6	26.7	1.4	29.6	3.3	31.3	2.2	30.5	1.5	28.5	2.4	30.0	1.9	29.2
7	18.75	2.6	29.2	3.4	30.7	2.8	30.0	4.2	32.5	4.7	34.2	4.4	33.3	3.5	31.5	4.1	33.0	3.8	32.2
8	25.00	5.2	32.6	8.9	33.9	7.1	33.3	11.2	35.4	13.6	37.0	12.4	36.2	9.0	34.6	11.8	36.0	10.4	35.3
9	31.25	9.2	36.0	13.3	37.1	11.3	36.6	16.7	38.3	21.6	39.9	19.0	39.1	14.0	37.6	18.4	38.9	16.1	38.3
10	37.50	17.8	39.4	24.0	40.3	20.9	39.9	23.7	41.2	29.1	42.8	26.3	42.0	21.6	40.6	27.1	41.9	24.3	41.3
11	43.75	32.0	42.8	30.7	43.5	31.4	43.2	33.3	44.1	41.4	45.7	37.1	44.9	32.8	43.7	37.3	44.9	35.0	44.3
12	50.00	41.1	46.2	44.8	46.7	43.0	46.4	45.8	47.0	52.2	48.6	48.8	47.7	44.1	46.7	49.3	47.9	46.6	47.3
13	56.25	54.4	49.6	53.1	49.9	53.8	49.7	56.4	49.9	60.1	51.4	58.2	50.6	55.7	49.8	57.4	50.9	56.5	50.3
14	62.50	66.4	53.0	62.6	53.1	64.5	53.0	64.1	52.8	68.3	54.3	66.1	53.5	64.9	52.8	66.1	53.8	65.5	53.3
15	68.75	77.3	56.4	76.0	56.3	76.6	56.3	73.9	55.7	77.7	57.2	75.7	56.4	75.1	55.9	77.0	56.8	76.1	56.3
16	75.00	90.3	59.8	88.3	59.5	89.3	59.6	84.2	58.6	89.5	60.1	86.7	59.3	86.4	58.9	89.1	59.8	87.7	59.4
17	81.25	93.8	63.2	92.2	62.7	93.0	62.9	90.4	61.5	92.0	63.0	91.2	62.1	91.6	62.0	92.1	62.8	91.8	62.4
18	87.50	96.0	66.6	96.1	65.9	96.0	66.2	93.2	64.4	95.7	65.8	94.4	65.0	94.2	65.0	95.8	65.8	95.0	65.4
19	93.75	98.3	69.9	99.4	69.1	98.9	69.5	95.2	67.3	97.1	68.7	96.1	67.9	96.3	68.1	98.0	68.8	97.1	68.4
20	100.00	100.0	73.3	100.0	72.3	100.0	72.8	100.0	70.2	100.0	71.6	100.0	70.8	100.0	71.1	100.0	71.7	100.0	71.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 111: FR – France. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=186)		Males (n=192)		All (n=378)		Females (n=315)		Males (n=288)		All (n=603)		Females (n=501)		Males (n=480)		All (n=981)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00																		
5	6.25																		
6	12.50			0.8	19.5	0.4	14.5	1.0	22.7	0.8	25.2	0.8	24.0	0.6	19.7	0.7	23.9	0.6	22.1
7	18.75			1.7	22.8	0.9	18.1	2.2	26.1	2.8	28.5	2.5	27.4	1.4	23.1	2.3	27.2	1.8	25.4
8	25.00			2.7	26.2	1.4	21.8	4.4	29.5	5.6	31.9	5.0	30.8	2.8	26.6	4.4	30.4	3.6	28.7
9	31.25			4.3	29.6	2.2	25.5	7.9	32.9	11.5	35.3	9.7	34.2	5.0	30.0	8.6	33.6	6.8	32.0
10	37.50	1.2	22.5	7.3	32.9	4.2	29.2	13.0	36.4	17.4	38.7	15.1	37.5	8.6	33.4	13.4	36.9	10.9	35.3
11	43.75	3.8	26.9	12.4	36.3	8.1	32.9	20.3	39.8	26.1	42.0	23.0	40.9	14.1	36.9	20.6	40.1	17.3	38.6
12	50.00	7.5	31.3	19.2	39.6	13.4	36.6	27.9	43.2	38.6	45.4	33.0	44.3	20.3	40.3	30.8	43.4	25.4	41.9
13	56.25	12.3	35.7	27.5	43.0	20.0	40.2	38.4	46.6	51.4	48.8	44.6	47.7	28.7	43.7	41.9	46.6	35.1	45.2
14	62.50	19.3	40.1	37.4	46.4	28.5	43.9	52.8	50.0	62.8	52.1	57.6	51.0	40.4	47.2	52.6	49.8	46.4	48.5
15	68.75	32.7	44.5	51.0	49.7	42.0	47.6	67.5	53.4	75.7	55.5	71.4	54.4	54.6	50.6	65.8	53.1	60.1	51.8
16	75.00	53.9	48.9	69.9	53.1	62.0	51.3	82.8	56.9	85.4	58.9	84.0	57.8	72.1	54.0	79.2	56.3	75.5	55.1
17	81.25	68.4	53.4	78.1	56.4	73.3	55.0	89.8	60.3	91.3	62.2	90.5	61.2	81.8	57.5	86.0	59.5	83.9	58.4
18	87.50	85.5	57.8	85.9	59.8	85.7	58.7	94.9	63.7	95.8	65.6	95.3	64.5	91.4	60.9	91.9	62.8	91.6	61.7
19	93.75	91.9	62.2	93.8	63.2	92.8	62.3	97.2	67.1	98.9	69.0	98.0	67.9	95.2	64.3	96.9	66.0	96.0	65.0
20	100.00	100.0	66.6	100.0	66.5	100.0	66.0	100.0	70.5	100.0	72.3	100.0	71.3	100.0	67.8	100.0	69.3	100.0	68.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 112: FR – France. Individual norm data KIDSCREEN-10-PROXY Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=180)		Males (n=185)		All (n=365)		Females (n=308)		Males (n=282)		All (n=590)		Females (n=488)		Males (n=467)		All (n=955)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00									0.5	18.0	0.3	18.4			0.3	16.2	0.2	16.1
21	27.50							0.5	20.7	0.5	19.9	0.4	20.4	0.3	18.1	0.3	18.1	0.3	18.1
22	30.00							0.5	22.7	0.5	21.9	0.4	22.3	0.3	20.1	0.3	20.1	0.3	20.1
23	32.50							0.8	24.6	0.5	23.8	0.6	24.2	0.5	22.0	0.3	22.0	0.4	22.0
24	35.00							1.4	26.5	0.5	25.8	0.9	26.2	0.9	24.0	0.3	24.0	0.5	24.0
25	37.50			0.9	21.5	0.4	20.0	1.8	28.5	2.2	27.7	1.9	28.1	1.1	26.0	1.5	25.9	1.3	26.0
26	40.00			1.4	23.6	0.7	22.2	2.4	30.4	2.7	29.6	2.4	30.1	1.5	28.0	2.0	27.9	1.7	27.9
27	42.50			2.0	25.7	1.0	24.4	3.9	32.4	3.6	31.6	3.7	32.0	2.5	30.0	2.8	29.8	2.6	29.9
28	45.00			2.9	27.8	1.4	26.6	6.2	34.3	7.9	33.5	7.0	33.9	3.9	32.0	5.8	31.8	4.8	31.9
29	47.50	0.9	27.5	3.9	29.8	2.2	28.8	10.4	36.2	11.1	35.4	10.7	35.9	6.8	34.0	8.2	33.7	7.4	33.8
30	50.00	1.4	29.8	6.0	31.9	3.5	30.9	14.0	38.2	12.9	37.4	13.4	37.8	9.2	35.9	10.1	35.6	9.6	35.8
31	52.50	5.1	32.1	7.6	34.0	6.3	33.1	19.1	40.1	16.4	39.3	17.8	39.8	14.0	37.9	12.9	37.6	13.4	37.8
32	55.00	9.0	34.4	9.7	36.1	9.3	35.3	26.0	42.1	20.3	41.3	23.3	41.7	19.7	39.9	16.1	39.5	18.0	39.7
33	57.50	14.5	36.7	14.1	38.1	14.3	37.5	32.4	44.0	26.1	43.2	29.4	43.6	25.8	41.9	21.3	41.5	23.6	41.7
34	60.00	18.4	39.0	18.9	40.2	18.7	39.7	39.9	45.9	33.9	45.2	37.1	45.6	32.0	43.9	28.0	43.4	30.0	43.7
35	62.50	24.6	41.3	26.5	42.3	25.6	41.9	47.1	47.9	41.0	47.1	44.2	47.5	38.8	45.9	35.3	45.4	37.1	45.6
36	65.00	32.9	43.6	32.5	44.4	32.7	44.0	53.6	49.8	51.2	49.0	52.5	49.5	46.0	47.9	43.8	47.3	44.9	47.6
37	67.50	37.9	46.0	40.6	46.4	39.3	46.2	61.4	51.8	59.4	51.0	60.5	51.4	52.8	49.9	52.0	49.3	52.4	49.6
38	70.00	45.1	48.3	46.0	48.5	45.5	48.4	66.3	53.7	66.8	52.9	66.5	53.3	58.5	51.9	58.6	51.2	58.5	51.5
39	72.50	53.9	50.6	53.6	50.6	53.7	50.6	73.2	55.7	72.5	54.9	72.8	55.3	66.1	53.8	65.0	53.2	65.5	53.5
40	75.00	64.0	52.9	59.5	52.7	61.7	52.8	79.6	57.6	78.8	56.8	79.2	57.2	73.8	55.8	71.2	55.1	72.5	55.5
41	77.50	74.5	55.2	68.6	54.7	71.5	55.0	84.4	59.5	82.3	58.7	83.4	59.1	80.8	57.8	76.9	57.1	78.9	57.4
42	80.00	81.7	57.5	77.2	56.8	79.4	57.1	89.0	61.5	85.5	60.7	87.3	61.1	86.3	59.8	82.2	59.0	84.3	59.4
43	82.50	86.7	59.8	82.6	58.9	84.6	59.3	91.6	63.4	90.8	62.6	91.2	63.0	89.8	61.8	87.6	60.9	88.7	61.4
44	85.00	91.1	62.2	87.0	61.0	89.0	61.5	94.8	65.4	94.7	64.6	94.8	65.0	93.4	63.8	91.6	62.9	92.6	63.3
45	87.50	93.9	64.5	92.9	63.1	93.4	63.7	96.4	67.3	96.5	66.5	96.4	66.9	95.5	65.8	95.1	64.8	95.3	65.3
46	90.00	96.1	66.8	96.7	65.1	96.4	65.9	97.7	69.2	97.6	68.5	97.6	68.8	97.1	67.8	97.2	66.8	97.2	67.3
47	92.50	97.8	69.1	98.4	67.2	98.1	68.0	99.0	71.2	98.3	70.4	98.7	70.8	98.6	69.7	98.3	68.7	98.4	69.2
48	95.00	98.9	71.4	100.0	69.3	99.5	70.2	99.7	73.1	98.9	72.3	99.3	72.7	99.4	71.7	99.4	70.7	99.4	71.2
49	97.50	99.4	73.7			99.7	72.4	99.7	75.1	100.0	74.3	99.8	74.7	99.6	73.7	100.0	72.6	99.8	73.2
50	100.00	100.0	76.0			100.0	74.6	100.0	77.0			100.0	76.6	100.0	75.7			100.0	75.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 113: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw- Score	0-100 Score	Females (n=494)		Children 8-11 Males (n=369)		All (n=863)		Females (n=684)		Adolescents 12-18 Males (n=382)		All (n=1066)		Females (n=1178)		Children & Adolescents 8-18 Males (n=751)		All (n=1929)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00									0.4	13.7	0.1	17.4			0.2	12.9	0.1	15.2
6	5.56							0.6	21.5	0.4	16.9	0.5	20.5	0.3	19.1	0.2	16.0	0.3	18.3
7	11.11	0.3	13.2	1.1	16.8	0.6	15.0	1.3	24.6	0.7	20.0	1.0	23.6	0.9	22.2	0.8	19.0	0.8	21.3
8	16.67	0.5	16.7	1.1	19.9	0.8	18.3	2.8	27.8	1.1	23.2	2.2	26.7	1.8	25.2	1.1	22.1	1.5	24.3
9	22.22	0.5	20.2	1.7	23.0	1.0	21.6	4.4	30.9	2.1	26.3	3.6	29.7	2.7	28.3	1.9	25.2	2.4	27.3
10	27.78	1.6	23.7	2.2	26.1	1.9	24.9	7.8	34.0	3.9	29.5	6.4	32.8	5.2	31.4	3.1	28.2	4.4	30.4
11	33.33	2.6	27.3	4.9	29.2	3.6	28.2	12.4	37.2	8.1	32.7	10.9	35.9	8.3	34.4	6.5	31.3	7.6	33.4
12	38.89	5.3	30.8	6.2	32.3	5.7	31.5	22.3	40.3	10.7	35.8	18.1	39.0	15.1	37.5	8.5	34.3	12.6	36.4
13	44.44	9.1	34.3	10.3	35.4	9.6	34.9	31.1	43.4	16.4	39.0	25.8	42.0	21.8	40.6	13.4	37.4	18.6	39.5
14	50.00	14.6	37.8	14.1	38.5	14.4	38.2	39.7	46.6	23.5	42.1	33.9	45.1	29.2	43.6	18.9	40.5	25.2	42.5
15	55.56	21.2	41.4	20.9	41.5	21.1	41.5	52.1	49.7	35.0	45.3	46.0	48.2	39.2	46.7	28.1	43.5	34.8	45.5
16	61.11	32.8	44.9	32.1	44.6	32.5	44.8	65.8	52.9	45.8	48.4	58.6	51.2	51.9	49.8	39.0	46.6	46.9	48.5
17	66.67	49.4	48.4	43.6	47.7	46.9	48.1	78.3	56.0	62.5	51.6	72.6	54.3	66.1	52.8	53.2	49.7	61.1	51.6
18	72.22	66.8	51.9	58.6	50.8	63.3	51.4	87.3	59.1	72.2	54.7	81.9	57.4	78.7	55.9	65.5	52.7	73.6	54.6
19	77.78	76.7	55.5	71.0	53.9	74.3	54.7	92.2	62.3	83.8	57.9	89.2	60.5	85.7	59.0	77.5	55.8	82.5	57.6
20	83.33	85.5	59.0	78.3	57.0	82.4	58.0	95.9	65.4	91.1	61.0	94.2	63.5	91.5	62.0	84.8	58.9	88.9	60.7
21	88.89	92.1	62.5	86.7	60.1	89.8	61.4	98.1	68.5	95.3	64.2	97.1	66.6	95.6	65.1	91.1	61.9	93.8	63.7
22	94.44	96.6	66.1	93.8	63.2	95.4	64.7	99.0	71.7	97.1	67.3	98.3	69.7	98.0	68.2	95.5	65.0	97.0	66.7
23	100.00	100.0	69.6	100.0	66.3	100.0	68.0	100.0	74.8	100.0	70.5	100.0	72.8	100.0	71.2	100.0	68.1	100.0	69.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 114: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw- Score	0-100 Score	Females (n=489)		Children 8-11 Males (n=365)		All (n=854)		Females (n=680)		Adolescents 12-18 Males (n=374)		All (n=1054)		Children & Adolescents 8-18 Females (n=1169)		Males (n=739)		All (n=1908)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17									0.4	9.5	0.1	13.0			0.2	7.2	0.1	9.7
8	8.33									0.4	12.0	0.1	15.4			0.2	9.8	0.1	12.1
9	12.50							0.3	19.2	0.9	14.5	0.5	17.8	0.2	15.7	0.5	12.4	0.3	14.5
10	16.67							0.3	21.5	0.9	17.1	0.5	20.2	0.2	18.1	0.5	15.0	0.3	17.0
11	20.83							0.8	23.8	1.2	19.6	0.9	22.5	0.4	20.5	0.6	17.5	0.5	19.4
12	25.00	0.3	13.2	0.4	16.8	0.3	14.9	1.6	26.1	1.2	22.2	1.4	24.9	1.0	22.8	0.8	20.1	0.9	21.8
13	29.17	0.5	16.1	0.4	19.5	0.4	17.7	2.9	28.4	1.7	24.7	2.5	27.2	1.9	25.2	1.0	22.6	1.5	24.3
14	33.33	0.5	18.9	1.7	22.1	0.9	20.4	4.6	30.7	2.0	27.2	3.6	29.6	2.8	27.6	1.8	25.2	2.4	26.7
15	37.50	1.4	21.7	2.5	24.8	1.9	23.2	8.1	33.0	4.3	29.7	6.7	32.0	5.3	29.9	3.4	27.7	4.6	29.2
16	41.67	1.9	24.6	4.7	27.5	3.1	25.9	10.4	35.3	6.6	32.3	9.1	34.3	6.8	32.3	5.7	30.3	6.4	31.6
17	45.83	3.1	27.4	5.6	30.2	4.1	28.7	12.8	37.6	8.8	34.8	11.4	36.7	8.7	34.7	7.2	32.9	8.1	34.0
18	50.00	3.9	30.2	6.6	32.9	5.1	31.5	19.1	39.9	12.6	37.3	16.8	39.1	12.7	37.0	9.6	35.4	11.5	36.5
19	54.17	6.5	33.1	8.3	35.5	7.3	34.2	22.9	42.2	15.5	39.9	20.3	41.5	16.1	39.4	11.9	38.0	14.5	38.9
20	58.33	8.8	35.9	12.9	38.2	10.5	37.0	29.2	44.5	21.1	42.4	26.3	43.8	20.6	41.8	17.0	40.6	19.2	41.3
21	62.50	18.4	38.7	23.0	40.9	20.4	39.7	43.2	46.8	35.0	44.9	40.3	46.2	32.8	44.2	29.1	43.1	31.3	43.8
22	66.67	22.9	41.6	27.4	43.6	24.8	42.5	49.6	49.1	43.0	47.5	47.3	48.6	38.4	46.5	35.3	45.7	37.2	46.2
23	70.83	29.5	44.4	35.3	46.3	32.0	45.3	55.9	51.4	51.0	50.0	54.2	50.9	44.9	48.9	43.3	48.2	44.2	48.7
24	75.00	45.2	47.3	50.9	49.0	47.6	48.0	69.0	53.7	65.5	52.5	67.8	53.3	59.1	51.3	58.3	50.8	58.8	51.1
25	79.17	55.0	50.1	59.1	51.6	56.8	50.8	75.1	56.0	71.9	55.0	74.0	55.7	66.7	53.6	65.6	53.4	66.3	53.5
26	83.33	64.4	52.9	67.4	54.3	65.7	53.5	81.9	58.3	78.9	57.6	80.8	58.0	74.5	56.0	73.2	55.9	74.0	56.0
27	87.50	74.2	55.8	79.7	57.0	76.6	56.3	87.6	60.6	89.1	60.1	88.1	60.4	82.0	58.4	84.5	58.5	82.9	58.4
28	91.67	80.4	58.6	85.8	59.7	82.7	59.0	91.1	62.9	93.1	62.6	91.8	62.8	86.6	60.7	89.5	61.0	87.7	60.8
29	95.83	86.5	61.4	90.1	62.4	88.1	61.8	94.4	65.2	95.5	65.2	94.8	65.1	91.1	63.1	92.8	63.6	91.8	63.3
30	100.00	100.0	64.3	100.0	65.1	100.0	64.6	100.0	67.5	100.0	67.7	100.0	67.5	100.0	65.5	100.0	66.2	100.0	65.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 115: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions

Raw- Score	0-100 Score	Females (n=489)		Children 8-11 Males (n=364)		All (n=853)		Females (n=683)		Adolescents 12-18 Males (n=380)		All (n=1063)		Females (n=1172)		Children & Adolescents 8-18 Males (n=744)		All (n=1926)		
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	
7	0.00																			
8	3.57																			
9	7.14																			
10	10.71				0.4	-12.2	0.2	-19.2									0.2	-13.0	0.1	-10.5
11	14.29				0.4	-9.3	0.2	-16.0									0.2	-10.0	0.1	-7.6
12	17.86				0.4	-6.4	0.2	-12.8									0.2	-7.1	0.1	-4.7
13	21.43				0.4	-3.4	0.2	-9.6	0.2	4.2			0.1	1.8	0.1	-0.7	0.2	-4.1	0.1	-1.8
14	25.00	0.3	-12.6	0.7	-0.5	0.4	-6.4	0.4	6.9	0.4	-1.9	0.3	4.6	0.3	2.2	0.4	-1.1	0.3	1.1	
15	28.57	0.3	-9.1	0.7	2.4	0.4	-3.2	0.4	9.6	0.4	1.2	0.3	7.4	0.3	5.1	0.4	1.9	0.3	4.0	
16	32.14	0.5	-5.5	1.4	5.3	0.8	0.0	0.5	12.3	0.4	4.2	0.4	10.2	0.5	7.9	0.8	4.9	0.6	6.9	
17	35.71	0.5	-2.0	1.4	8.3	0.8	3.3	0.7	15.1	0.4	7.3	0.5	13.0	0.6	10.8	0.8	7.9	0.7	9.8	
18	39.29	0.5	1.6	1.8	11.2	1.0	6.5	1.3	17.8	0.4	10.3	1.0	15.8	0.9	13.7	1.0	10.8	0.9	12.7	
19	42.86	0.5	5.1	2.3	14.1	1.2	9.7	1.3	20.5	0.7	13.4	1.1	18.5	0.9	16.6	1.4	13.8	1.1	15.6	
20	46.43	0.9	8.6	2.7	17.0	1.6	12.9	2.2	23.2	0.9	16.4	1.7	21.3	1.6	19.4	1.7	16.8	1.6	18.5	
21	50.00	1.3	12.1	2.7	20.0	1.8	16.1	2.8	25.9	2.1	19.5	2.6	24.1	2.2	22.3	2.3	19.8	2.2	21.4	
22	53.57	1.3	15.6	3.1	22.9	2.0	19.3	4.6	28.6	2.7	22.6	3.9	26.9	3.2	25.2	2.8	22.8	3.0	24.3	
23	57.14	1.9	19.1	3.4	25.8	2.5	22.5	6.0	31.3	3.5	25.6	5.1	29.7	4.3	28.0	3.4	25.8	3.9	27.2	
24	60.71	2.9	22.7	4.2	28.7	3.4	25.7	9.1	34.1	5.0	28.7	7.7	32.5	6.5	30.9	4.6	28.7	5.8	30.1	
25	64.29	3.7	26.2	5.0	31.6	4.2	28.9	12.5	36.8	6.6	31.7	10.4	35.3	8.8	33.8	5.8	31.7	7.7	33.0	
26	67.86	4.5	29.7	5.6	34.6	4.9	32.1	16.0	39.5	9.5	34.8	13.7	38.1	11.2	36.6	7.5	34.7	9.8	35.9	
27	71.43	5.9	33.2	7.7	37.5	6.7	35.4	21.6	42.2	13.2	37.8	18.6	40.9	15.1	39.5	10.5	37.7	13.3	38.8	
28	75.00	10.5	36.7	13.3	40.4	11.7	38.6	31.0	44.9	19.7	40.9	27.0	43.7	22.4	42.4	16.6	40.7	20.1	41.7	
29	78.57	15.8	40.3	17.9	43.3	16.7	41.8	38.8	47.6	26.3	44.0	34.3	46.5	29.2	45.2	22.2	43.7	26.5	44.7	
30	82.14	24.6	43.8	28.6	46.3	26.3	45.0	49.3	50.4	33.9	47.0	43.8	49.3	39.0	48.1	31.3	46.6	36.0	47.6	
31	85.71	36.4	47.3	44.2	49.2	39.8	48.2	61.3	53.1	45.3	50.1	55.6	52.0	51.0	51.0	44.8	49.6	48.5	50.5	
32	89.29	55.2	50.8	60.4	52.1	57.4	51.4	74.7	55.8	65.3	53.1	71.3	54.8	66.6	53.8	62.9	52.6	65.1	53.4	
33	92.86	70.5	54.3	77.7	55.0	73.6	54.6	85.7	58.5	77.8	56.2	82.9	57.6	79.4	56.7	77.8	55.6	78.8	56.3	
34	96.43	86.3	57.9	87.4	58.0	86.8	57.8	93.2	61.2	89.2	59.3	91.7	60.4	90.3	59.6	88.3	58.6	89.5	59.2	
35	100.00	100.0	61.4	100.0	60.9	100.0	61.0	100.0	63.9	100.0	62.3	100.0	63.2	100.0	62.4	100.0	61.6	100.0	62.1	

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 116: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw- Score	0-100 Score	Females (n=493)		Children 8-11 Males (n=371)		All (n=864)		Females (n=685)		Adolescents 12-18 Males (n=386)		All (n=1071)		Children & Adolescents 8-18 Females (n=1178)		Males (n=757)		All (n=1935)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00							0.6	19.8			0.4	16.4	0.3	16.3			0.2	12.0
8	15.00							0.9	22.4			0.6	19.1	0.5	19.0			0.3	14.9
9	20.00	0.3	10.5			0.2	6.3	1.9	25.0	0.4	10.1	1.3	21.9	1.2	21.6	0.2	5.8	0.8	17.7
10	25.00	0.5	13.8			0.3	9.8	2.9	27.6	0.7	13.5	2.0	24.6	1.9	24.3	0.3	9.4	1.2	20.6
11	30.00	0.7	17.0			0.4	13.3	5.2	30.2	0.7	17.0	3.5	27.3	3.3	27.0	0.3	13.0	2.1	23.4
12	35.00	1.6	20.3	0.4	9.8	1.0	16.8	7.0	32.8	1.1	20.4	4.8	30.0	4.7	29.6	0.7	16.6	3.1	26.3
13	40.00	2.3	23.5	0.7	13.9	1.5	20.3	11.2	35.4	1.4	23.8	7.6	32.8	7.5	32.3	1.0	20.2	4.9	29.2
14	45.00	3.5	26.8	0.7	18.0	2.2	23.9	15.2	38.0	2.9	27.2	10.7	35.5	10.3	34.9	1.7	23.8	6.9	32.0
15	50.00	5.5	30.0	1.2	22.0	3.6	27.4	20.1	40.7	4.7	30.7	14.5	38.2	14.0	37.6	2.9	27.5	9.7	34.9
16	55.00	8.3	33.3	3.2	26.1	6.2	30.9	27.1	43.3	9.5	34.1	20.8	40.9	19.3	40.3	6.5	31.1	14.2	37.8
17	60.00	12.2	36.5	5.4	30.2	9.3	34.4	36.6	45.9	13.4	37.5	28.2	43.7	26.4	42.9	9.5	34.7	19.8	40.6
18	65.00	18.5	39.8	9.1	34.3	14.5	37.9	45.5	48.5	21.5	40.9	36.9	46.4	34.2	45.6	15.4	38.3	26.9	43.5
19	70.00	26.0	43.0	18.0	38.3	22.6	41.4	54.6	51.1	32.6	44.3	46.7	49.1	42.6	48.3	25.4	41.9	35.9	46.4
20	75.00	37.2	46.3	27.2	42.4	32.9	44.9	65.9	53.7	44.6	47.8	58.2	51.8	53.9	50.9	36.0	45.5	46.9	49.2
21	80.00	49.1	49.5	38.8	46.5	44.7	48.4	76.0	56.3	59.1	51.2	69.9	54.6	64.8	53.6	49.1	49.1	58.6	52.1
22	85.00	59.1	52.8	52.3	50.6	56.2	51.9	84.1	58.9	69.7	54.6	78.9	57.3	73.6	56.3	61.2	52.7	68.7	54.9
23	90.00	73.3	56.0	71.5	54.6	72.5	55.4	91.5	61.6	81.9	58.0	88.1	60.0	83.9	58.9	76.8	56.3	81.1	57.8
24	95.00	88.0	59.3	85.5	58.7	86.9	58.9	95.6	64.2	90.9	61.4	93.9	62.7	92.5	61.6	88.2	59.9	90.8	60.7
25	100.00	100.0	62.5	100.0	62.8	100.0	62.5	100.0	66.8	100.0	64.9	100.0	65.5	100.0	64.2	100.0	63.5	100.0	63.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 117: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw- Score	0-100 Score	Females (n=497)		Children 8-11 Males (n=374)		All (n=871)		Females (n=689)		Adolescents 12-18 Males (n=383)		All (n=1072)		Children & Adolescents 8-18 Females (n=1186)		Males (n=757)		All (n=1943)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00	0.3	18.1			0.2	18.6							0.1	21.2			0.1	20.5
8	15.00	0.3	20.7	0.4	21.7	0.3	21.2	0.2	25.2	0.6	21.9	0.3	24.2	0.2	23.6	0.4	21.8	0.3	23.0
9	20.00	0.8	23.2	0.7	24.3	0.7	23.7	0.7	27.6	1.0	24.4	0.8	26.6	0.8	26.0	0.7	24.3	0.7	25.4
10	25.00	2.2	25.7	1.9	26.8	2.1	26.2	2.0	30.0	2.4	26.9	2.1	29.0	2.1	28.5	2.1	26.9	2.1	27.9
11	30.00	3.6	28.3	3.8	29.4	3.7	28.8	4.5	32.3	3.2	29.3	4.0	31.4	4.1	30.9	3.4	29.4	3.9	30.3
12	35.00	5.6	30.8	6.7	31.9	6.1	31.3	8.8	34.7	5.0	31.8	7.5	33.8	7.5	33.3	5.8	31.9	6.9	32.8
13	40.00	6.6	33.4	10.4	34.4	8.3	33.8	14.3	37.1	7.6	34.3	11.9	36.2	11.1	35.7	9.0	34.4	10.3	35.2
14	45.00	12.0	35.9	12.8	37.0	12.4	36.4	21.3	39.5	12.6	36.8	18.1	38.6	17.4	38.1	12.7	36.9	15.6	37.7
15	50.00	17.1	38.5	19.8	39.5	18.2	38.9	29.6	41.8	19.4	39.2	25.9	41.0	24.3	40.6	19.6	39.4	22.5	40.1
16	55.00	22.9	41.0	24.9	42.1	23.8	41.5	34.9	44.2	25.8	41.7	31.7	43.4	29.9	43.0	25.4	41.9	28.1	42.6
17	60.00	28.7	43.5	33.7	44.6	30.9	44.0	40.9	46.6	34.7	44.2	38.7	45.8	35.8	45.4	34.2	44.4	35.2	45.0
18	65.00	37.8	46.1	42.5	47.1	39.8	46.5	48.3	49.0	42.3	46.7	46.2	48.2	43.9	47.8	42.4	46.9	43.3	47.5
19	70.00	45.7	48.6	50.2	49.7	47.6	49.1	56.3	51.3	49.6	49.2	53.9	50.6	51.9	50.2	49.9	49.4	51.1	49.9
20	75.00	54.4	51.2	58.5	52.2	56.2	51.6	65.4	53.7	56.1	51.6	62.1	53.0	60.8	52.7	57.3	51.9	59.4	52.4
21	80.00	64.6	53.7	67.9	54.8	66.0	54.2	72.7	56.1	62.9	54.1	69.2	55.4	69.3	55.1	65.4	54.4	67.8	54.8
22	85.00	72.8	56.3	76.2	57.3	74.3	56.7	78.8	58.5	73.6	56.6	77.0	57.8	76.3	57.5	74.9	56.9	75.8	57.3
23	90.00	82.1	58.8	85.3	59.8	83.5	59.2	85.6	60.8	81.4	59.1	84.1	60.2	84.2	59.9	83.4	59.4	83.8	59.7
24	95.00	88.7	61.4	91.5	62.4	89.9	61.8	90.6	63.2	87.4	61.5	89.4	62.6	89.8	62.3	89.4	61.9	89.6	62.2
25	100.00	100.0	63.9	100.0	64.9	100.0	64.3	100.0	65.6	100.0	64.0	100.0	65.0	100.0	64.8	100.0	64.5	100.0	64.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 118: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life

Raw- Score	0-100 Score	Females (n=491)		Children 8-11 Males (n=370)		All (n=861)		Females (n=680)		Adolescents 12-18 Males (n=378)		All (n=1058)		Females (n=1171)		Children & Adolescents 8-18 Males (n=748)		All (n=1919)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.2	9.8			0.1	8.2	0.1	5.7			0.1	4.6
7	4.17							0.2	12.0			0.1	10.5	0.1	8.1			0.1	7.1
8	8.33	0.3	2.0			0.2	3.6	0.2	14.3			0.1	12.8	0.2	10.5			0.1	9.5
9	12.50	0.3	4.8			0.2	6.3	0.5	16.5			0.3	15.1	0.4	12.9			0.2	11.9
10	16.67	0.3	7.5			0.2	9.0	0.8	18.8			0.5	17.4	0.5	15.3			0.3	14.4
11	20.83	0.3	10.3			0.2	11.7	1.1	21.0	0.4	17.1	0.8	19.8	0.7	17.6	0.2	15.4	0.5	16.8
12	25.00	0.5	13.0	0.4	15.9	0.4	14.4	1.9	23.2	0.7	19.6	1.4	22.1	1.3	20.0	0.4	17.9	0.9	19.3
13	29.17	0.5	15.8	0.4	18.6	0.4	17.1	2.3	25.4	1.4	22.1	2.0	24.4	1.5	22.4	0.8	20.5	1.2	21.7
14	33.33	0.5	18.5	0.7	21.2	0.5	19.8	3.5	27.7	2.0	24.5	2.9	26.7	2.2	24.8	1.2	23.0	1.8	24.2
15	37.50	1.1	21.3	1.4	23.9	1.2	22.5	5.0	29.9	3.5	27.0	4.4	29.0	3.3	27.2	2.4	25.6	3.0	26.6
16	41.67	1.7	24.1	3.0	26.6	2.2	25.3	6.7	32.1	4.8	29.5	6.0	31.3	4.6	29.6	3.9	28.1	4.3	29.0
17	45.83	2.5	26.8	4.1	29.2	3.2	28.0	10.0	34.4	6.6	31.9	8.8	33.6	6.8	31.9	5.4	30.7	6.3	31.5
18	50.00	5.3	29.6	6.5	31.9	5.8	30.7	12.6	36.6	9.0	34.4	11.4	35.9	9.6	34.3	7.8	33.3	8.9	33.9
19	54.17	7.6	32.4	10.8	34.6	9.0	33.4	15.7	38.8	14.1	36.9	15.1	38.2	12.3	36.7	12.5	35.8	12.4	36.4
20	58.33	11.4	35.1	14.6	37.3	12.8	36.1	21.6	41.1	17.8	39.3	20.2	40.5	17.4	39.1	16.2	38.4	16.9	38.8
21	62.50	16.4	37.9	19.2	39.9	17.6	38.8	27.1	43.3	23.1	41.8	25.6	42.8	22.6	41.5	21.2	40.9	22.0	41.3
22	66.67	19.6	40.6	27.3	42.6	22.9	41.5	31.6	45.5	28.7	44.3	30.6	45.1	26.6	43.8	28.0	43.5	27.1	43.7
23	70.83	26.5	43.4	36.5	45.3	30.8	44.2	38.6	47.8	37.7	46.7	38.2	47.4	33.5	46.2	37.1	46.0	34.9	46.2
24	75.00	34.6	46.2	42.4	48.0	38.0	47.0	48.1	50.0	46.9	49.2	47.7	49.7	42.5	48.6	44.7	48.6	43.3	48.6
25	79.17	44.4	48.9	47.8	50.6	45.9	49.7	56.5	52.2	54.9	51.7	55.9	52.0	51.4	51.0	51.4	51.2	51.4	51.0
26	83.33	54.8	51.7	60.6	53.3	57.3	52.4	65.7	54.4	66.0	54.1	65.8	54.3	61.1	53.4	63.3	53.7	62.0	53.5
27	87.50	66.2	54.4	71.2	56.0	68.3	55.1	74.2	56.7	75.5	56.6	74.7	56.6	70.9	55.7	73.4	56.3	71.8	55.9
28	91.67	79.7	57.2	84.4	58.6	81.7	57.8	83.6	58.9	84.5	59.1	83.9	58.9	82.0	58.1	84.4	58.8	82.9	58.4
29	95.83	88.0	60.0	93.0	61.3	90.1	60.5	92.6	61.1	91.0	61.5	92.1	61.2	90.7	60.5	92.0	61.4	91.2	60.8
30	100.00	100.0	62.7	100.0	64.0	100.0	63.2	100.0	63.4	100.0	64.0	100.0	63.5	100.0	62.9	100.0	64.0	100.0	63.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 119: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw- Score	0-100 Score	Females (n=483)		Children 8-11 Males (n=364)		All (n=847)		Females (n=685)		Adolescents 12-18 Males (n=381)		All (n=1066)		Children & Adolescents 8-18 Females (n=1168)		Males (n=745)		All (n=1913)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00	0.3	16.0	0.6	18.5	0.4	17.2			0.4	15.8	0.1	16.6	0.1	16.6	0.4	17.2	0.2	16.9
7	4.17	0.3	18.1	0.6	20.6	0.4	19.3			0.4	18.0	0.1	18.7	0.1	18.7	0.4	19.3	0.2	19.0
8	8.33	0.3	20.3	1.0	22.6	0.5	21.3			0.7	20.2	0.2	20.8	0.1	20.7	0.7	21.4	0.3	21.1
9	12.50	0.9	22.4	1.0	24.7	0.8	23.4	0.2	23.2	0.9	22.4	0.4	22.9	0.4	22.8	0.9	23.5	0.6	23.2
10	16.67	1.3	24.5	1.7	26.7	1.4	25.5	0.6	25.2	1.2	24.5	0.8	25.0	0.9	24.9	1.3	25.6	1.0	25.2
11	20.83	1.9	26.6	1.7	28.8	1.8	27.6	1.2	27.3	1.5	26.7	1.2	27.1	1.5	27.0	1.6	27.8	1.5	27.3
12	25.00	3.1	28.7	4.4	30.8	3.7	29.7	2.9	29.3	2.9	28.9	2.9	29.2	3.0	29.1	3.6	29.9	3.2	29.4
13	29.17	4.0	30.8	6.6	32.8	5.1	31.7	5.3	31.4	3.7	31.1	4.7	31.3	4.7	31.1	5.1	32.0	4.9	31.5
14	33.33	5.6	32.9	8.2	34.9	6.7	33.8	7.6	33.4	6.3	33.3	7.1	33.4	6.8	33.2	7.2	34.1	7.0	33.6
15	37.50	8.9	35.0	10.7	36.9	9.7	35.9	11.5	35.5	7.9	35.5	10.2	35.5	10.5	35.3	9.3	36.2	10.0	35.7
16	41.67	13.1	37.1	15.4	38.9	14.1	38.0	14.5	37.5	13.2	37.6	14.0	37.6	13.9	37.4	14.3	38.3	14.0	37.8
17	45.83	17.6	39.2	23.6	41.0	20.2	40.0	18.5	39.6	18.6	39.8	18.6	39.7	18.1	39.4	21.1	40.4	19.3	39.8
18	50.00	25.2	41.4	29.9	43.0	27.3	42.1	26.3	41.6	28.1	42.0	26.9	41.8	25.8	41.5	29.0	42.5	27.1	41.9
19	54.17	31.0	43.5	35.1	45.1	32.8	44.2	31.2	43.7	34.3	44.2	32.3	43.9	31.2	43.6	34.7	44.6	32.5	44.0
20	58.33	36.9	45.6	43.9	47.1	39.9	46.3	38.1	45.7	41.7	46.4	39.4	46.0	37.6	45.7	42.8	46.8	39.6	46.1
21	62.50	42.8	47.7	48.4	49.2	45.2	48.4	43.1	47.8	44.6	48.5	43.6	48.0	43.0	47.8	46.4	48.9	44.3	48.2
22	66.67	49.1	49.8	55.8	51.2	51.9	50.4	50.0	49.8	53.5	50.7	51.2	50.1	49.6	49.8	54.6	51.0	51.5	50.3
23	70.83	54.2	51.9	60.2	53.3	56.8	52.5	56.1	51.9	60.1	52.9	57.5	52.2	55.3	51.9	60.1	53.1	57.2	52.4
24	75.00	65.0	54.0	69.3	55.3	66.8	54.6	64.1	53.9	70.9	55.1	66.5	54.3	64.5	54.0	70.1	55.2	66.7	54.4
25	79.17	72.9	56.1	76.4	57.4	74.4	56.7	71.3	56.0	78.5	57.3	73.9	56.4	71.9	56.1	77.5	57.3	74.1	56.5
26	83.33	81.4	58.3	85.3	59.4	83.1	58.7	77.7	58.1	84.8	59.4	80.2	58.5	79.2	58.1	85.0	59.4	81.5	58.6
27	87.50	86.3	60.4	89.1	61.5	87.5	60.8	85.0	60.1	89.2	61.6	86.5	60.6	85.5	60.2	89.2	61.5	87.0	60.7
28	91.67	93.2	62.5	94.8	63.5	93.9	62.9	91.5	62.2	94.0	63.8	92.4	62.7	92.2	62.3	94.4	63.6	93.1	62.8
29	95.83	95.7	64.6	96.2	65.6	95.9	65.0	95.9	64.2	96.6	66.0	96.2	64.8	95.8	64.4	96.4	65.8	96.0	64.9
30	100.00	100.0	66.7	100.0	67.6	100.0	67.1	100.0	66.3	100.0	68.2	100.0	66.9	100.0	66.4	100.0	67.9	100.0	67.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 120: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw- Score	0-100 Score	Females (n=494)		Children 8-11 Males (n=371)		All (n=865)		Females (n=683)		Adolescents 12-18 Males (n=382)		All (n=1065)		Females (n=1177)		Children & Adolescents 8-18 Males (n=753)		All (n=1930)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.2	12.6			0.1	13.9	0.1	11.8			0.1	12.4
7	4.17	0.3	7.4			0.2	8.5	0.2	15.1	0.4	18.3	0.2	16.4	0.2	14.2	0.2	15.5	0.2	14.7
8	8.33	0.3	9.9			0.2	11.0	0.2	17.6	0.4	20.6	0.2	18.8	0.2	16.6	0.2	17.8	0.2	17.1
9	12.50	0.3	12.5			0.2	13.6	0.4	20.1	0.9	22.9	0.5	21.2	0.3	18.9	0.4	20.1	0.3	19.4
10	16.67	0.3	15.0	0.4	17.0	0.3	16.1	0.5	22.6	1.4	25.2	0.8	23.6	0.4	21.2	0.8	22.4	0.5	21.7
11	20.83	0.5	17.5	0.9	19.6	0.6	18.6	1.2	25.1	2.9	27.5	1.8	26.0	0.9	23.6	1.9	24.7	1.2	24.1
12	25.00	1.0	20.0	1.4	22.1	1.1	21.1	1.9	27.6	4.5	29.8	2.8	28.5	1.5	25.9	2.9	27.1	2.1	26.4
13	29.17	1.8	22.5	1.9	24.6	1.8	23.6	3.2	30.1	7.3	32.1	4.7	30.9	2.6	28.3	4.6	29.4	3.4	28.7
14	33.33	2.7	25.1	2.3	27.1	2.4	26.1	5.3	32.6	8.7	34.4	6.5	33.3	4.2	30.7	5.4	31.7	4.7	31.1
15	37.50	3.3	27.6	3.5	29.7	3.3	28.6	8.6	35.1	11.0	36.7	9.5	35.7	6.4	33.0	7.3	34.0	6.7	33.4
16	41.67	3.7	30.1	5.9	32.2	4.6	31.1	12.7	37.6	14.4	39.0	13.3	38.1	8.9	35.4	10.2	36.3	9.4	35.8
17	45.83	7.1	32.6	8.6	34.7	7.7	33.6	18.5	40.1	19.1	41.3	18.7	40.6	13.7	37.7	14.0	38.7	13.8	38.1
18	50.00	10.7	35.1	13.8	37.3	12.0	36.1	27.4	42.5	29.6	43.7	28.2	43.0	20.4	40.1	21.8	41.0	20.9	40.4
19	54.17	13.3	37.7	17.8	39.8	15.2	38.6	35.7	45.0	36.4	46.0	36.0	45.4	26.3	42.4	27.3	43.3	26.7	42.8
20	58.33	18.8	40.2	22.4	42.3	20.3	41.1	45.1	47.5	46.4	48.3	45.5	47.8	34.0	44.8	34.6	45.6	34.3	45.1
21	62.50	24.3	42.7	33.2	44.8	28.1	43.6	55.9	50.0	56.0	50.6	55.9	50.2	42.6	47.1	44.8	47.9	43.5	47.5
22	66.67	31.8	45.2	44.5	47.4	37.2	46.2	64.9	52.5	65.2	52.9	65.0	52.7	51.0	49.5	55.0	50.3	52.6	49.8
23	70.83	40.7	47.7	51.5	49.9	45.3	48.7	72.2	55.0	72.8	55.2	72.4	55.1	59.0	51.9	62.3	52.6	60.3	52.1
24	75.00	51.8	50.2	62.3	52.4	56.3	51.2	79.9	57.5	82.2	57.5	80.8	57.5	68.1	54.2	72.4	54.9	69.8	54.5
25	79.17	61.9	52.8	70.7	54.9	65.6	53.7	86.1	60.0	85.6	59.8	85.9	59.9	75.9	56.6	78.2	57.2	76.8	56.8
26	83.33	71.0	55.3	81.2	57.5	75.4	56.2	90.8	62.5	91.1	62.1	90.9	62.3	82.5	58.9	86.2	59.5	83.9	59.2
27	87.50	81.8	57.8	87.9	60.0	84.4	58.7	95.5	65.0	94.8	64.4	95.2	64.8	89.7	61.3	91.4	61.9	90.4	61.5
28	91.67	89.5	60.3	91.4	62.5	90.3	61.2	97.2	67.5	96.6	66.7	97.0	67.2	94.0	63.6	94.0	64.2	94.0	63.8
29	95.83	93.1	62.8	94.4	65.0	93.6	63.7	98.4	70.0	98.2	69.0	98.3	69.6	96.2	66.0	96.3	66.5	96.2	66.2
30	100.00	100.0	65.4	100.0	67.6	100.0	66.2	100.0	72.5	100.0	71.3	100.0	72.0	100.0	68.3	100.0	68.8	100.0	68.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 121: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw- Score	0-100 Score	Females (n=499)		Children 8-11 Males (n=374)		All (n=873)		Females (n=691)		Adolescents 12-18 Males (n=386)		All (n=1077)		Children & Adolescents 8-18 Females (n=1190)		Males (n=760)		All (n=1950)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00																		
4	8.33																		
5	16.67			0.4	-10.4	0.2	-15.8									0.2	-18.1	0.1	-23.4
6	25.00			0.7	-3.7	0.3	-8.5	0.3	-26.6	0.4	-23.1	0.3	-25.1	0.2	-19.3	0.4	-10.7	0.3	-15.5
7	33.33	0.3	-5.4	1.0	3.1	0.5	-1.2	0.3	-17.6	0.7	-14.4	0.4	-16.2	0.3	-11	0.7	-3.3	0.4	-7.6
8	41.67	0.7	2.4	1.4	9.8	0.9	6.1	0.5	-8.5	0.9	-5.8	0.6	-7.4	0.5	-2.6	1.1	4.0	0.7	0.3
9	50.00	1.1	10.2	2.2	16.5	1.5	13.3	0.9	0.5	1.4	2.8	1.0	1.5	0.9	5.7	1.7	11.4	1.2	8.2
10	58.33	1.6	18.1	2.2	23.3	1.9	20.6	1.5	9.5	1.4	11.5	1.4	10.3	1.5	14.0	1.7	18.8	1.6	16.1
11	66.67	2.8	25.9	5.6	30.0	4.0	27.9	2.2	18.6	2.9	20.1	2.4	19.2	2.4	22.4	4.2	26.2	3.1	24.0
12	75.00	14.3	33.7	13.6	36.7	14.0	35.1	6.5	27.6	6.0	28.8	6.3	28.1	9.8	30.7	9.7	33.6	9.8	32.0
13	83.33	24.8	41.5	28.6	43.4	26.5	42.4	12.6	36.6	12.7	37.4	12.7	36.9	17.7	39.0	20.6	41.0	18.8	39.9
14	91.67	45.8	49.3	46.8	50.1	46.2	49.7	27.2	45.7	28.3	46.0	27.6	45.8	35.0	47.4	37.4	48.3	36.0	47.8
15	100.00	100.0	57.1	100.0	56.8	100.0	57.0	100.0	54.7	100.0	54.7	100.0	54.7	100.0	55.7	100.0	55.7	100.0	55.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 122: HU – Hungary. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw- Score	0-100 Score	Females (n=472)		Children 8-11 Males (n=356)		All (n=828)		Females (n=679)		Adolescents 12-18 Males (n=374)		All (n=1053)		Females (n=1151)		Children & Adolescents 8-18 Males (n=730)		All (n=1881)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
<b>3</b>	<b>0.00</b>	4.9	30.1	5.6	30.4	5.2	30.3	2.5	29.6	2.7	29.2	2.6	29.4	3.5	29.8	4.1	29.8	3.7	29.8
<b>4</b>	<b>8.33</b>	5.9	33.0	7.2	33.2	6.5	33.1	4.1	32.5	3.5	32.2	3.9	32.4	4.9	32.7	5.3	32.7	5.0	32.7
<b>5</b>	<b>16.67</b>	8.5	35.8	10.1	36.1	9.2	35.9	6.3	35.4	5.6	35.1	6.1	35.3	7.2	35.6	7.8	35.6	7.4	35.6
<b>6</b>	<b>25.00</b>	19.3	38.6	21.0	38.9	20.0	38.8	19.9	38.4	21.4	38.1	20.4	38.3	19.6	38.5	21.2	38.5	20.2	38.5
<b>7</b>	<b>33.33</b>	27.3	41.4	26.9	41.8	27.1	41.6	27.8	41.3	27.6	41.1	27.7	41.2	27.6	41.3	27.2	41.5	27.5	41.4
<b>8</b>	<b>41.67</b>	34.0	44.2	32.9	44.6	33.5	44.4	34.7	44.2	32.6	44.1	34.0	44.2	34.4	44.2	32.8	44.4	33.8	44.3
<b>9</b>	<b>50.00</b>	49.1	47.1	51.1	47.5	50.0	47.3	52.5	47.2	48.2	47.1	51.0	47.1	51.1	47.1	49.6	47.3	50.5	47.2
<b>10</b>	<b>58.33</b>	55.0	49.9	55.3	50.3	55.2	50.1	57.4	50.1	56.7	50.1	57.2	50.1	56.4	50.0	56.0	50.2	56.3	50.1
<b>11</b>	<b>66.67</b>	62.0	52.7	62.1	53.2	62.0	52.9	63.0	53.0	66.3	53.1	64.1	53.0	62.6	52.9	64.2	53.1	63.2	53.0
<b>12</b>	<b>75.00</b>	70.5	55.5	74.4	56.1	72.2	55.8	73.0	55.9	73.5	56.0	73.2	56.0	72.0	55.8	74.0	56.0	72.7	55.9
<b>13</b>	<b>83.33</b>	77.7	58.4	80.0	58.9	78.7	58.6	78.3	58.9	79.7	59.0	78.8	58.9	78.1	58.7	79.9	59.0	78.8	58.8
<b>14</b>	<b>91.67</b>	81.6	61.2	85.4	61.8	83.2	61.4	83.0	61.8	83.7	62.0	83.3	61.9	82.4	61.5	84.5	61.9	83.2	61.7
<b>15</b>	<b>100.00</b>	100.0	64.0	100.0	64.6	100.0	64.3	100.0	64.7	100.0	65.0	100.0	64.8	100.0	64.4	100.0	64.8	100.0	64.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 123: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw- Score	0-100 Score	Females (n=494)		Children 8-11 Males (n=369)		All (n=863)		Females (n=684)		Adolescents 12-18 Males (n=382)		All (n=1066)		Females (n=1178)		Children & Adolescents 8-18 Males (n=751)		All (n=1929)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00									0.4	13.7	0.1	17.4			0.2	12.9	0.1	15.2
6	5.56							0.6	21.5	0.4	16.9	0.5	20.5	0.3	19.1	0.2	16.0	0.3	18.2
7	11.11	0.3	13.2	1.1	16.8	0.6	15.0	1.3	24.6	0.7	20.0	1.0	23.6	0.9	22.1	0.8	19.0	0.8	21.3
8	16.67	0.5	16.7	1.1	19.9	0.8	18.3	2.8	27.8	1.1	23.2	2.2	26.6	1.8	25.2	1.1	22.1	1.5	24.3
9	22.22	0.5	20.3	1.7	23.0	1.0	21.6	4.4	30.9	2.1	26.3	3.6	29.7	2.7	28.3	1.9	25.2	2.4	27.3
10	27.78	1.6	23.8	2.2	26.1	1.8	24.9	7.7	34.0	4.0	29.5	6.4	32.8	5.2	31.4	3.1	28.2	4.4	30.4
11	33.33	2.6	27.3	4.9	29.2	3.6	28.2	12.4	37.2	8.1	32.7	10.9	35.9	8.3	34.4	6.5	31.3	7.6	33.4
12	38.89	5.3	30.8	6.2	32.3	5.7	31.5	22.2	40.3	10.7	35.8	18.1	38.9	15.1	37.5	8.5	34.3	12.5	36.4
13	44.44	9.1	34.3	10.3	35.3	9.6	34.9	31.0	43.4	16.5	39.0	25.8	42.0	21.8	40.6	13.5	37.4	18.6	39.5
14	50.00	14.6	37.9	14.1	38.4	14.4	38.2	39.6	46.6	23.5	42.1	33.8	45.1	29.1	43.6	18.9	40.5	25.2	42.5
15	55.56	21.2	41.4	20.8	41.5	21.1	41.5	52.0	49.7	35.1	45.3	46.0	48.2	39.1	46.7	28.1	43.5	34.8	45.5
16	61.11	32.8	44.9	31.8	44.6	32.4	44.8	65.8	52.8	45.8	48.4	58.6	51.2	51.9	49.8	39.0	46.6	46.9	48.5
17	66.67	49.4	48.4	43.6	47.7	46.9	48.1	78.2	56.0	62.6	51.6	72.6	54.3	66.1	52.8	53.2	49.7	61.1	51.6
18	72.22	66.8	52.0	58.5	50.8	63.2	51.4	87.3	59.1	72.3	54.7	81.9	57.4	78.7	55.9	65.5	52.7	73.6	54.6
19	77.78	76.7	55.5	70.9	53.9	74.3	54.7	92.2	62.3	83.8	57.9	89.2	60.5	85.8	59.0	77.5	55.8	82.5	57.6
20	83.33	85.5	59.0	78.3	57.0	82.4	58.0	95.9	65.4	91.1	61.1	94.2	63.5	91.5	62.0	84.8	58.9	88.9	60.7
21	88.89	92.1	62.5	86.8	60.1	89.8	61.4	98.1	68.5	95.3	64.2	97.1	66.6	95.6	65.1	91.1	61.9	93.8	63.7
22	94.44	96.6	66.1	93.8	63.2	95.4	64.7	99.0	71.7	97.1	67.4	98.3	69.7	98.0	68.2	95.5	65.0	97.0	66.7
23	100.00	100.0	69.6	100.0	66.3	100.0	68.0	100.0	74.8	100.0	70.5	100.0	72.8	100.0	71.2	100.0	68.1	100.0	69.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 124: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw- Score	0-100 Score	Females (n=488)		Children 8-11 Males (n=365)		All (n=853)		Females (n=681)		Adolescents 12-18 Males (n=377)		All (n=1058)		Children & Adolescents 8-18 Females (n=1169)		Males (n=742)		All (n=1911)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14			0.4	-4.7	0.2	-7.8									0.2	-2.1	0.1	1.4
10	10.71			0.4	-2.0	0.2	-5.0			0.4	2.2	0.1	7.5			0.3	0.5	0.1	3.9
11	14.29			0.4	0.7	0.2	-2.2			0.4	4.8	0.1	9.9			0.3	3.1	0.1	6.4
12	17.86			0.4	3.4	0.2	0.6	0.2	14.1	0.4	7.4	0.2	12.3	0.1	10.5	0.3	5.8	0.2	8.9
13	21.43			0.4	6.1	0.2	3.4	0.4	16.5	0.7	10.0	0.4	14.7	0.2	13.0	0.5	8.4	0.3	11.4
14	25.00			0.4	8.8	0.2	6.2	0.4	18.9	0.7	12.6	0.4	17.1	0.2	15.4	0.5	11.1	0.3	13.9
15	28.57			0.7	11.5	0.3	9.0	0.6	21.2	0.7	15.2	0.6	19.5	0.4	17.8	0.6	13.7	0.4	16.4
16	32.14			1.0	14.2	0.4	11.8	1.2	23.5	0.7	17.8	1.0	21.9	0.7	20.2	0.8	16.3	0.7	18.8
17	35.71	0.5	12.5	1.0	16.9	0.6	14.6	1.8	25.9	1.4	20.4	1.6	24.3	1.2	22.6	1.1	18.9	1.2	21.3
18	39.29	0.7	15.4	1.3	19.6	0.9	17.4	3.1	28.3	2.7	23.0	2.9	26.7	2.1	25.0	1.9	21.6	2.0	23.8
19	42.86	1.4	18.3	2.2	22.3	1.8	20.3	5.1	30.6	3.5	25.6	4.5	29.2	3.6	27.4	2.8	24.2	3.3	26.3
20	46.43	2.7	21.2	2.8	25.0	2.7	23.1	7.3	33.0	4.1	28.2	6.1	31.6	5.4	29.9	3.4	26.8	4.6	28.8
21	50.00	3.0	24.1	3.6	27.7	3.2	25.9	10.1	35.3	4.4	30.8	8.0	34.0	7.1	32.3	3.9	29.5	5.9	31.3
22	53.57	3.5	27.0	4.7	30.4	4.0	28.7	13.1	37.7	6.7	33.4	10.8	36.4	9.1	34.7	5.7	32.1	7.8	33.8
23	57.14	5.3	29.9	6.0	33.2	5.6	31.5	17.9	40.0	10.1	36.0	15.2	38.8	12.7	37.1	8.1	34.7	10.9	36.3
24	60.71	6.5	32.8	9.1	35.9	7.6	34.3	24.5	42.4	14.4	38.6	20.9	41.2	17.0	39.5	11.8	37.4	15.0	38.8
25	64.29	9.0	35.8	13.7	38.6	11.0	37.1	31.9	44.7	18.1	41.2	27.0	43.6	22.3	41.9	15.9	40.0	19.9	41.2
26	67.86	13.4	38.7	19.4	41.3	15.9	39.9	41.1	47.1	26.0	43.8	35.8	46.0	29.6	44.3	22.8	42.6	26.9	43.7
27	71.43	19.9	41.6	25.7	44.0	22.4	42.7	49.9	49.5	35.5	46.4	44.8	48.4	37.4	46.8	30.7	45.3	34.8	46.2
28	75.00	29.3	44.5	35.8	46.7	32.1	45.5	58.7	51.8	45.3	49.0	53.9	50.8	46.4	49.2	40.7	47.9	44.2	48.7
29	78.57	40.9	47.4	50.1	49.4	44.8	48.3	68.3	54.2	57.2	51.6	64.3	53.3	56.9	51.6	53.7	50.5	55.6	51.2
30	82.14	55.1	50.3	60.2	52.1	57.3	51.1	77.0	56.5	71.6	54.2	75.1	55.7	67.8	54.0	66.0	53.1	67.1	53.7
31	85.71	67.0	53.2	72.3	54.8	69.3	53.9	83.4	58.9	79.3	56.8	82.0	58.1	76.6	56.4	75.9	55.8	76.3	56.2
32	89.29	75.6	56.1	81.9	57.5	78.3	56.7	89.9	61.2	88.3	59.3	89.3	60.5	83.9	58.8	85.2	58.4	84.4	58.7
33	92.86	86.1	59.1	89.3	60.2	87.5	59.5	93.5	63.6	92.6	61.9	93.2	62.9	90.4	61.2	90.9	61.0	90.6	61.1
34	96.43	92.2	62.0	95.3	62.9	93.5	62.3	97.5	65.9	96.3	64.5	97.1	65.3	95.3	63.7	95.8	63.7	95.5	63.6
35	100.00	100.0	64.9	100.0	65.6	100.0	65.1	100.0	68.3	100.0	67.1	100.0	67.7	100.0	66.1	100.0	66.3	100.0	66.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 125: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy

Raw- Score	0-100 Score	Females (n=470)		Children 8-11 Males (n=358)		All (n=828)		Females (n=673)		Adolescents 12-18 Males (n=372)		All (n=1045)		Females (n=1143)		Children & Adolescents 8-18 Males (n=730)		All (n=1883)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71							0.2	19.9			0.2	19.1	0.1	18.1			0.1	17.8
11	14.29							0.5	21.8	0.4	19.6	0.4	21.1	0.3	20.1	0.2	19.3	0.2	19.8
12	17.86	0.3	18.8			0.2	19.8	0.5	23.8	0.4	21.6	0.4	23.1	0.4	22.1	0.2	21.4	0.3	21.8
13	21.43	0.6	20.9	0.6	23.1	0.5	21.9	0.8	25.7	0.4	23.6	0.6	25.0	0.6	24.1	0.5	23.4	0.5	23.8
14	25.00	0.8	23.0	1.7	25.1	1.1	24.0	1.2	27.6	0.7	25.6	1.0	27.0	1.0	26.1	1.1	25.4	1.0	25.8
15	28.57	1.1	25.1	2.6	27.1	1.7	26.0	2.5	29.6	1.4	27.7	2.1	29.0	1.9	28.0	1.9	27.4	1.9	27.8
16	32.14	1.4	27.2	4.2	29.2	2.5	28.1	4.1	31.5	3.0	29.7	3.7	30.9	3.0	30.0	3.6	29.4	3.2	29.8
17	35.71	2.6	29.3	6.2	31.2	4.1	30.2	6.4	33.5	4.1	31.7	5.5	32.9	4.8	32.0	5.1	31.4	4.9	31.8
18	39.29	4.9	31.4	7.9	33.2	6.2	32.2	9.3	35.4	7.5	33.7	8.7	34.9	7.5	34.0	7.7	33.5	7.6	33.8
19	42.86	7.7	33.5	10.4	35.2	8.8	34.3	14.1	37.4	10.7	35.7	12.9	36.8	11.4	36.0	10.6	35.5	11.1	35.8
20	46.43	10.7	35.6	12.6	37.2	11.5	36.3	18.8	39.3	14.5	37.7	17.3	38.8	15.5	38.0	13.6	37.5	14.7	37.8
21	50.00	13.7	37.7	17.1	39.3	15.1	38.4	23.9	41.3	19.1	39.8	22.2	40.8	19.7	40.0	18.1	39.5	19.1	39.8
22	53.57	18.5	39.8	21.5	41.3	19.8	40.5	30.4	43.2	24.7	41.8	28.4	42.7	25.5	42.0	23.2	41.5	24.6	41.8
23	57.14	25.5	41.9	26.9	43.3	26.1	42.5	35.5	45.2	30.7	43.8	33.8	44.7	31.4	43.9	28.8	43.6	30.4	43.8
24	60.71	31.5	44.0	34.1	45.3	32.6	44.6	42.2	47.1	37.7	45.8	40.6	46.7	37.8	45.9	35.9	45.6	37.1	45.8
25	64.29	37.9	46.1	40.8	47.4	39.2	46.7	49.7	49.1	45.7	47.8	48.3	48.6	44.8	47.9	43.3	47.6	44.2	47.8
26	67.86	47.0	48.2	46.4	49.4	46.7	48.7	55.6	51.0	51.9	49.8	54.3	50.6	52.1	49.9	49.2	49.6	51.0	49.8
27	71.43	52.5	50.3	56.7	51.4	54.4	50.8	61.8	53.0	60.0	51.9	61.2	52.6	58.0	51.9	58.4	51.6	58.2	51.8
28	75.00	60.2	52.4	64.0	53.4	61.8	52.8	67.9	54.9	66.7	53.9	67.5	54.5	64.7	53.9	65.4	53.6	65.0	53.8
29	78.57	66.6	54.5	72.1	55.4	69.0	54.9	75.2	56.9	73.5	55.9	74.6	56.5	71.7	55.9	72.8	55.7	72.1	55.8
30	82.14	72.5	56.6	79.1	57.5	75.4	57.0	80.0	58.8	78.5	57.9	79.5	58.5	76.9	57.9	78.8	57.7	77.7	57.8
31	85.71	82.3	58.7	85.5	59.5	83.7	59.0	85.9	60.7	84.2	59.9	85.3	60.4	84.4	59.8	84.8	59.7	84.6	59.8
32	89.29	87.0	60.8	89.1	61.5	87.9	61.1	91.5	62.7	89.3	61.9	90.7	62.4	89.7	61.8	89.2	61.7	89.5	61.8
33	92.86	92.8	62.9	93.3	63.5	93.0	63.2	96.2	64.6	92.5	63.9	94.8	64.4	94.8	63.8	92.9	63.7	94.0	63.8
34	96.43	95.8	65.0	97.2	65.6	96.4	65.2	97.8	66.6	96.2	66.0	97.2	66.3	97.0	65.8	96.7	65.8	96.9	65.8
35	100.00	100.0	67.1	100.0	67.6	100.0	67.3	100.0	68.5	100.0	68.0	100.0	68.3	100.0	67.8	100.0	67.8	100.0	67.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 126: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY Social Support &amp; Peers

Raw- Score	0-100 Score	Females (n=484)		Children 8-11 Males (n=365)		All (n=849)		Females (n=688)		Adolescents 12-18 Males (n=381)		All (n=1069)		Children & Adolescents 8-18 Females (n=1172)		Males (n=746)		All (n=1918)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00	0.3	16.2	0.9	18.6	0.5	17.3			0.4	15.9	0.1	16.4	0.1	16.5	0.5	17.3	0.3	16.8
5	6.25	0.7	19.2	0.9	21.6	0.7	20.3			0.7	19.0	0.2	19.5	0.3	19.5	0.7	20.3	0.4	19.9
6	12.50	0.9	22.2	1.5	24.5	1.1	23.3			0.9	22.2	0.3	22.5	0.4	22.5	1.1	23.4	0.6	22.9
7	18.75	2.1	25.3	1.5	27.5	1.8	26.3	0.9	25.6	1.4	25.3	1.0	25.6	1.4	25.5	1.4	26.4	1.4	25.9
8	25.00	3.3	28.3	4.4	30.4	3.8	29.3	2.9	28.6	2.9	28.5	2.9	28.6	3.1	28.5	3.6	29.5	3.3	28.9
9	31.25	5.0	31.4	7.7	33.4	6.1	32.3	6.1	31.6	3.9	31.6	5.3	31.6	5.6	31.5	5.8	32.5	5.7	31.9
10	37.50	8.3	34.4	11.2	36.3	9.5	35.3	10.3	34.6	8.1	34.8	9.5	34.7	9.5	34.5	9.6	35.6	9.5	35.0
11	43.75	13.9	37.5	19.2	39.3	16.1	38.3	15.4	37.6	14.4	37.9	15.1	37.7	14.8	37.5	16.7	38.6	15.5	38.0
12	50.00	23.2	40.5	30.1	42.3	26.2	41.3	24.4	40.5	27.5	41.0	25.5	40.7	23.9	40.5	28.8	41.7	25.8	41.0
13	56.25	33.3	43.6	34.8	45.2	33.9	44.3	32.7	43.5	35.1	44.2	33.6	43.8	33.0	43.5	35.0	44.7	33.7	44.0
14	62.50	40.3	46.6	47.7	48.2	43.5	47.3	42.0	46.5	44.9	47.3	43.0	46.8	41.3	46.6	46.3	47.8	43.2	47.0
15	68.75	48.4	49.6	55.7	51.2	51.5	50.3	48.6	49.5	54.1	50.5	50.5	49.8	48.5	49.6	54.9	50.8	51.0	50.0
16	75.00	61.2	52.7	64.9	54.1	62.8	53.3	59.6	52.5	65.9	53.6	61.8	52.9	60.2	52.6	65.5	53.9	62.3	53.1
17	81.25	72.3	55.7	77.0	57.1	74.4	56.3	69.0	55.5	75.1	56.8	71.2	55.9	70.4	55.6	76.1	56.9	72.6	56.1
18	87.50	83.5	58.8	87.2	60.0	85.1	59.3	80.8	58.5	86.9	59.9	83.0	58.9	81.9	58.6	87.0	60.0	83.9	59.1
19	93.75	91.8	61.8	94.8	63.0	93.1	62.3	91.0	61.5	93.5	63.0	91.9	62.0	91.3	61.6	94.1	63.0	92.4	62.1
20	100.00	100.0	64.9	100.0	66.0	100.0	65.3	100.0	64.4	100.0	66.2	100.0	65.0	100.0	64.6	100.0	66.1	100.0	65.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 127: HU – Hungary. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw- Score	0-100 Score	Females (n=494)		Children 8-11 Males (n=371)		All (n=865)		Females (n=687)		Adolescents 12-18 Males (n=384)		All (n=871)		Females (n=1181)		Children & Adolescents 8-18 Males (n=755)		All (n=1936)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00							0.2	9.2			0.1	11.2	0.1	8.3			0.1	9.4
5	6.25	0.3	5.5			0.2	7.3	0.2	13.1	0.4	17.6	0.2	14.9	0.2	12.0	0.2	14.5	0.2	13.1
6	12.50	0.3	9.4			0.2	11.2	0.4	16.9	0.4	21.1	0.3	18.6	0.3	15.7	0.2	18.1	0.2	16.7
7	18.75	0.3	13.4	0.4	16.5	0.3	15.0	0.6	20.8	1.3	24.5	0.8	22.3	0.5	19.4	0.8	21.7	0.6	20.4
8	25.00	0.5	17.3	0.9	20.4	0.6	18.9	1.2	24.6	3.2	28.0	1.9	26.0	0.9	23.1	2.0	25.2	1.3	24.0
9	31.25	2.0	21.2	2.2	24.3	2.1	22.8	2.9	28.5	6.8	31.5	4.3	29.7	2.5	26.8	4.5	28.8	3.3	27.6
10	37.50	2.7	25.2	3.5	28.2	3.0	26.7	5.7	32.4	9.7	35.0	7.1	33.4	4.4	30.5	6.6	32.4	5.3	31.3
11	43.75	3.9	29.1	6.2	32.0	4.9	30.6	11.1	36.2	16.2	38.5	12.9	37.1	8.1	34.2	11.3	35.9	9.3	34.9
12	50.00	8.1	33.1	12.7	35.9	10.1	34.4	21.4	40.1	25.3	42.0	22.8	40.8	15.8	37.8	19.1	39.5	17.1	38.5
13	56.25	13.8	37.0	18.1	39.8	15.6	38.3	33.8	44.0	36.6	45.5	34.8	44.5	25.4	41.5	27.5	43.1	26.2	42.2
14	62.50	22.0	40.9	32.1	43.7	26.4	42.2	48.5	47.8	50.4	49.0	49.2	48.3	37.4	45.2	41.4	46.6	39.0	45.8
15	68.75	31.9	44.9	45.0	47.6	37.5	46.1	62.7	51.7	64.8	52.4	63.5	52.0	49.9	48.9	55.0	50.2	51.9	49.4
16	75.00	48.8	48.8	60.9	51.5	54.0	50.0	76.7	55.6	78.1	55.9	77.2	55.7	65.0	52.6	69.6	53.8	66.8	53.1
17	81.25	64.6	52.7	75.8	55.4	69.4	53.9	86.5	59.4	86.4	59.4	86.4	59.4	77.3	56.3	81.2	57.3	78.8	56.7
18	87.50	80.4	56.7	88.7	59.3	83.9	57.7	94.3	63.3	93.0	62.9	93.8	63.1	88.5	60.0	90.9	60.9	89.4	60.3
19	93.75	90.3	60.6	93.3	63.2	91.6	61.6	97.7	67.1	97.1	66.4	97.5	66.8	94.6	63.7	95.2	64.5	94.8	64.0
20	100.00	100.0	64.6	100.0	67.1	100.0	65.5	100.0	71.0	100.0	69.9	100.0	70.5	100.0	67.4	100.0	68.0	100.0	67.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 128: HU – Hungary. Individual norm data KIDSCREEN-10-PROXY Index

Raw- Score	0-100 Score	Females (n=478)		Children 8-11 Males (n=362)		All (n=840)		Females (n=675)		Adolescents 12-18 Males (n=374)		All (n=1049)		Females (n=1153)		Males (n=736)		All (n=1889)		
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	
10	0.00																			
11	2.50																			
12	5.00																			
13	7.50																			
14	10.00																			
15	12.50																			
16	15.00																			
17	17.50				0.4	5.5	0.2	2.5								0.2	6.4	0.1	7.8	
18	20.00				0.4	7.4	0.2	4.5	0.2	12.9			0.2	11.7	0.1	10.5	0.2	8.3	0.1	9.7
19	22.50				0.4	9.3	0.2	6.5	0.2	14.8			0.2	13.6	0.1	12.4	0.2	10.3	0.1	11.6
20	25.00				0.4	11.2	0.2	8.5	0.2	16.6			0.2	15.4	0.1	14.2	0.2	12.2	0.1	13.5
21	27.50				0.4	13.1	0.2	10.5	0.2	18.5	0.4	14.5	0.2	17.3	0.1	16.1	0.3	14.1	0.2	15.4
22	30.00				0.4	15.1	0.2	12.5	0.2	20.3	0.4	16.5	0.2	19.2	0.1	17.9	0.3	16.0	0.2	17.3
23	32.50	0.3	12.2		0.4	17.0	0.3	14.5	0.5	22.2	0.4	18.5	0.4	21.1	0.4	19.8	0.3	18.0	0.3	19.1
24	35.00	0.3	14.3		0.4	18.9	0.3	16.5	0.7	24.1	0.7	20.5	0.6	23.0	0.5	21.7	0.5	19.9	0.4	21.0
25	37.50	0.3	16.4		0.4	20.8	0.3	18.5	1.0	26.0	0.9	22.4	0.9	24.9	0.7	23.5	0.6	21.8	0.6	22.9
26	40.00	0.3	18.5		0.7	22.7	0.4	20.5	1.2	27.8	1.6	24.4	1.3	26.8	0.8	25.4	1.1	23.8	0.9	24.8
27	42.50	0.7	20.6		1.4	24.6	1.0	22.5	2.2	29.7	2.2	26.4	2.2	28.7	1.6	27.3	1.8	25.7	1.6	26.7
28	45.00	1.1	22.7		1.4	26.5	1.2	24.5	4.0	31.6	2.5	28.3	3.4	30.6	2.8	29.1	2.0	27.6	2.4	28.6
29	47.50	1.5	24.7		3.3	28.4	2.3	26.5	5.7	33.4	4.2	30.3	5.1	32.5	3.9	31.0	3.8	29.5	3.9	30.4
30	50.00	3.2	26.8		4.4	30.3	3.7	28.5	9.8	35.3	6.1	32.3	8.5	34.4	7.0	32.8	5.3	31.5	6.4	32.3
31	52.50	4.0	28.9		5.5	32.2	4.7	30.5	13.8	37.2	8.8	34.2	12.0	36.2	9.7	34.7	7.2	33.4	8.7	34.2
32	55.00	6.3	31.0		8.3	34.1	7.2	32.5	18.7	39.0	10.1	36.2	15.6	38.1	13.5	36.6	9.2	35.3	11.9	36.1
33	57.50	7.6	33.1		11.9	36.1	9.4	34.5	22.6	40.9	14.4	38.2	19.7	40.0	16.4	38.4	13.2	37.2	15.1	38.0
34	60.00	9.0	35.2		14.4	38.0	11.3	36.5	26.2	42.8	17.4	40.2	23.1	41.9	19.1	40.3	15.9	39.2	17.8	39.9
35	62.50	12.8	37.3		17.7	39.9	14.9	38.5	32.6	44.6	24.1	42.1	29.6	43.8	24.4	42.2	20.9	41.1	23.0	41.8
36	65.00	16.5	39.4		22.6	41.8	19.1	40.5	38.4	46.5	30.5	44.1	35.6	45.7	29.3	44.0	26.6	43.0	28.3	43.6
37	67.50	20.9	41.5		27.0	43.7	23.5	42.5	46.0	48.4	36.7	46.1	42.6	47.6	35.6	45.9	31.9	44.9	34.1	45.5
38	70.00	25.5	43.6		33.7	45.6	29.0	44.5	52.9	50.2	44.1	48.0	49.8	49.5	41.5	47.8	39.0	46.9	40.5	47.4
39	72.50	33.9	45.7		41.2	47.5	37.1	46.5	61.0	52.1	50.8	50.0	57.4	51.4	49.8	49.6	46.1	48.8	48.3	49.3
40	75.00	42.1	47.7		48.3	49.4	44.8	48.5	66.7	54.0	56.5	52.0	63.0	53.3	56.5	51.5	52.5	50.7	54.9	51.2
41	77.50	50.4	49.8		56.3	51.3	53.0	50.5	73.6	55.8	65.8	54.0	70.8	55.1	64.0	53.3	61.1	52.6	62.9	53.1
42	80.00	59.8	51.9		63.0	53.3	61.2	52.5	79.6	57.7	74.9	55.9	77.9	57.0	71.4	55.2	69.0	54.6	70.5	55.0
43	82.50	66.3	54.0		69.1	55.2	67.5	54.5	84.5	59.5	80.0	57.9	82.9	58.9	76.9	57.1	74.6	56.5	76.0	56.8
44	85.00	73.5	56.1		75.2	57.1	74.2	56.5	88.5	61.4	86.9	59.9	87.9	60.8	82.2	58.9	81.1	58.4	81.8	58.7
45	87.50	80.8	58.2		82.1	59.0	81.3	58.5	91.8	63.3	92.2	61.8	92.0	62.7	87.3	60.8	87.2	60.3	87.2	60.6
46	90.00	87.7	60.3		89.5	60.9	88.5	60.5	95.3	65.1	95.1	63.8	95.2	64.6	92.1	62.7	92.4	62.3	92.2	62.5
47	92.50	93.3	62.4		95.0	62.8	94.0	62.5	97.5	67.0	96.8	65.8	97.2	66.5	95.7	64.5	95.9	64.2	95.8	64.4
48	95.00	96.4	64.5		96.7	64.7	96.5	64.5	98.5	68.9	98.1	67.8	98.4	68.4	97.6	66.4	97.4	66.1	97.6	66.3
49	97.50	98.3	66.6		98.6	66.6	98.4	66.5	99.6	70.7	99.2	69.7	99.4	70.3	99.0	68.2	98.9	68.0	99.0	68.1
50	100.00	100.0	68.7		100.0	68.5	100.0	68.5	100.0	72.6	100.0	71.7	100.0	72.2	100.0	70.1	100.0	69.9	100.0	70.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 129: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11				Adolescents 12-18				Children & Adolescents 8-18									
		Females (n=323)		Males (n=336)		All (n=659)		Females (n=604)		Males (n=557)		All (n=1161)		Females (n=927)		Males (n=893)		All (n=1820)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.4	16.7			0.2	12.8	0.2	13.8			0.1	9.2
7	11.11							0.8	19.6			0.4	15.9	0.5	16.7			0.3	12.4
8	16.67							1.2	22.6	0.3	11.9	0.7	18.9	0.8	19.7	0.2	8.8	0.4	15.6
9	22.22	0.5	9.7			0.2	7.3	2.3	25.5	0.3	15.4	1.3	22.0	1.6	22.7	0.2	12.5	0.9	18.8
10	27.78	0.8	13.4			0.4	11.2	3.8	28.4	0.5	18.9	2.2	25.1	2.7	25.6	0.3	16.1	1.5	22.0
11	33.33	1.1	17.1			0.5	15.2	6.1	31.3	1.1	22.4	3.7	28.1	4.3	28.6	0.7	19.8	2.5	25.2
12	38.89	1.4	20.9	0.7	17.0	0.9	19.1	9.2	34.2	2.0	25.8	5.8	31.2	6.5	31.5	1.5	23.4	4.0	28.4
13	44.44	2.8	24.6	1.5	21.2	2.1	23.0	12.9	37.1	4.0	29.3	8.6	34.2	9.4	34.5	3.0	27.0	6.3	31.6
14	50.00	3.8	28.4	3.3	25.4	3.5	27.0	18.1	40.0	6.9	32.8	12.7	37.3	13.1	37.5	5.5	30.7	9.4	34.8
15	55.56	7.7	32.1	5.0	29.5	6.4	30.9	26.3	43.0	13.0	36.3	19.9	40.4	19.8	40.4	10.0	34.3	15.0	38.0
16	61.11	12.7	35.9	9.8	33.7	11.2	34.9	35.5	45.9	20.8	39.8	28.5	43.4	27.6	43.4	16.7	38.0	22.2	41.2
17	66.67	19.2	39.6	17.2	37.9	18.2	38.8	47.8	48.8	30.9	43.2	39.7	46.5	37.8	46.3	25.7	41.6	31.9	44.4
18	72.22	28.4	43.4	25.5	42.0	27.0	42.7	59.7	51.7	42.4	46.7	51.4	49.5	48.8	49.3	36.0	45.2	42.6	47.6
19	77.78	39.5	47.1	35.7	46.2	37.6	46.7	70.3	54.6	52.0	50.2	61.6	52.6	59.6	52.3	45.9	48.9	52.9	50.8
20	83.33	50.7	50.9	52.7	50.4	51.7	50.6	79.8	57.5	65.5	53.7	73.0	55.7	69.7	55.2	60.7	52.5	65.3	54.0
21	88.89	68.1	54.6	69.0	54.5	68.6	54.6	87.7	60.4	76.5	57.2	82.3	58.7	80.9	58.2	73.7	56.2	77.3	57.1
22	94.44	87.0	58.4	87.8	58.7	87.4	58.5	95.5	63.4	90.1	60.6	93.0	61.8	92.6	61.1	89.3	59.8	90.9	60.3
23	100.00	100.0	62.1	100.0	62.8	100.0	62.4	100.0	66.3	100.0	64.1	100.0	64.8	100.0	64.1	100.0	63.4	100.0	63.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 130: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=321)		Males (n=333)		All (n=654)		Females (n=611)		Males (n=566)		All (n=1177)		Females (n=932)		Males (n=899)		All (n=1831)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50							0.3	7.0			0.1	5.1	0.2	4.6			0.1	3.1
10	16.67							0.3	9.8			0.1	8.0	0.2	7.5			0.1	6.1
11	20.83							0.4	12.6			0.2	10.8	0.3	10.3			0.1	9.0
12	25.00	0.5	6.7			0.2	7.3	0.6	15.3			0.3	13.7	0.5	13.2			0.2	11.9
13	29.17	0.5	9.9			0.2	10.5	0.7	18.1			0.4	16.6	0.6	16.0			0.3	14.9
14	33.33	0.8	13.1	0.7	14.1	0.6	13.6	0.9	20.9	0.4	17.6	0.6	19.4	0.8	18.9	0.5	16.5	0.6	17.8
15	37.50	1.1	16.3	1.3	17.2	1.1	16.8	1.6	23.7	0.8	20.6	1.2	22.3	1.4	21.7	0.9	19.6	1.1	20.7
16	41.67	1.4	19.4	1.3	20.4	1.3	19.9	2.3	26.4	1.0	23.6	1.6	25.2	1.9	24.6	1.1	22.6	1.5	23.7
17	45.83	1.4	22.6	2.4	23.5	1.8	23.1	3.8	29.2	1.5	26.6	2.6	28.1	2.9	27.5	1.8	25.6	2.3	26.6
18	50.00	3.8	25.8	4.5	26.6	4.1	26.2	7.5	32.0	5.0	29.6	6.3	30.9	6.2	30.3	4.8	28.7	5.5	29.6
19	54.17	4.7	29.0	5.4	29.8	5.0	29.4	9.2	34.8	7.2	32.6	8.2	33.8	7.6	33.2	6.6	31.7	7.1	32.5
20	58.33	7.2	32.1	6.6	32.9	6.9	32.5	12.6	37.5	11.0	35.6	11.8	36.7	10.7	36.0	9.3	34.7	10.1	35.4
21	62.50	8.8	35.3	10.5	36.0	9.7	35.7	21.3	40.3	18.9	38.6	20.1	39.6	17.0	38.9	15.8	37.8	16.4	38.4
22	66.67	13.8	38.5	14.1	39.2	13.9	38.8	24.7	43.1	22.4	41.6	23.6	42.4	20.9	41.8	19.4	40.8	20.2	41.3
23	70.83	19.1	41.7	18.6	42.3	18.8	42.0	32.0	45.9	29.2	44.6	30.6	45.3	27.5	44.6	25.3	43.8	26.4	44.3
24	75.00	34.6	44.8	37.3	45.4	36.0	45.2	49.2	48.7	47.0	47.6	48.1	48.2	44.2	47.5	43.4	46.9	43.8	47.2
25	79.17	43.9	48.0	48.1	48.6	46.1	48.3	57.3	51.4	55.9	50.6	56.6	51.1	52.7	50.4	53.0	49.9	52.9	50.1
26	83.33	53.7	51.2	58.6	51.7	56.2	51.5	68.0	54.2	66.6	53.6	67.3	53.9	63.1	53.2	63.7	52.9	63.4	53.1
27	87.50	73.9	54.4	76.1	54.8	75.0	54.6	81.3	57.0	79.3	56.7	80.4	56.8	78.8	56.1	78.1	56.0	78.4	56.0
28	91.67	81.7	57.5	81.1	58.0	81.4	57.8	87.7	59.8	85.5	59.7	86.7	59.7	85.6	58.9	83.9	59.0	84.8	59.0
29	95.83	88.2	60.7	88.3	61.1	88.3	60.9	90.7	62.5	90.1	62.7	90.4	62.6	89.8	61.8	89.4	62.0	89.6	61.9
30	100.00	100.0	63.9	100.0	64.2	100.0	64.1	100.0	65.3	100.0	65.7	100.0	65.4	100.0	64.7	100.0	65.1	100.0	64.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 131: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Moods &amp; Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=321)		Males (n=333)		All (n=654)		Females (n=608)		Males (n=565)		All (n=1173)		Females (n=929)		Males (n=898)		All (n=1827)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43									0.3	10.3	0.1	10.8			0.2	8.9	0.1	9.3
14	25.00									0.5	12.8	0.2	13.2			0.3	11.4	0.1	11.9
15	28.57							0.4	16.0	0.5	15.3	0.4	15.7	0.2	14.8	0.3	14.0	0.2	14.4
16	32.14	1.0	14.0	0.5	13.8	0.6	13.9	0.8	18.5	0.8	17.8	0.8	18.2	0.9	17.3	0.6	16.5	0.7	16.9
17	35.71	1.4	16.6	1.0	16.4	1.1	16.5	1.5	21.0	1.0	20.2	1.2	20.7	1.4	19.8	0.9	19.0	1.2	19.5
18	39.29	2.2	19.3	1.0	19.1	1.5	19.2	2.0	23.5	1.3	22.7	1.6	23.2	2.0	22.4	1.1	21.5	1.6	22.0
19	42.86	2.2	22.0	1.6	21.8	1.9	21.9	3.0	26.1	2.3	25.2	2.6	25.7	2.7	24.9	2.0	24.1	2.3	24.5
20	46.43	2.6	24.6	2.5	24.4	2.4	24.5	4.1	28.6	3.2	27.7	3.6	28.2	3.5	27.4	2.9	26.6	3.2	27.1
21	50.00	4.0	27.2	4.5	27.1	4.3	27.2	4.9	31.1	5.5	30.2	5.2	30.7	4.6	30.0	5.1	29.2	4.9	29.6
22	53.57	5.6	29.9	6.3	29.8	5.9	29.8	7.9	33.6	7.4	32.6	7.6	33.2	7.1	32.5	7.0	31.7	7.0	32.1
23	57.14	8.1	32.5	7.5	32.4	7.8	32.5	11.6	36.1	10.1	35.1	10.9	35.6	10.4	35.0	9.1	34.2	9.8	34.6
24	60.71	10.0	35.2	9.6	35.1	9.8	35.1	16.0	38.6	12.4	37.6	14.3	38.1	13.9	37.5	11.3	36.8	12.7	37.2
25	64.29	13.7	37.8	14.4	37.8	14.1	37.8	21.6	41.1	17.1	40.1	19.5	40.6	18.9	40.1	16.1	39.3	17.5	39.7
26	67.86	16.8	40.5	18.9	40.4	17.9	40.5	26.8	43.6	24.2	42.6	25.5	43.1	23.3	42.6	22.3	41.8	22.8	42.2
27	71.43	23.4	43.1	25.3	43.1	24.4	43.1	34.3	46.1	32.9	45.0	33.6	45.6	30.5	45.1	30.1	44.4	30.3	44.8
28	75.00	31.5	45.8	31.0	45.8	31.2	45.8	42.2	48.6	41.8	47.5	42.0	48.1	38.5	47.7	37.8	46.9	38.1	47.3
29	78.57	38.9	48.4	40.9	48.5	39.9	48.4	53.9	51.1	51.0	50.0	52.5	50.6	48.7	50.2	47.3	49.5	48.0	49.8
30	82.14	51.4	51.0	51.1	51.1	51.3	51.1	64.6	53.6	59.0	52.5	61.9	53.1	60.0	52.7	56.1	52.0	58.1	52.4
31	85.71	65.1	53.7	65.6	53.8	65.3	53.7	75.3	56.1	68.4	55.0	72.0	55.5	71.8	55.3	67.3	54.5	69.6	54.9
32	89.29	75.3	56.3	77.2	56.5	76.3	56.4	85.2	58.6	79.3	57.4	82.4	58.0	81.8	57.8	78.5	57.1	80.2	57.4
33	92.86	89.1	59	88.9	59.1	89.0	59.1	90.8	61.1	87.2	59.9	89.1	60.5	90.2	60.3	87.9	59.6	89.0	60.0
34	96.43	96.9	61.6	94.6	61.8	95.7	61.7	96.4	63.6	94.3	62.4	95.4	63.0	96.6	62.8	94.4	62.1	95.5	62.5
35	100.00	100.0	64.3	100.0	64.5	100.0	64.4	100.0	66.1	100.0	64.9	100.0	65.5	100.0	65.4	100.0	64.7	100.0	65.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 132: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=324)		Males (n=330)		All (n=654)		Females (n=608)		Males (n=563)		All (n=1171)		Females (n=932)		Males (n=893)		All (n=1825)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00							0.3	12.9			0.1	9.5	0.2	11.1			0.1	7.2
8	15.00							0.4	15.9	0.3	5.6	0.3	12.6	0.3	14.1	0.2	3.5	0.2	10.4
9	20.00							0.6	18.9	0.3	9.1	0.4	15.7	0.4	17.1	0.2	7.0	0.2	13.5
10	25.00							1.2	22.0	0.3	12.5	0.7	18.8	0.8	20.1	0.2	10.5	0.4	16.6
11	30.00			0.5	7.1	0.2	11.6	2.0	25.0	0.3	16.0	1.1	21.9	1.3	23.1	0.3	14.0	0.8	19.8
12	35.00	0.5	18.2	0.8	10.9	0.5	15.2	3.3	28.0	0.3	19.4	1.8	25.1	2.3	26.1	0.4	17.5	1.3	22.9
13	40.00	1.3	21.6	0.8	14.8	0.9	18.7	4.8	31.1	1.3	22.9	3.1	28.2	3.6	29.1	1.0	20.9	2.3	26.0
14	45.00	1.9	25.0	1.3	18.6	1.5	22.3	7.7	34.1	2.5	26.4	5.2	31.3	5.7	32.1	2.0	24.4	3.9	29.2
15	50.00	3.7	28.3	2.5	22.4	3.1	25.9	13.2	37.1	5.7	29.8	9.6	34.4	9.9	35.1	4.5	27.9	7.3	32.3
16	55.00	7.1	31.7	3.4	26.3	5.2	29.4	18.8	40.2	8.9	33.3	14.0	37.5	14.7	38.1	6.8	31.4	10.9	35.4
17	60.00	12.6	35.1	5.2	30.1	8.9	33.0	28.1	43.2	13.5	36.8	21.1	40.6	22.7	41.1	10.4	34.9	16.7	38.6
18	65.00	18.5	38.5	10.3	33.9	14.4	36.5	39.8	46.3	19.7	40.2	30.1	43.8	32.4	44.1	16.2	38.4	24.5	41.7
19	70.00	25.2	41.9	15.8	37.8	20.5	40.1	52.7	49.3	28.4	43.7	41.0	46.9	43.2	47.1	23.7	41.9	33.7	44.9
20	75.00	34.5	45.3	23.9	41.6	29.2	43.7	63.0	52.3	42.1	47.1	52.9	50.0	53.1	50.1	35.4	45.4	44.4	48.0
21	80.00	46.0	48.7	31.2	45.4	38.6	47.2	72.7	55.4	56.1	50.6	64.7	53.1	63.4	53.1	46.9	48.8	55.3	51.1
22	85.00	56.2	52.1	45.5	49.3	50.8	50.8	82.1	58.4	67.4	54.0	75.0	56.2	73.1	56.1	59.3	52.3	66.3	54.3
23	90.00	71.0	55.5	61.2	53.1	66.1	54.3	91.0	61.4	80.2	57.5	85.8	59.3	84.0	59.1	73.2	55.8	78.7	57.4
24	95.00	84.6	58.9	79.7	56.9	82.1	57.9	95.7	64.5	90.2	61.0	93.1	62.5	91.9	62.1	86.3	59.3	89.2	60.5
25	100.00	100.0	62.3	100.0	60.8	100.0	61.4	100.0	67.5	100.0	64.4	100.0	65.6	100.0	65.1	100.0	62.8	100.0	63.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 133: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=325)		Males (n=335)		All (n=660)		Females (n=613)		Males (n=567)		All (n=1180)		Females (n=938)		Males (n=902)		All (n=1840)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00																		
8	15.00																		
9	20.00																		
10	25.00							0.3	5.4	0.3	-4.9	0.1	-1.1			0.2	-6.5	0.1	-3.7
11	30.00	0.5	-0.5			0.2	-0.4	0.4	9.3	0.3	-0.7	0.2	2.9	0.2	2.6	0.2	-2.1	0.1	0.5
12	35.00	0.5	4.1			0.2	4.2	0.6	13.2	0.3	3.6	0.3	7.0	0.3	6.7	0.2	2.2	0.2	4.7
13	40.00	0.5	8.6	0.7	8.7	0.5	8.7	0.7	17.1	0.5	7.8	0.4	11.0	0.5	10.7	0.3	6.6	0.3	8.9
14	45.00	0.8	13.2	1.1	13.3	0.8	13.3	0.9	21.0	0.6	12.1	0.6	15.0	0.6	14.8	0.5	10.9	0.5	13.1
15	50.00	1.1	17.8	1.1	17.9	1.0	17.8	2.0	24.9	0.9	16.3	0.7	19.0	0.8	18.9	0.7	15.3	0.7	17.3
16	55.00	1.6	22.3	1.6	22.4	1.5	22.4	3.8	28.8	0.9	20.5	1.4	23.1	1.6	23.0	0.9	19.6	1.3	21.5
17	60.00	2.3	26.9	2.4	27.0	2.3	27.0	6.7	32.7	1.9	24.8	2.9	27.1	3.0	27.0	1.8	24.0	2.4	25.7
18	65.00	4.6	31.5	4.2	31.6	4.4	31.5	10.0	36.6	2.7	29.0	4.7	31.1	5.1	31.1	2.5	28.3	3.9	29.8
19	70.00	8.0	36.0	7.7	36.2	7.9	36.1	16.8	40.5	5.1	33.2	7.6	35.2	8.1	35.2	4.7	32.7	6.5	34.0
20	75.00	26.2	40.6	26.9	40.7	26.5	40.7	41.0	44.4	10.7	37.5	13.9	39.2	13.7	39.2	9.6	37.0	11.7	38.2
21	80.00	41.2	45.2	42.4	45.3	41.8	45.2	53.1	48.3	33.0	41.7	37.2	43.2	35.9	43.3	30.7	41.4	33.3	42.4
22	85.00	53.3	49.7	56.1	49.9	54.7	49.8	64.0	52.2	44.3	45.9	48.8	47.2	49.0	47.4	43.6	45.7	46.3	46.6
23	90.00	70.2	54.3	69.9	54.5	70.0	54.4	73.1	56.2	55.2	50.2	59.8	51.3	60.3	51.4	55.6	50.1	58.0	50.8
24	95.00	84.6	58.9	83.9	59.0	84.2	58.9	85.2	60.1	67.3	54.4	70.3	55.3	72.1	55.5	68.3	54.4	70.2	55.0
25	100.00	100.0	63.4	100.0	63.6	100.0	63.5	100.0	64.0	80.9	58.6	83.1	59.3	85.0	59.6	82.0	58.8	83.5	59.2
		100.0	63.4	100.0	63.6	100.0	63.5	100.0	64.0	100.0	62.9	100.0	63.4	100.0	63.7	100.0	63.1	100.0	63.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 134: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=324)		Males (n=332)		All (n=656)		Females (n=611)		Males (n=565)		All (n=1174)		Females (n=935)		Males (n=897)		All (n=1832)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67																		
11	20.83																		
12	25.00			0.5	-2.3	0.2	-1.9	0.4	10.5			0.2	8.6	0.2	7.6	0.2	3.6	0.2	5.8
13	29.17			0.5	1.4	0.2	1.7	0.4	13.5			0.2	11.7	0.2	10.7	0.2	6.9	0.2	9.0
14	33.33	0.5	5.3	0.5	5.0	0.4	5.2	0.6	16.4			0.3	14.7	0.5	13.7	0.2	10.3	0.3	12.2
15	37.50	0.8	8.9	0.5	8.7	0.5	8.8	0.9	19.4	0.3	15.7	0.5	17.8	0.8	16.8	0.3	13.6	0.5	15.4
16	41.67	0.8	12.5	0.5	12.3	0.5	12.4	1.8	22.3	0.5	18.9	1.1	20.8	1.4	19.9	0.4	16.9	0.9	18.5
17	45.83	1.1	16.0	0.5	16.0	0.7	16.0	1.8	25.3	0.6	22.1	1.2	23.9	1.6	23.0	0.5	20.3	1.0	21.7
18	50.00	1.1	19.6	0.8	19.6	0.8	19.6	3.9	28.2	2.3	25.3	3.2	27.0	2.9	26.1	1.7	23.6	2.3	24.9
19	54.17	1.4	23.1	1.3	23.3	1.2	23.2	5.7	31.2	3.4	28.6	4.6	30.0	4.2	29.1	2.5	26.9	3.4	28.1
20	58.33	3.4	26.6	3.3	26.9	3.3	26.8	7.9	34.2	6.3	31.8	7.1	33.1	6.3	32.2	5.2	30.3	5.8	31.3
21	62.50	4.6	30.2	6.6	30.6	5.6	30.4	12.8	37.1	10.5	35.0	11.7	36.2	9.9	35.3	9.1	33.6	9.5	34.5
22	66.67	9.5	33.7	10.2	34.2	9.9	34.0	19.3	40.1	16.2	38.2	17.8	39.2	15.9	38.4	14.0	36.9	15.0	37.7
23	70.83	13.6	37.3	14.1	37.8	13.8	37.6	27.6	43.0	23.5	41.4	25.6	42.3	22.7	41.5	20.0	40.3	21.4	40.9
24	75.00	20.4	40.9	21.6	41.5	21.0	41.2	36.9	46.0	35.0	44.6	36.0	45.4	31.2	44.5	30.0	43.6	30.6	44.1
25	79.17	30.8	44.4	33.7	45.1	32.3	44.8	48.1	49.0	45.1	47.8	46.7	48.4	42.1	47.6	40.9	46.9	41.5	47.3
26	83.33	44.1	48.0	46.8	48.8	45.5	48.4	58.8	51.9	54.0	51.0	56.5	51.5	53.7	50.7	51.3	50.2	52.5	50.5
27	87.50	56.5	51.5	60.6	52.4	58.6	52.0	70.1	54.9	67.3	54.2	68.7	54.6	65.4	53.8	64.8	53.6	65.1	53.7
28	91.67	71.0	55.1	77.1	56.1	74.1	55.6	79.4	57.8	78.6	57.4	79.0	57.6	76.5	56.8	78.0	56.9	77.2	56.9
29	95.83	84.3	58.6	89.1	59.7	86.7	59.2	89.0	60.8	87.8	60.6	88.4	60.7	87.4	59.9	88.3	60.2	87.8	60.1
30	100.00	100.0	62.2	100.0	63.4	100.0	62.7	100.0	63.8	100.0	63.8	100.0	63.8	100.0	63.0	100.0	63.6	100.0	63.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 135: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=321)		Males (n=327)		All (n=648)		Females (n=607)		Males (n=557)		All (n=1164)		Females (n=928)		Males (n=884)		All (n=1812)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00			0.5	-4.8	0.2	-5.6									0.2	4.6	0.1	1.8
7	4.17			0.5	-1.8	0.2	-2.6			0.3	10.7	0.1	7.3			0.3	7.2	0.1	4.5
8	8.33			0.5	1.3	0.2	0.5	0.3	6.1	0.7	13.1	0.4	9.9	0.2	4.3	0.6	9.8	0.3	7.2
9	12.50			0.5	4.3	0.2	3.6	0.3	8.9	1.0	15.5	0.6	12.5	0.2	7.2	0.7	12.3	0.4	9.9
10	16.67			0.5	7.3	0.2	6.6	0.4	11.7	1.2	17.9	0.7	15.0	0.3	10.0	0.8	14.9	0.5	12.6
11	20.83			0.5	10.3	0.2	9.7	0.4	14.5	1.5	20.3	0.9	17.6	0.3	12.9	1.0	17.5	0.6	15.3
12	25.00	0.7	11.9	0.5	13.4	0.5	12.7	1.0	17.3	2.3	22.7	1.6	20.2	0.9	15.8	1.6	20.1	1.2	18.1
13	29.17	0.7	15.0	0.5	16.4	0.5	15.8	1.2	20.1	3.6	25.1	2.3	22.8	1.0	18.6	2.4	22.6	1.7	20.8
14	33.33	1.1	18.1	0.8	19.4	0.8	18.8	1.5	22.9	4.1	27.5	2.7	25.4	1.3	21.5	2.8	25.2	2.0	23.5
15	37.50	1.1	21.2	1.3	22.5	1.1	21.9	2.6	25.7	5.0	29.9	3.8	28.0	2.1	24.4	3.6	27.8	2.8	26.2
16	41.67	2.2	24.2	2.4	25.5	2.3	24.9	3.8	28.5	5.9	32.3	4.8	30.6	3.2	27.3	4.6	30.4	3.9	28.9
17	45.83	3.5	27.3	4.3	28.5	3.9	28	5.8	31.3	7.4	34.7	6.5	33.2	5.0	30.1	6.2	32.9	5.6	31.6
18	50.00	5.0	30.4	5.2	31.6	5.1	31.0	8.1	34.1	12.4	37.1	10.2	35.7	7.0	33.0	9.7	35.5	8.4	34.3
19	54.17	6.9	33.5	8.3	34.6	7.6	34.1	11.7	36.9	15.1	39.5	13.3	38.3	10.0	35.9	12.6	38.1	11.3	37.1
20	58.33	9.7	36.5	13.2	37.6	11.5	37.1	15.0	39.7	19.1	41.9	17.0	40.9	13.2	38.8	16.9	40.7	15.0	39.8
21	62.50	14.1	39.6	18.4	40.6	16.2	40.2	21.6	42.5	25.9	44.4	23.6	43.5	19.0	41.6	23.1	43.2	21.0	42.5
22	66.67	22.8	42.7	26.7	43.7	24.7	43.2	30.2	45.3	34.7	46.8	32.3	46.1	27.6	44.5	31.7	45.8	29.6	45.2
23	70.83	37.3	45.8	36.2	46.7	36.8	46.3	42.1	48.1	44.2	49.2	43.1	48.7	40.4	47.4	41.2	48.4	40.8	47.9
24	75.00	54.8	48.9	54.2	49.7	54.5	49.3	64.1	51.0	64.1	51.6	64.1	51.3	60.9	50.3	60.4	51.0	60.7	50.6
25	79.17	63.8	51.9	65.5	52.8	64.7	52.3	73.5	53.8	70.7	54.0	72.2	53.9	70.2	53.1	68.8	53.5	69.5	53.3
26	83.33	73.8	55.0	78.6	55.8	76.2	55.4	80.7	56.6	77.4	56.4	79.1	56.4	78.3	56.0	77.8	56.1	78.1	56.1
27	87.50	82.8	58.1	87.5	58.8	85.2	58.4	86.2	59.4	85.2	58.8	85.7	59.0	85.0	58.9	86.1	58.7	85.5	58.8
28	91.67	89.7	61.2	91.8	61.8	90.8	61.5	90.0	62.2	89.4	61.2	89.7	61.6	89.9	61.8	90.3	61.3	90.1	61.5
29	95.83	93.2	64.2	95.4	64.9	94.3	64.5	93.9	65.0	94.4	63.6	94.2	64.2	93.7	64.6	94.8	63.9	94.2	64.2
30	100.00	100.0	67.3	100.0	67.9	100.0	67.6	100.0	67.8	100.0	66.0	100.0	66.8	100.0	67.5	100.0	66.4	100.0	66.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 136: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=325)		Males (n=330)		All (n=655)		Females (n=595)		Males (n=562)		All (n=1157)		Females (n=920)		Males (n=892)		All (n=1812)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.4	6.4			0.2	5.2	0.3	5.1			0.1	4.5
7	4.17							0.4	9.0			0.2	7.8	0.3	7.6			0.1	7.0
8	8.33							0.4	11.5	0.4	9.2	0.4	10.4	0.3	10.0	0.3	9.0	0.2	9.5
9	12.50			0.5	7.0	0.2	4.5	0.7	14.1	0.4	11.9	0.6	13.1	0.5	12.5	0.4	11.5	0.4	12.1
10	16.67			0.5	9.6	0.2	7.2	0.9	16.6	0.4	14.5	0.7	15.7	0.6	15.0	0.4	14.1	0.5	14.6
11	20.83			0.8	12.2	0.4	9.9	1.2	19.2	0.8	17.2	1.0	18.3	0.8	17.5	0.7	16.6	0.7	17.1
12	25.00			1.3	14.8	0.7	12.6	1.6	21.7	1.0	19.9	1.2	20.9	1.0	20.0	1.0	19.2	1.0	19.6
13	29.17			1.7	17.5	0.9	15.4	2.1	24.3	1.5	22.6	1.7	23.5	1.3	22.4	1.5	21.8	1.4	22.1
14	33.33	0.5	15.5	1.7	20.1	1.0	18.1	2.6	26.8	1.9	25.2	2.2	26.1	1.8	24.9	1.7	24.3	1.7	24.6
15	37.50	1.8	18.4	1.7	22.7	1.7	20.8	3.1	29.4	2.4	27.9	2.7	28.7	2.6	27.4	2.1	26.9	2.3	27.1
16	41.67	2.5	21.2	2.2	25.3	2.3	23.5	4.7	32.0	3.6	30.6	4.2	31.3	3.9	29.9	3.1	29.4	3.5	29.7
17	45.83	3.1	24.1	3.1	27.9	3.0	26.2	7.1	34.5	6.1	33.3	6.6	33.9	5.6	32.4	5.0	32.0	5.3	32.2
18	50.00	4.3	27.0	4.8	30.6	4.6	29.0	11.8	37.1	8.7	35.9	10.3	36.6	9.1	34.8	7.3	34.5	8.2	34.7
19	54.17	5.9	29.8	7.0	33.2	6.4	31.7	15.6	39.6	14.8	38.6	15.2	39.2	12.2	37.3	11.9	37.1	12.0	37.2
20	58.33	8.0	32.7	10.6	35.8	9.3	34.4	22.0	42.2	21.9	41.3	22.0	41.8	17.0	39.8	17.7	39.6	17.4	39.7
21	62.50	9.5	35.5	15.2	38.4	12.4	37.1	33.0	44.8	31.0	44.0	32.0	44.4	24.7	42.3	25.1	42.2	24.9	42.2
22	66.67	13.8	38.4	19.4	41.0	16.6	39.8	41.1	47.3	40.8	46.6	41.0	47.0	31.5	44.8	32.9	44.7	32.2	44.8
23	70.83	20.6	41.3	26.7	43.6	23.7	42.6	52.6	49.9	51.0	49.3	51.8	49.6	41.3	47.2	42.0	47.3	41.6	47.3
24	75.00	27.9	44.1	36.9	46.3	32.4	45.3	65.0	52.4	63.2	52.0	64.1	52.2	51.9	49.7	53.5	49.9	52.7	49.8
25	79.17	36.9	47.0	45.7	48.9	41.3	48.0	71.9	55.0	72.8	54.7	72.3	54.8	59.5	52.2	62.8	52.4	61.1	52.3
26	83.33	47.9	49.9	55.7	51.5	51.8	50.7	80.5	57.6	80.3	57.4	80.4	57.5	69.0	54.7	71.2	55.0	70.1	54.8
27	87.50	59.3	52.7	65.1	54.1	62.2	53.4	88.4	60.1	85.6	60.0	87.0	60.1	78.1	57.2	78.0	57.5	78.1	57.3
28	91.67	70.1	55.6	72.1	56.7	71.1	56.2	92.6	62.7	91.1	62.7	91.9	62.7	84.7	59.6	84.1	60.1	84.4	59.9
29	95.83	82.7	58.4	85.8	59.4	84.3	58.9	95.8	65.2	96.1	65.4	96.0	65.3	91.2	62.1	92.3	62.6	91.7	62.4
30	100.00	100.0	61.3	100.0	62.0	100.0	61.6	100.0	67.8	100.0	68.1	100.0	67.9	100.0	64.6	100.0	65.2	100.0	64.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 137: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=326)		Males (n=337)		All (n=663)		Females (n=607)		Males (n=570)		All (n=1177)		Females (n=933)		Males (n=907)		All (n=1840)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
<b>3</b>	<b>0.00</b>							0.4	0.3			0.2	-0.2	0.2	1.8			0.1	2.3
<b>4</b>	<b>8.33</b>	0.5	8.2	0.5	11.3	0.3	9.8	0.7	5.2	0.3	4.2	0.4	4.7	0.5	6.6	0.3	7.4	0.4	7.0
<b>5</b>	<b>16.67</b>	0.8	13.0	0.8	15.8	0.6	14.5	0.7	10.1	0.4	9.2	0.6	9.6	0.7	11.4	0.5	12.2	0.5	11.8
<b>6</b>	<b>25.00</b>	1.3	17.8	2.1	20.2	1.6	19.1	1.0	14.9	0.8	14.1	0.9	14.6	1.1	16.2	1.2	16.9	1.1	16.6
<b>7</b>	<b>33.33</b>	2.5	22.6	2.8	24.7	2.5	23.7	2.1	19.8	1.3	19.1	1.7	19.5	2.2	21.0	1.8	21.6	2.0	21.3
<b>8</b>	<b>41.67</b>	3.7	27.4	3.9	29.2	3.8	28.4	2.6	24.6	2.8	24.1	2.7	24.4	3.0	25.8	3.2	26.4	3.1	26.1
<b>9</b>	<b>50.00</b>	8.9	32.2	9.8	33.7	9.3	33.0	6.6	29.5	7.4	29.1	7.0	29.3	7.4	30.6	8.3	31.1	7.8	30.8
<b>10</b>	<b>58.33</b>	13.2	37.0	17.2	38.2	15.2	37.6	10.0	34.3	9.8	34.0	9.9	34.2	11.1	35.4	12.6	35.8	11.9	35.6
<b>11</b>	<b>66.67</b>	21.5	41.8	26.1	42.7	23.8	42.3	15.1	39.2	15.6	39.0	15.4	39.1	17.4	40.2	19.5	40.6	18.4	40.4
<b>12</b>	<b>75.00</b>	43.0	46.6	44.9	47.2	43.9	46.9	30.7	44.0	34.0	44.0	32.3	44.0	35.0	45.0	38.1	45.3	36.5	45.1
<b>13</b>	<b>83.33</b>	60.1	51.4	58.6	51.6	59.4	51.5	46.8	48.9	46.0	48.9	46.4	48.9	51.5	49.8	50.7	50.0	51.1	49.9
<b>14</b>	<b>91.67</b>	74.9	56.2	71.0	56.1	72.9	56.2	60.6	53.8	60.7	53.9	60.7	53.8	65.6	54.6	64.6	54.7	65.1	54.7
<b>15</b>	<b>100.00</b>	100.0	61.1	100.0	60.6	100.0	60.8	100.0	58.6	100.0	58.9	100.0	58.7	100.0	59.4	100.0	59.5	100.0	59.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 138: NL – Netherlands. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Females (n=301)		Children 8-11 Males (n=301)		All (n=602)		Females (n=610)		Adolescents 12-18 Males (n=567)		All (n=1177)		Children & Adolescents 8-18 Females (n=911)		Males (n=868)		All (n=1779)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	0.5	14.8	4.0	23.0	2.2	19.7	0.5	16.1	0.4	15.9	0.4	16.0	0.4	15.7	1.6	18.9	1.0	17.4
4	8.33	0.5	18.8	4.0	26.3	2.2	23.2	0.9	20.0	0.9	19.8	0.8	19.9	0.7	19.6	2.0	22.5	1.3	21.2
5	16.67	1.4	22.7	5.3	29.6	3.3	26.7	1.6	23.9	1.3	23.8	1.4	23.9	1.5	23.6	2.6	26.2	2.1	24.9
6	25.00	3.7	26.6	7.7	32.9	5.7	30.3	3.4	27.9	3.0	27.7	3.2	27.8	3.5	27.5	4.6	29.8	4.1	28.7
7	33.33	5.0	30.6	10.6	36.1	7.8	33.8	6.2	31.8	6.5	31.6	6.4	31.7	5.8	31.5	7.9	33.5	6.8	32.5
8	41.67	7.6	34.5	13.9	39.4	10.8	37.3	11.3	35.8	11.1	35.5	11.2	35.7	10.1	35.4	12.1	37.1	11.0	36.3
9	50.00	19.3	38.5	28.6	42.7	23.9	40.9	20.4	39.7	21.0	39.5	20.7	39.6	20.1	39.3	23.6	40.8	21.8	40.1
10	58.33	28.7	42.4	35.2	45.9	31.9	44.4	30.5	43.7	30.4	43.4	30.4	43.5	29.9	43.3	32.1	44.4	30.9	43.9
11	66.67	39.3	46.4	48.2	49.2	43.7	48.0	42.3	47.6	41.3	47.3	41.8	47.5	41.3	47.2	43.7	48.1	42.5	47.6
12	75.00	58.2	50.3	67.5	52.5	62.8	51.5	66.6	51.5	62.8	51.2	64.8	51.4	63.8	51.1	64.4	51.7	64.1	51.4
13	83.33	67.7	54.3	72.4	55.8	70.1	55.0	73.8	55.5	72.5	55.1	73.2	55.3	71.8	55.1	72.5	55.3	72.1	55.2
14	91.67	77.1	58.2	79.1	59.0	78.1	58.6	81.0	59.4	80.3	59.1	80.7	59.2	79.7	59.0	79.9	59.0	79.8	59.0
15	100.00	100.0	62.2	100.0	62.3	100.0	62.1	100.0	63.4	100.0	63.0	100.0	63.2	100.0	63.0	100.0	62.6	100.0	62.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 139: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=323)		Males (n=336)		All (n=659)		Females (n=604)		Males (n=557)		All (n=1161)		Females (n=927)		Males (n=893)		All (n=1820)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.4	16.7			0.2	12.8	0.2	13.8			0.1	9.2
7	11.11							0.9	19.6			0.4	15.9	0.6	16.7			0.3	12.4
8	16.67							1.2	22.5	0.3	11.9	0.7	18.9	0.8	19.7	0.2	8.8	0.4	15.6
9	22.22	0.5	9.6			0.2	7.3	2.3	25.5	0.3	15.4	1.3	22.0	1.6	22.6	0.2	12.5	0.9	18.8
10	27.78	0.8	13.4			0.4	11.3	3.8	28.4	0.5	18.9	2.1	25.0	2.7	25.6	0.3	16.1	1.5	22.0
11	33.33	1.1	17.1			0.5	15.2	6.1	31.3	1.1	22.3	3.7	28.1	4.3	28.6	0.7	19.8	2.5	25.2
12	38.89	1.4	20.9	0.7	17.1	0.9	19.1	9.3	34.2	2.0	25.8	5.8	31.2	6.5	31.5	1.4	23.4	4.0	28.4
13	44.44	2.8	24.6	1.5	21.3	2.1	23.1	12.9	37.1	3.9	29.3	8.6	34.2	9.4	34.5	3.0	27.0	6.3	31.6
14	50.00	3.8	28.4	3.3	25.4	3.5	27.0	18.1	40.0	6.8	32.8	12.7	37.3	13.1	37.4	5.5	30.7	9.4	34.8
15	55.56	7.7	32.1	5.1	29.6	6.4	30.9	26.3	42.9	12.9	36.3	19.9	40.4	19.8	40.4	10.0	34.3	15.0	38.0
16	61.11	12.8	35.9	9.8	33.7	11.3	34.9	35.6	45.9	20.8	39.7	28.5	43.4	27.7	43.4	16.7	38.0	22.3	41.2
17	66.67	19.3	39.6	17.3	37.9	18.3	38.8	47.9	48.8	30.8	43.2	39.7	46.5	37.9	46.3	25.7	41.6	31.9	44.4
18	72.22	28.5	43.4	25.6	42.0	27.0	42.7	59.7	51.7	42.3	46.7	51.4	49.5	48.9	49.3	36.0	45.2	42.6	47.6
19	77.78	39.7	47.1	35.8	46.2	37.7	46.7	70.4	54.6	52.0	50.2	61.6	52.6	59.7	52.3	45.9	48.9	52.9	50.8
20	83.33	50.7	50.9	52.8	50.4	51.8	50.6	79.8	57.5	65.5	53.7	72.9	55.7	69.7	55.2	60.7	52.5	65.3	53.9
21	88.89	68.1	54.6	69.1	54.5	68.6	54.6	87.7	60.4	76.4	57.2	82.3	58.7	80.9	58.2	73.7	56.1	77.3	57.1
22	94.44	86.9	58.4	87.8	58.7	87.4	58.5	95.6	63.4	90.1	60.6	92.9	61.8	92.6	61.1	89.2	59.8	90.9	60.3
23	100.00	100.0	62.1	100.0	62.8	100.0	62.4	100.0	66.3	100.0	64.1	100.0	64.8	100.0	64.1	100.0	63.4	100.0	63.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 140: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=322)		Males (n=328)		All (n=650)		Females (n=609)		Males (n=564)		All (n=1173)		Females (n=931)		Males (n=892)		All (n=1823)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43							0.3	7.7			0.1	5.8	0.2	5.7			0.1	4.3
14	25.00	0.5	2.8			0.2	3.5	0.3	10.5	0.3	6.0	0.2	8.6	0.3	8.5	0.2	5.4	0.2	7.1
15	28.57	0.5	5.8			0.2	6.5	0.4	13.2	0.3	9.0	0.3	11.4	0.4	11.3	0.2	8.3	0.3	10.0
16	32.14	0.5	8.9			0.2	9.5	0.6	15.9	0.5	11.9	0.5	14.2	0.5	14.1	0.3	11.2	0.4	12.8
17	35.71	0.5	11.9	0.5	12.9	0.4	12.5	0.8	18.6	0.6	14.8	0.6	17.0	0.6	16.9	0.5	14.2	0.5	15.7
18	39.29	0.8	14.9	1.0	15.9	0.8	15.5	1.3	21.4	0.8	17.7	1.0	19.8	1.1	19.7	0.8	17.1	0.9	18.5
19	42.86	1.3	17.9	1.9	18.9	1.5	18.5	2.2	24.1	1.1	20.6	1.6	22.6	1.8	22.5	1.3	20.0	1.6	21.4
20	46.43	1.3	21.0	2.8	21.8	2.0	21.4	2.8	26.9	1.5	23.5	2.1	25.4	2.3	25.3	1.9	22.9	2.1	24.2
21	50.00	3.1	24.0	4.3	24.8	3.7	24.4	4.9	29.6	3.0	26.4	4.0	28.2	4.3	28.1	3.5	25.9	3.9	27.1
22	53.57	3.6	27.0	4.9	27.8	4.2	27.4	7.3	32.3	4.6	29.3	6.0	31.0	5.9	30.9	4.7	28.8	5.3	29.9
23	57.14	5.3	30.0	5.8	30.7	5.5	30.4	10.5	35.1	6.0	32.2	8.4	33.8	8.7	33.7	5.9	31.7	7.4	32.8
24	60.71	7.8	33.0	8.2	33.7	8.0	33.4	13.3	37.8	9.6	35.1	11.5	36.6	11.4	36.4	9.1	34.6	10.3	35.6
25	64.29	10.3	36.1	10.3	36.7	10.3	36.4	18.1	40.5	13.3	38.0	15.8	39.4	15.4	39.2	12.2	37.5	13.8	38.5
26	67.86	15.6	39.1	14.3	39.6	15.0	39.4	24.8	43.3	19.0	40.9	22.0	42.2	21.6	42.0	17.3	40.5	19.5	41.3
27	71.43	20.0	42.1	20.8	42.6	20.4	42.4	33.2	46.0	27.5	43.8	30.4	45.0	28.6	44.8	25.0	43.4	26.9	44.1
28	75.00	30.4	45.1	28.4	45.6	29.4	45.4	46.3	48.7	39.0	46.7	42.8	47.8	40.8	47.6	35.1	46.3	38.0	47.0
29	78.57	42.5	48.1	42.1	48.5	42.3	48.3	58.0	51.5	52.1	49.6	55.2	50.6	52.6	50.4	48.4	49.2	50.6	49.8
30	82.14	56.2	51.2	61.0	51.5	58.6	51.3	70.9	54.2	64.3	52.5	67.8	53.4	65.8	53.2	63.1	52.2	64.5	52.7
31	85.71	71.1	54.2	76.5	54.5	73.8	54.3	80.7	57.0	73.9	55.4	77.4	56.2	77.4	56.0	74.8	55.1	76.2	55.5
32	89.29	84.1	57.2	82.0	57.4	83.0	57.3	87.7	59.7	83.5	58.4	85.7	59.0	86.4	58.8	82.9	58.0	84.7	58.4
33	92.86	88.2	60.2	90.2	60.4	89.2	60.3	92.8	62.4	90.6	61.3	91.7	61.8	91.2	61.6	90.4	60.9	90.8	61.2
34	96.43	96.6	63.2	95.7	63.4	96.1	63.3	97.5	65.2	96.1	64.2	96.8	64.6	97.2	64.3	96.0	63.9	96.6	64.1
35	100.00	100.0	66.3	100.0	66.3	100.0	66.3	100.0	67.9	100.0	67.1	100.0	67.4	100.0	67.1	100.0	66.8	100.0	66.9

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 141: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY Parent Relations &amp; Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=304)		Males (n=309)		All (n=613)		Females (n=608)		Males (n=562)		All (n=1170)		Females (n=912)		Males (n=871)		All (n=1783)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43																		
14	25.00																		
15	28.57																		
16	32.14																		
17	35.71	0.5	7.7			0.3	10.6	0.3	14.6			0.1	13.1	0.3	12.9			0.1	12.3
18	39.29	0.5	11.0			0.3	13.7	0.3	17.6			0.1	16.1	0.3	15.9			0.1	15.4
19	42.86	0.5	14.2			0.3	16.9	0.6	20.5	0.3	17.3	0.4	19.1	0.5	18.9	0.2	17.9	0.3	18.4
20	46.43	1.1	17.5	1.1	21.8	1.0	20.0	1.2	23.5	0.3	20.5	0.7	22.1	1.1	21.9	0.5	21.0	0.8	21.5
21	50.00	1.5	20.8	2.1	24.8	1.7	23.1	2.0	26.4	0.7	23.6	1.4	25.2	1.8	24.9	1.2	24.0	1.5	24.5
22	53.57	1.8	24.1	4.6	27.9	3.1	26.2	3.3	29.3	1.7	26.7	2.5	28.2	2.7	27.9	2.7	27.1	2.7	27.5
23	57.14	2.7	27.3	5.6	30.9	4.1	29.3	6.4	32.3	3.2	29.8	4.9	31.2	5.2	30.9	4.0	30.2	4.6	30.6
24	60.71	4.0	30.6	6.9	33.9	5.4	32.4	9.9	35.2	6.2	32.9	8.1	34.2	7.9	33.9	6.4	33.3	7.2	33.6
25	64.29	5.9	33.8	12.7	37.0	9.3	35.6	14.9	38.2	12.4	36.0	13.7	37.2	11.9	37.0	12.5	36.4	12.2	36.7
26	67.86	12.5	37.1	18.2	40.0	15.4	38.7	22.3	41.1	19.9	39.1	21.2	40.2	19.1	40.0	19.3	39.4	19.2	39.7
27	71.43	20.1	40.4	27.6	43.0	23.9	41.8	31.1	44.0	27.6	42.2	29.4	43.2	27.4	43.0	27.6	42.5	27.5	42.8
28	75.00	29.0	43.6	37.9	46.1	33.5	44.9	44.8	47.0	37.5	45.4	41.3	46.2	39.5	46.0	37.6	45.6	38.6	45.8
29	78.57	42.4	46.9	52.4	49.1	47.5	48.1	54.3	49.9	47.5	48.5	51.0	49.2	50.3	49.0	49.2	48.7	49.8	48.8
30	82.14	56.9	50.2	63.4	52.1	60.2	51.2	63.3	52.9	58.5	51.6	61.0	52.3	61.2	52.0	60.3	51.8	60.7	51.9
31	85.71	69.4	53.4	74.4	55.1	71.9	54.3	73.3	55.8	70.4	54.7	71.9	55.3	72.0	55.0	71.9	54.8	71.9	54.9
32	89.29	79.5	56.7	80.3	58.2	79.9	57.4	83.0	58.7	82.0	57.8	82.5	58.3	81.9	58.0	81.4	57.9	81.6	58.0
33	92.86	84.8	60.0	89.6	61.2	87.2	60.5	90.8	61.7	88.2	60.9	89.6	61.3	88.8	61.0	88.7	61.0	88.8	61.0
34	96.43	93.0	63.2	94.8	64.2	93.9	63.7	95.9	64.6	94.3	64.0	95.1	64.3	94.9	64.0	94.5	64.1	94.7	64.1
35	100.00	100.0	66.5	100.0	67.3	100.0	66.8	100.0	67.6	100.0	67.1	100.0	67.3	100.0	67.1	100.0	67.2	100.0	67.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 142: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY Social Support &amp; Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=321)		Males (n=331)		All (n=652)		Females (n=608)		Males (n=562)		All (n=1170)		Females (n=929)		Males (n=893)		All (n=1822)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00			0.5	-6.5	0.2	-7.4			0.3	7.8	0.1	4.2			0.3	3.9	0.1	1.0
5	6.25			0.5	-1.9	0.2	-2.8	0.3	4.2	0.7	11.4	0.4	8.1	0.2	2.0	0.6	7.7	0.3	5.1
6	12.50			0.5	2.7	0.2	1.9	0.3	8.4	1.0	15.0	0.6	12.0	0.2	6.4	0.7	11.6	0.4	9.2
7	18.75			0.5	7.3	0.2	6.5	0.4	12.6	1.3	18.6	0.8	15.8	0.3	10.7	0.9	15.4	0.5	13.2
8	25.00	0.5	10.2	0.5	11.9	0.4	11.1	0.9	16.8	2.7	22.2	1.7	19.7	0.7	15.0	1.8	19.3	1.2	17.3
9	31.25	0.5	14.9	0.5	16.5	0.4	15.8	1.3	21.0	3.5	25.8	2.4	23.6	1.0	19.3	2.3	23.2	1.6	21.4
10	37.50	1.0	19.6	1.0	21.1	0.9	20.4	2.4	25.2	4.8	29.4	3.6	27.5	1.9	23.7	3.3	27.0	2.6	25.5
11	43.75	2.5	24.3	3.0	25.7	2.8	25.0	4.2	29.5	6.7	33.0	5.4	31.4	3.6	28.0	5.4	30.9	4.5	29.6
12	50.00	4.4	29.0	4.6	30.3	4.5	29.7	8.5	33.7	12.4	36.6	10.4	35.2	7.1	32.3	9.5	34.8	8.3	33.6
13	56.25	6.8	33.7	9.7	34.9	8.3	34.3	13.1	37.9	16.1	40.1	14.5	39.1	10.9	36.7	13.7	38.6	12.3	37.7
14	62.50	14.0	38.4	17.5	39.5	15.8	39.0	22.3	42.1	25.2	43.7	23.7	43.0	19.4	41.0	22.4	42.5	20.9	41.8
15	68.75	29.5	43.1	30.2	44.1	29.9	43.6	38.0	46.3	37.0	47.3	37.5	46.9	35.1	45.3	34.5	46.4	34.8	45.9
16	75.00	52.7	47.8	52.6	48.7	52.6	48.2	64.7	50.5	63.4	50.9	64.1	50.7	60.5	49.6	59.4	50.2	60.0	49.9
17	81.25	68.8	52.5	70.7	53.3	69.8	52.9	77.2	54.7	73.8	54.5	75.5	54.6	74.3	54.0	72.6	54.1	73.5	54.0
18	87.50	81.9	57.2	86.7	57.9	84.4	57.5	85.9	59.0	84.8	58.1	85.4	58.5	84.5	58.3	85.5	57.9	85.0	58.1
19	93.75	90.0	61.8	93.3	62.5	91.7	62.1	92.6	63.2	92.4	61.7	92.5	62.4	91.7	62.6	92.7	61.8	92.2	62.2
20	100.00	100.0	66.5	100.0	67.1	100.0	66.8	100.0	67.4	100.0	65.3	100.0	66.2	100.0	66.9	100.0	65.7	100.0	66.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 143: NL – Netherlands. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=325)		Males (n=330)		All (n=655)		Females (n=597)		Males (n=562)		All (n=1159)		Females (n=922)		Males (n=892)		All (n=1814)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00							0.4	5.8			0.2	4.3	0.3	3.7			0.1	2.9
5	6.25							0.6	9.7			0.3	8.3	0.4	7.5			0.2	6.8
6	12.50			0.5	6.0	0.2	3.3	0.6	13.5	0.4	10.6	0.5	12.2	0.4	11.3	0.4	10.0	0.3	10.7
7	18.75			0.8	10.0	0.4	7.5	1.4	17.3	0.4	14.7	0.9	16.1	0.9	15.1	0.5	13.9	0.7	14.5
8	25.00			0.8	14.1	0.4	11.7	1.6	21.1	0.6	18.7	1.1	20.0	1.0	18.9	0.6	17.9	0.8	18.4
9	31.25			1.6	18.1	0.8	15.9	2.2	24.9	1.6	22.8	1.9	23.9	1.4	22.7	1.6	21.8	1.5	22.3
10	37.50			2.0	22.1	1.0	20.1	3.2	28.7	2.3	26.8	2.8	27.8	2.1	26.5	2.1	25.7	2.1	26.1
11	43.75	2.8	22.0	2.5	26.2	2.6	24.3	5.0	32.5	3.6	30.9	4.3	31.8	4.2	30.3	3.1	29.7	3.7	30.0
12	50.00	4.4	26.4	4.9	30.2	4.6	28.5	11.2	36.3	9.9	34.9	10.6	35.7	8.8	34.1	8.1	33.6	8.4	33.8
13	56.25	7.1	30.9	8.8	34.2	8.0	32.7	18.6	40.1	17.4	39.0	18.0	39.6	14.5	37.8	14.2	37.5	14.4	37.7
14	62.50	11.2	35.3	14.6	38.3	12.9	36.9	31.0	43.9	28.7	43.0	29.9	43.5	24.0	41.6	23.5	41.5	23.7	41.6
15	68.75	17.9	39.7	23.9	42.3	21.0	41.1	44.7	47.7	44.3	47.1	44.5	47.4	35.3	45.4	36.8	45.4	36.0	45.4
16	75.00	32.1	44.2	41.5	46.3	36.8	45.3	62.3	51.5	63.6	51.1	62.9	51.3	51.6	49.2	55.4	49.3	53.5	49.3
17	81.25	50.2	48.6	56.6	50.4	53.4	49.5	76.8	55.4	76.1	55.1	76.5	55.3	67.5	53.0	68.9	53.3	68.2	53.2
18	87.50	63.7	53.0	68.1	54.4	65.9	53.7	86.8	59.2	84.5	59.2	85.7	59.2	78.6	56.8	78.4	57.2	78.5	57.0
19	93.75	79.7	57.5	82.7	58.4	81.2	57.9	94.3	63.0	93.4	63.2	93.9	63.1	89.1	60.6	89.4	61.2	89.3	60.9
20	100.00	100.0	61.9	100.0	62.5	100.0	62.1	100.0	66.8	100.0	67.3	100.0	67.0	100.0	64.4	100.0	65.1	100.0	64.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 144: NL – Netherlands. Individual norm data KIDSCREEN-10-PROXY Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=320)		Males (n=322)		All (n=642)		Females (n=593)		Males (n=548)		All (n=1151)		Females (n=913)		Males (n=870)		All (n=1783)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50																		
22	30.00							0.3	9.0			0.1	6.5	0.2	6.7			0.1	4.3
23	32.50							0.3	11.2			0.1	8.8	0.2	8.9			0.1	6.6
24	35.00							0.3	13.4			0.1	11.0	0.2	11.2			0.1	9.0
25	37.50							0.4	15.6			0.2	13.3	0.3	13.4			0.1	11.3
26	40.00							0.6	17.8			0.3	15.6	0.4	15.7			0.2	13.6
27	42.50							0.6	20.0			0.3	17.9	0.4	17.9			0.2	15.9
28	45.00			0.5	12.9	0.2	12.6	0.6	22.2			0.3	20.1	0.4	20.1	0.2	15.7	0.2	18.2
29	47.50	0.5	14.7	0.8	15.4	0.5	15.1	1.2	24.4	0.4	19.3	0.8	22.4	0.9	22.3	0.5	18.1	0.7	20.5
30	50.00	1.0	17.2	1.1	18.0	0.9	17.6	1.7	26.6	0.8	21.7	1.2	24.6	1.4	24.6	0.8	20.5	1.1	22.8
31	52.50	1.4	19.8	1.6	20.5	1.4	20.2	2.8	28.9	1.1	24.1	2.0	26.9	2.3	26.8	1.3	23.0	1.8	25.1
32	55.00	2.5	22.3	1.6	23.0	2.0	22.7	4.7	31.1	1.7	26.5	3.2	29.2	3.9	29.0	1.6	25.4	2.8	27.4
33	57.50	3.2	24.8	2.0	25.5	2.5	25.2	6.7	33.3	2.7	28.9	4.8	31.5	5.4	31.2	2.4	27.8	4.0	29.7
34	60.00	3.6	27.3	3.7	28.0	3.6	27.7	8.4	35.5	4.0	31.3	6.3	33.7	6.6	33.5	3.9	30.2	5.3	32.0
35	62.50	4.4	29.9	5.3	30.5	4.8	30.2	12.8	37.7	6.2	33.7	9.6	36.0	9.8	35.7	5.9	32.7	7.9	34.4
36	65.00	5.9	32.4	6.6	33.1	6.2	32.7	17.6	39.9	11.1	36.1	14.5	38.3	13.5	37.9	9.4	35.1	11.5	36.7
37	67.50	8.1	34.9	10.3	35.6	9.2	35.3	23.7	42.1	15.5	38.5	19.8	40.5	18.2	40.2	13.6	37.5	16.0	39.0
38	70.00	11.9	37.4	14.0	38.1	12.9	37.8	32.3	44.3	22.6	40.9	27.7	42.8	25.2	42.4	19.4	39.9	22.4	41.3
39	72.50	16.8	40.0	20.0	40.6	18.4	40.3	40.1	46.5	29.0	43.3	34.8	45.1	31.9	44.6	25.6	42.4	28.9	43.6
40	75.00	23.1	42.5	24.3	43.1	23.7	42.8	47.4	48.7	38.3	45.7	43.1	47.4	38.9	46.8	33.1	44.8	36.1	45.9
41	77.50	31.5	45.0	34.6	45.6	33.0	45.3	56.2	50.9	46.7	48.1	51.6	49.6	47.6	49.1	42.2	47.2	44.9	48.2
42	80.00	40.0	47.5	43.6	48.2	41.8	47.8	64.3	53.2	54.9	50.5	59.8	51.9	55.8	51.3	50.7	49.6	53.3	50.5
43	82.50	52.2	50.0	54.4	50.7	53.3	50.4	72.5	55.4	62.6	52.9	67.7	54.2	65.3	53.5	59.5	52.1	62.5	52.8
44	85.00	62.8	52.6	65.5	53.2	64.1	52.9	81.1	57.6	70.7	55.3	76.1	56.4	74.7	55.8	68.8	54.5	71.8	55.1
45	87.50	73.4	55.1	72.7	55.7	73.0	55.4	85.6	59.8	79.8	57.7	82.8	58.7	81.3	58.0	77.1	56.9	79.3	57.4
46	90.00	80.3	57.6	81.3	58.2	80.8	57.9	90.2	62.0	86.5	60.1	88.4	61.0	86.7	60.2	84.6	59.3	85.7	59.8
47	92.50	87.2	60.1	91.6	60.7	89.4	60.4	94.2	64.2	91.8	62.4	93.1	63.3	91.7	62.4	91.7	61.8	91.7	62.1
48	95.00	94.3	62.7	94.7	63.3	94.5	63.0	97.3	66.4	95.6	64.8	96.5	65.5	96.2	64.7	95.3	64.2	95.8	64.4
49	97.50	97.8	65.2	98.8	65.8	98.3	65.5	98.8	68.6	97.6	67.2	98.2	67.8	98.5	66.9	98.0	66.6	98.2	66.7
50	100.00	100.0	67.7	100.0	68.3	100.0	68.0	100.0	70.8	100.0	69.6	100.0	70.1	100.0	69.1	100.0	69.0	100.0	69.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 145: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=284)		Males (n=254)		All (n=538)		Females (n=606)		Males (n=491)		All (n=1097)		Females (n=890)		Males (n=745)		All (n=1635)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56																		
7	11.11	0.5	14.5			0.3	12.9	0.3	18.6	0.3	17.9	0.2	18.5	0.2	17.4	0.2	15.5	0.1	16.7
8	16.67	0.9	17.9			0.5	16.4	1.8	25.2	2.0	24.2	1.9	24.9	1.4	23.9	1.3	22.0	1.4	23.2
9	22.22	1.2	21.4	0.9	18.1	0.9	20.0	2.8	28.5	2.8	27.3	2.8	28.1	2.2	27.1	2.1	25.2	2.2	26.4
10	27.78	2.2	24.9	1.4	21.8	1.7	23.6	5.9	31.8	5.7	30.5	5.8	31.3	4.7	30.4	4.1	28.4	4.4	29.6
11	33.33	2.2	28.4	2.4	25.5	2.3	27.2	9.3	35.1	7.5	33.6	8.5	34.5	7.0	33.6	5.8	31.7	6.5	32.8
12	38.89	4.2	31.9	5.5	29.3	4.8	30.7	13.6	38.4	12.2	36.8	13.0	37.7	10.6	36.9	9.9	34.9	10.3	36.0
13	44.44	10.5	35.3	8.7	33.0	9.7	34.3	25.1	41.7	17.7	39.9	21.8	41.0	20.4	40.1	14.6	38.1	17.8	39.3
14	50.00	18.7	38.8	13.4	36.7	16.2	37.9	38.1	45.0	27.4	43.1	33.3	44.2	31.9	43.3	22.6	41.3	27.7	42.5
15	55.56	25.7	42.3	17.3	40.4	21.7	41.5	47.9	48.3	37.8	46.2	43.3	47.4	40.8	46.6	30.8	44.6	36.2	45.7
16	61.11	36.3	45.8	29.1	44.1	32.9	45.1	60.6	51.6	49.0	49.3	55.4	50.6	52.9	49.8	42.2	47.8	48.0	48.9
17	66.67	50.4	49.3	43.3	47.9	47.0	48.6	73.8	54.9	64.5	52.5	69.6	53.8	66.3	53.1	57.3	51.0	62.2	52.1
18	72.22	70.2	52.8	64.1	51.6	67.3	52.2	85.7	58.2	77.9	55.6	82.2	57.0	80.7	56.3	73.2	54.3	77.3	55.4
19	77.78	79.9	56.2	78.4	55.3	79.2	55.8	91.1	61.5	86.5	58.8	89.1	60.2	87.5	59.5	83.7	57.5	85.8	58.6
20	83.33	88.0	59.7	86.2	59.0	87.2	59.4	95.4	64.8	92.5	61.9	94.1	63.4	93.0	62.8	90.3	60.7	91.8	61.8
21	88.89	91.5	63.2	93.3	62.7	92.4	63.0	97.7	68.1	95.7	65.0	96.8	66.6	95.7	66.0	94.9	64.0	95.3	65.0
22	94.44	97.5	66.7	98.4	66.5	97.9	66.5	99.2	71.4	98.0	68.2	98.6	69.8	98.6	69.3	98.1	67.2	98.4	68.2
23	100.00	100.0	70.2	100.0	70.2	100.0	70.1	100.0	74.7	100.0	71.3	100.0	73.0	100.0	72.5	100.0	70.4	100.0	71.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 146: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=280)		Males (n=256)		All (n=536)		Females (n=602)		Males (n=488)		All (n=1090)		Females (n=882)		Males (n=744)		All (n=1626)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33									0.3	17.1	0.1	18.0			0.2	15.0	0.1	16.2
9	12.50	0.6	12.3			0.3	11.9	0.4	21.0	0.7	19.7	0.5	20.5	0.4	19.6	0.5	17.6	0.4	18.8
10	16.67	0.9	15.0			0.5	14.6	0.4	23.5	0.7	22.3	0.5	23.0	0.5	22.0	0.7	20.3	0.5	21.3
11	20.83	0.9	17.7			0.5	17.4	0.4	25.9	1.1	24.8	0.7	25.5	0.5	24.4	0.7	22.9	0.6	23.8
12	25.00	1.3	20.3	0.9	19.5	1.0	20.2	2.8	28.4	2.3	27.4	2.6	28.0	2.3	26.8	1.8	25.5	2.0	26.3
13	29.17	1.3	23.0	1.4	22.5	1.2	22.9	4.0	30.8	3.5	30.0	3.8	30.5	3.1	29.3	2.7	28.1	2.9	28.8
14	33.33	1.9	25.7	1.7	25.4	1.7	25.7	6.0	33.3	4.7	32.5	5.4	33.0	4.6	31.7	3.6	30.7	4.2	31.3
15	37.50	2.6	28.3	2.4	28.3	2.4	28.5	10.3	35.7	9.4	35.1	9.9	35.5	7.8	34.1	7.0	33.4	7.4	33.8
16	41.67	4.3	31.0	4.7	31.2	4.5	31.2	13.6	38.2	12.3	37.7	13.0	38.0	10.7	36.5	9.7	36.0	10.2	36.3
17	45.83	5.1	33.6	6.7	34.2	5.8	34.0	19.2	40.7	16.8	40.3	18.1	40.5	14.7	39.0	13.3	38.6	14.1	38.8
18	50.00	11.8	36.3	14.8	37.1	13.3	36.7	30.8	43.1	29.1	42.9	30.0	43.0	24.8	41.4	24.2	41.2	24.5	41.3
19	54.17	15.8	39.0	19.2	40.0	17.4	39.5	37.8	45.6	37.3	45.4	37.5	45.5	30.8	43.8	31.0	43.9	30.9	43.8
20	58.33	22.2	41.6	25.4	42.9	23.7	42.3	45.9	48.0	46.9	48.0	46.3	48.0	38.4	46.2	39.5	46.5	38.9	46.4
21	62.50	33.6	44.3	38.3	45.9	35.8	45.0	57.9	50.5	59.0	50.6	58.3	50.5	50.1	48.7	51.9	49.1	50.9	48.9
22	66.67	40.0	47.0	50.4	48.8	45.0	47.8	68.0	52.9	66.1	53.2	67.2	53.0	59.1	51.1	60.7	51.7	59.9	51.4
23	70.83	49.3	49.6	58.6	51.7	53.8	50.6	74.7	55.4	74.3	55.7	74.5	55.5	66.7	53.5	68.9	54.4	67.7	53.9
24	75.00	66.8	52.3	75.4	54.6	70.9	53.3	81.0	57.8	85.0	58.3	82.8	58.0	76.5	55.9	81.7	57.0	78.9	56.4
25	79.17	72.1	54.9	83.6	57.6	77.6	56.1	86.0	60.3	88.9	60.9	87.3	60.5	81.6	58.4	87.1	59.6	84.1	58.9
26	83.33	80.3	57.6	88.7	60.5	84.3	58.9	90.2	62.7	93.0	63.5	91.4	63.0	87.1	60.8	91.5	62.2	89.1	61.4
27	87.50	86.7	60.3	93.3	63.4	89.9	61.6	94.0	65.2	95.7	66.0	94.8	65.5	91.7	63.2	94.9	64.9	93.1	63.9
28	91.67	92.1	62.9	96.5	66.3	94.2	64.4	97.3	67.6	97.1	68.6	97.2	68.0	95.7	65.6	96.9	67.5	96.2	66.4
29	95.83	96.4	65.6	97.3	69.3	96.8	67.1	98.2	70.1	98.8	71.2	98.4	70.6	97.6	68.1	98.3	70.1	97.9	68.9
30	100.00	100.0	68.3	100.0	72.2	100.0	69.9	100.0	72.5	100.0	73.8	100.0	73.1	100.0	70.5	100.0	72.7	100.0	71.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 147: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Moods & Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=282)		Males (n=255)		All (n=537)		Females (n=604)		Males (n=492)		All (n=1096)		Females (n=886)		Males (n=747)		All (n=1633)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43									0.3	3.8	0.1	5.2			0.2	0.4	0.1	2.9
14	25.00	0.6	1.1			0.3	-2.4			0.7	6.6	0.3	7.9	0.2	7.3	0.4	3.3	0.3	5.7
15	28.57	0.6	4.1			0.3	0.8	0.3	11.5	0.7	9.4	0.4	10.6	0.3	10.1	0.4	6.2	0.3	8.5
16	32.14	0.6	7.0	0.6	-0.5	0.5	3.9	0.5	14.2	0.7	12.1	0.6	13.4	0.5	12.8	0.6	9.1	0.5	11.3
17	35.71	0.9	10.0	0.6	2.9	0.7	7.0	0.5	17.0	0.9	14.9	0.7	16.1	0.6	15.5	0.8	12.0	0.6	14.1
18	39.29	1.3	12.9	0.6	6.3	0.9	10.2	1.0	19.7	0.9	17.7	0.9	18.9	1.0	18.3	0.8	14.9	0.9	16.9
19	42.86	1.3	15.9	1.0	9.7	1.1	13.3	1.5	22.4	1.5	20.4	1.5	21.6	1.4	21.0	1.2	17.8	1.3	19.7
20	46.43	1.9	18.8	1.0	13.1	1.4	16.4	1.9	25.1	1.9	23.2	1.8	24.4	1.8	23.8	1.5	20.8	1.7	22.5
21	50.00	2.9	21.7	1.0	16.6	1.9	19.6	3.8	27.9	2.7	26.0	3.3	27.1	3.5	26.5	2.0	23.7	2.8	25.3
22	53.57	3.7	24.7	1.4	20.0	2.5	22.7	5.6	30.6	3.9	28.8	4.8	29.9	5.0	29.2	3.0	26.6	4.0	28.1
23	57.14	4.4	27.6	2.1	23.4	3.2	25.8	8.8	33.3	6.5	31.5	7.8	32.6	7.4	32.0	5.0	29.5	6.3	30.9
24	60.71	5.4	30.5	3.6	26.8	4.5	29.0	11.6	36.1	8.8	34.3	10.3	35.4	9.6	34.7	7.0	32.4	8.4	33.7
25	64.29	6.5	33.5	5.2	30.2	5.8	32.1	16.4	38.8	12.2	37.1	14.5	38.1	13.2	37.5	9.8	35.3	11.6	36.6
26	67.86	10.3	36.4	7.1	33.6	8.8	35.3	21.7	41.6	15.2	39.9	18.8	40.8	18.1	40.2	12.4	38.2	15.5	39.4
27	71.43	14.9	39.4	9.8	37.0	12.5	38.4	28.5	44.3	21.3	42.7	25.3	43.6	24.2	42.9	17.4	41.1	21.1	42.2
28	75.00	21.6	42.3	20.8	40.4	21.2	41.5	39.7	47.0	34.8	45.4	37.5	46.3	34.0	45.7	30.0	44.1	32.1	45.0
29	78.57	29.4	45.2	30.2	43.8	29.8	44.7	48.6	49.8	44.3	48.2	46.7	49.1	42.5	48.4	39.5	47.0	41.1	47.8
30	82.14	38.7	48.2	39.3	47.3	38.9	47.8	60.5	52.5	52.5	51.0	56.9	51.8	53.6	51.2	47.9	49.9	51.0	50.6
31	85.71	52.9	51.1	51.4	50.7	52.2	50.9	69.5	55.2	66.7	53.8	68.2	54.6	64.2	53.9	61.5	52.8	63.0	53.4
32	89.29	65.9	54.1	67.5	54.1	66.7	54.1	81.8	58.0	78.1	56.5	80.1	57.3	76.7	56.6	74.5	55.7	75.7	56.2
33	92.86	83.0	57.0	83.5	57.5	83.2	57.2	92.0	60.7	87.4	59.3	89.9	60.1	89.2	59.4	86.1	58.6	87.7	59.0
34	96.43	93.3	59.9	94.9	60.9	94.0	60.3	97.2	63.4	94.7	62.1	96.1	62.8	95.9	62.1	94.8	61.5	95.4	61.8
35	100.00	100.0	62.9	100.0	64.3	100.0	63.5	100.0	66.2	100.0	64.9	100.0	65.5	100.0	64.9	100.0	64.4	100.0	64.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 148: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=283)		Males (n=259)		All (n=542)		Females (n=609)		Males (n=494)		All (n=1103)		Females (n=892)		Males (n=753)		All (n=1645)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00							0.5	18.4			0.3	14.7	0.4	15.8			0.2	12.1
8	15.00	0.6	7.2			0.3	4.4	1.2	21.1			0.6	17.6	0.9	18.6			0.5	15.0
9	20.00	0.6	10.6			0.3	7.9	1.5	23.8	0.3	13.5	0.9	20.4	1.1	21.4	0.2	11.4	0.7	17.9
10	25.00	0.6	13.9			0.3	11.4	2.4	26.5	0.8	16.8	1.7	23.3	1.8	24.1	0.5	14.7	1.2	20.9
11	30.00	0.9	17.3			0.5	14.9	4.4	29.2	1.1	20.1	2.9	26.2	3.2	26.9	0.7	18.1	2.0	23.8
12	35.00	1.2	20.6			0.6	18.3	5.9	31.9	1.8	23.3	4.1	29.0	4.3	29.7	1.2	21.4	2.9	26.7
13	40.00	1.8	24.0			1.0	21.8	9.2	34.6	2.6	26.6	6.2	31.9	6.8	32.4	1.7	24.7	4.5	29.7
14	45.00	2.9	27.3	2.0	22.3	2.4	25.3	13.9	37.3	4.0	29.9	9.5	34.7	10.4	35.2	3.3	28.0	7.2	32.6
15	50.00	4.2	30.7	3.2	26.0	3.7	28.8	19.7	40.0	6.9	33.1	13.9	37.6	14.8	37.9	5.6	31.3	10.6	35.5
16	55.00	8.8	34.1	5.4	29.7	7.2	32.3	25.3	42.7	12.3	36.4	19.5	40.4	20.0	40.7	9.9	34.7	15.4	38.5
17	60.00	13.4	37.4	8.6	33.4	11.1	35.7	33.3	45.4	18.2	39.7	26.5	43.3	27.0	43.5	14.9	38.0	21.4	41.4
18	65.00	21.2	40.8	15.2	37.1	18.3	39.2	43.2	48.1	28.5	42.9	36.6	46.1	36.2	46.2	23.9	41.3	30.6	44.3
19	70.00	32.5	44.1	23.3	40.8	28.1	42.7	54.8	50.8	38.2	46.2	47.4	49.0	47.8	49.0	33.1	44.6	41.0	47.3
20	75.00	44.2	47.5	31.4	44.5	38.1	46.2	64.7	53.5	49.2	49.5	57.7	51.8	58.2	51.8	43.0	47.9	51.2	50.2
21	80.00	54.8	50.9	44.1	48.2	49.7	49.6	75.2	56.2	63.8	52.8	70.1	54.7	68.7	54.5	57.0	51.3	63.4	53.1
22	85.00	67.9	54.2	60.7	51.9	64.4	53.1	84.9	58.9	76.7	56.0	81.2	57.5	79.5	57.3	71.2	54.6	75.7	56.0
23	90.00	81.6	57.6	71.9	55.6	77.0	56.6	91.1	61.6	86.4	59.3	89.0	60.4	88.1	60.1	81.4	57.9	85.0	59.0
24	95.00	89.8	61.0	85.8	59.3	87.9	60.1	96.6	64.3	93.1	62.6	95.0	63.2	94.4	62.8	90.6	61.2	92.6	61.9
25	100.00	100.0	64.3	100.0	63.0	100.0	63.6	100.0	67.0	100.0	65.8	100.0	66.1	100.0	65.6	100.0	64.6	100.0	64.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 149: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=284)		Males (n=258)		All (n=542)		Females (n=611)		Males (n=496)		All (n=1107)		Females (n=895)		Males (n=754)		All (n=1649)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00							0.5	22.5			0.3	21.2	0.4	20.6			0.2	19.3
8	15.00	0.5	17.9			0.3	17.0	0.8	25.0	0.3	22.0	0.5	23.8	0.6	23.3	0.2	20.3	0.4	22.0
9	20.00	0.5	20.9			0.3	20.1	1.2	27.6	0.5	24.7	0.8	26.4	0.9	25.9	0.3	23.1	0.6	24.8
10	25.00	1.5	23.8	1.2	22.1	1.3	23.1	3.1	30.2	2.2	27.4	2.7	29.1	2.6	28.6	1.9	25.9	2.2	27.5
11	30.00	2.5	26.8	2.1	25.2	2.2	26.1	6.5	32.7	3.4	30.1	5.1	31.7	5.2	31.3	2.9	28.7	4.2	30.2
12	35.00	3.5	29.8	2.5	28.3	3.0	29.1	10.8	35.3	5.5	32.8	8.4	34.3	8.5	33.9	4.4	31.5	6.6	32.9
13	40.00	5.7	32.8	5.0	31.4	5.4	32.2	15.6	37.9	8.3	35.5	12.3	36.9	12.4	36.6	7.2	34.3	10.0	35.6
14	45.00	9.9	35.8	7.0	34.5	8.5	35.2	20.8	40.4	13.3	38.2	17.4	39.5	17.3	39.2	11.2	37.1	14.5	38.3
15	50.00	15.5	38.7	17.0	37.6	16.2	38.2	30.3	43.0	24.5	40.9	27.7	42.1	25.6	41.9	21.9	39.9	23.9	41.0
16	55.00	25.7	41.7	22.1	40.7	24.0	41.2	38.3	45.6	33.1	43.6	36.0	44.7	34.3	44.5	29.3	42.7	32.0	43.8
17	60.00	35.1	44.7	31.8	43.8	33.5	44.3	47.3	48.1	43.0	46.3	45.3	47.4	43.4	47.2	39.1	45.5	41.5	46.5
18	65.00	43.6	47.7	39.6	46.8	41.7	47.3	54.8	50.7	51.8	49.0	53.5	50.0	51.3	49.8	47.6	48.4	49.6	49.2
19	70.00	55.6	50.7	52.0	49.9	53.9	50.3	61.4	53.3	59.9	51.7	60.7	52.6	59.5	52.5	57.2	51.2	58.5	51.9
20	75.00	72.5	53.6	69.5	53.0	71.1	53.4	75.9	55.8	72.2	54.4	74.2	55.2	74.8	55.1	71.3	54.0	73.2	54.6
21	80.00	80.2	56.6	76.8	56.1	78.6	56.4	83.0	58.4	79.1	57.1	81.2	57.8	82.1	57.8	78.3	56.8	80.4	57.3
22	85.00	85.5	59.6	84.6	59.2	85.1	59.4	87.9	61.0	84.3	59.8	86.3	60.4	87.1	60.5	84.4	59.6	85.9	60.0
23	90.00	90.1	62.6	91.5	62.3	90.8	62.4	92.8	63.5	89.9	62.5	91.5	63.0	91.9	63.1	90.5	62.4	91.3	62.8
24	95.00	94.3	65.6	95.8	65.4	95.0	65.5	96.4	66.1	92.8	65.2	94.8	65.7	95.7	65.8	93.8	65.2	94.8	65.5
25	100.00	100.0	68.5	100.0	68.5	100.0	68.5	100.0	68.7	100.0	68.0	100.0	68.3	100.0	68.4	100.0	68.0	100.0	68.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 150: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Parent Relations &amp; Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=280)		Males (n=257)		All (n=537)		Females (n=601)		Males (n=483)		All (n=1084)		Females (n=881)		Males (n=740)		All (n=1621)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33	0.5	5.5			0.3	4.9	0.3	15.2	0.3	14.5	0.2	14.9	0.3	13.2	0.2	12.0	0.2	12.7
9	12.50	0.5	8.2			0.3	7.6	0.3	17.6	0.3	16.9	0.2	17.3	0.3	15.6	0.2	14.4	0.2	15.1
10	16.67	0.5	10.8			0.3	10.3	0.5	19.9	0.3	19.2	0.4	19.6	0.5	18.0	0.2	16.9	0.3	17.5
11	20.83	0.5	13.5			0.3	13.1	0.5	22.2	0.5	21.6	0.5	22.0	0.5	20.4	0.4	19.3	0.4	19.9
12	25.00	0.5	16.2			0.3	15.8	1.2	24.5	0.9	23.9	1.0	24.3	0.9	22.7	0.6	21.8	0.7	22.3
13	29.17	0.5	18.8			0.3	18.5	2.2	26.9	1.7	26.3	1.9	26.6	1.6	25.1	1.1	24.2	1.4	24.7
14	33.33	0.9	21.5	0.6	20.8	0.6	21.2	2.7	29.2	2.5	28.7	2.6	29.0	2.1	27.4	1.8	26.6	1.9	27.1
15	37.50	1.5	24.1	1.0	23.6	1.1	23.9	4.5	31.5	3.8	31.0	4.2	31.3	3.5	29.8	2.7	29.1	3.2	29.5
16	41.67	3.2	26.8	2.0	26.3	2.6	26.6	6.2	33.8	6.5	33.4	6.3	33.6	5.2	32.2	4.9	31.5	5.1	31.9
17	45.83	4.0	29.5	5.1	29.1	4.5	29.3	9.9	36.2	10.6	35.7	10.2	36.0	8.0	34.6	8.7	33.9	8.3	34.3
18	50.00	5.7	32.1	5.9	31.8	5.8	32.0	16.7	38.5	15.6	38.1	16.2	38.3	13.2	36.9	12.2	36.4	12.7	36.7
19	54.17	9.3	34.8	10.5	34.6	9.9	34.7	22.9	40.8	21.9	40.4	22.5	40.6	18.6	39.3	17.9	38.8	18.3	39.1
20	58.33	13.6	37.5	14.4	37.4	14.0	37.4	31.3	43.1	27.9	42.8	29.8	43.0	25.6	41.7	23.2	41.2	24.5	41.5
21	62.50	18.5	40.1	20.2	40.1	19.3	40.1	38.4	45.5	36.0	45.1	37.3	45.3	32.1	44.1	30.5	43.7	31.4	43.9
22	66.67	28.5	42.8	27.6	42.9	28.0	42.9	44.8	47.8	42.8	47.5	43.9	47.7	39.6	46.4	37.5	46.1	38.6	46.3
23	70.83	33.9	45.5	36.2	45.6	35.0	45.6	51.1	50.1	52.2	49.8	51.6	50.0	45.6	48.8	46.6	48.5	46.1	48.7
24	75.00	45.3	48.2	45.9	48.4	45.6	48.3	58.7	52.4	60.7	52.2	59.6	52.3	54.5	51.2	55.6	51.0	55.0	51.1
25	79.17	54.3	50.8	55.7	51.2	54.9	51.0	67.2	54.8	68.3	54.5	67.7	54.7	63.1	53.6	63.9	53.4	63.5	53.5
26	83.33	61.4	53.5	64.7	53.9	63.0	53.7	76.7	57.1	73.5	56.9	75.2	57.0	71.8	55.9	70.4	55.9	71.2	55.9
27	87.50	70.7	56.2	77.1	56.7	73.8	56.4	84.2	59.4	81.8	59.2	83.1	59.3	79.9	58.3	80.2	58.3	80.0	58.3
28	91.67	84.7	58.8	84.9	59.4	84.8	59.1	89.5	61.7	90.2	61.6	89.8	61.7	88.0	60.7	88.4	60.7	88.2	60.7
29	95.83	92.5	61.5	91.9	62.2	92.2	61.8	95.2	64.1	94.6	63.9	94.9	64.0	94.3	63.0	93.6	63.2	94.0	63.1
30	100.00	100.0	64.2	100.0	65.0	100.0	64.5	100.0	66.4	100.0	66.3	100.0	66.3	100.0	65.4	100.0	65.6	100.0	65.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 151: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=278)		Males (n=251)		All (n=529)		Females (n=604)		Males (n=471)		All (n=1075)		Females (n=882)		Males (n=722)		All (n=1604)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00									0.5	20.5	0.2	19.9			0.3	18.5	0.1	18.1
7	4.17							0.3	21.7	0.8	22.7	0.4	22.2	0.2	20.0	0.5	20.8	0.3	20.4
8	8.33	0.6	17.5			0.3	17.7	0.4	23.9	1.3	24.9	0.7	24.4	0.4	22.3	0.8	23.1	0.6	22.7
9	12.50	0.9	20.0			0.5	20.2	0.9	26.1	1.9	27.2	1.3	26.6	0.8	24.6	1.2	25.3	1.0	25.0
10	16.67	0.9	22.6	1.2	22.9	1.0	22.7	1.8	28.3	1.9	29.4	1.9	28.8	1.5	26.9	1.7	27.6	1.5	27.2
11	20.83	1.3	25.1	1.8	25.4	1.4	25.3	2.7	30.6	2.6	31.6	2.6	31.1	2.1	29.2	2.2	29.9	2.2	29.5
12	25.00	2.2	27.6	4.0	27.9	3.0	27.8	5.3	32.8	5.7	33.8	5.5	33.3	4.3	31.5	5.1	32.2	4.7	31.8
13	29.17	3.6	30.1	5.6	30.5	4.5	30.3	9.2	35.0	9.5	36.1	9.4	35.5	7.4	33.8	8.2	34.5	7.8	34.1
14	33.33	5.7	32.7	7.2	33.0	6.4	32.8	12.6	37.3	14.9	38.3	13.6	37.7	10.4	36.1	12.2	36.8	11.2	36.4
15	37.50	9.6	35.2	8.1	35.5	8.8	35.4	17.4	39.5	19.7	40.5	18.4	40.0	14.9	38.4	15.6	39.1	15.3	38.7
16	41.67	14.3	37.7	10.8	38.1	12.6	37.9	23.4	41.7	26.3	42.8	24.7	42.2	20.5	40.6	20.9	41.4	20.7	41.0
17	45.83	19.4	40.2	18.4	40.6	18.9	40.4	30.8	43.9	35.4	45.0	32.8	44.4	27.2	42.9	29.5	43.7	28.2	43.3
18	50.00	25.8	42.8	28.3	43.2	27.0	43.0	41.9	46.2	45.2	47.2	43.3	46.6	36.8	45.2	39.3	46.0	37.9	45.6
19	54.17	36.3	45.3	36.7	45.7	36.5	45.5	50.5	48.4	54.5	49.4	52.3	48.8	46.0	47.5	48.3	48.3	47.1	47.9
20	58.33	45.7	47.8	49.4	48.2	47.5	48.0	57.8	50.6	60.9	51.7	59.1	51.1	54.0	49.8	56.9	50.6	55.3	50.1
21	62.50	54.7	50.3	56.5	50.8	55.5	50.5	64.9	52.8	68.9	53.9	66.7	53.3	61.7	52.1	64.6	52.8	63.0	52.4
22	66.67	64.0	52.9	66.9	53.3	65.4	53.1	71.5	55.1	76.6	56.1	73.7	55.5	69.1	54.4	73.2	55.1	71.0	54.7
23	70.83	72.7	55.4	76.9	55.8	74.7	55.6	77.3	57.3	83.8	58.3	80.1	57.7	75.9	56.7	81.4	57.4	78.3	57.0
24	75.00	82.4	57.9	84.0	58.4	83.2	58.1	85.1	59.5	87.8	60.6	86.3	60.0	84.2	59.0	86.5	59.7	85.3	59.3
25	79.17	87.4	60.4	89.6	60.9	88.5	60.7	90.1	61.7	90.8	62.8	90.4	62.2	89.2	61.3	90.4	62.0	89.8	61.6
26	83.33	92.1	63.0	94.0	63.5	93.0	63.2	92.9	64.0	93.4	65.0	93.1	64.4	92.6	63.6	93.6	64.3	93.1	63.9
27	87.50	96.4	65.5	94.5	66.0	95.5	65.7	95.4	66.2	95.7	67.2	95.5	66.6	95.7	65.8	95.3	66.6	95.5	66.2
28	91.67	98.6	68.0	98.0	68.5	98.3	68.2	97.2	68.4	97.4	69.5	97.3	68.9	97.6	68.1	97.6	68.9	97.6	68.5
29	95.83	99.6	70.5	98.8	71.1	99.3	70.8	98.7	70.6	98.5	71.7	98.6	71.1	99.0	70.4	98.6	71.2	98.8	70.7
30	100.00	100.0	73.1	100.0	73.6	100.0	73.3	100.0	72.9	100.0	73.9	100.0	73.3	100.0	72.7	100.0	73.5	100.0	73.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 152: PL – Poland. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=285)		Males (n=257)		All (n=542)		Females (n=612)		Males (n=494)		All (n=1106)		Females (n=897)		Males (n=751)		All (n=1648)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33									0.5	22.4	0.2	20.8			0.3	21.3	0.1	19.5
9	12.50							0.3	21.4	0.9	24.9	0.5	23.3	0.2	19.9	0.6	23.7	0.3	22.0
10	16.67			0.6	20.1	0.3	17.7	1.0	24.0	1.3	27.5	1.1	25.8	0.7	22.4	1.0	26.1	0.8	24.4
11	20.83	0.5	17.2	1.3	22.7	0.8	20.3	1.3	26.5	2.5	30.0	1.8	28.3	1.0	24.9	2.0	28.5	1.5	26.9
12	25.00	0.9	20.0	1.8	25.3	1.2	23.0	2.3	29.1	5.3	32.5	3.6	30.8	1.8	27.4	4.0	31.0	2.8	29.3
13	29.17	0.9	22.8	2.2	27.9	1.4	25.6	3.7	31.6	8.3	35.0	5.8	33.3	2.8	29.9	6.1	33.4	4.3	31.7
14	33.33	1.5	25.6	2.9	30.5	2.1	28.3	7.3	34.1	12.4	37.5	9.6	35.8	5.5	32.4	9.1	35.8	7.1	34.2
15	37.50	3.2	28.4	5.1	33.1	4.1	30.9	10.5	36.7	18.2	40.0	13.9	38.3	8.1	34.9	13.7	38.2	10.7	36.6
16	41.67	4.9	31.2	7.4	35.6	6.1	33.6	15.5	39.2	25.5	42.5	20.0	40.8	12.1	37.4	19.3	40.7	15.4	39.1
17	45.83	7.4	33.9	14.0	38.2	10.5	36.3	24.0	41.8	33.3	45.1	28.1	43.3	18.7	39.9	26.7	43.1	22.3	41.5
18	50.00	11.6	36.7	25.7	40.8	18.2	38.9	34.2	44.3	46.4	47.6	39.7	45.8	27.0	42.4	39.3	45.5	32.6	43.9
19	54.17	17.2	39.5	31.9	43.4	24.2	41.6	46.6	46.9	59.2	50.1	52.2	48.3	37.3	44.9	49.8	47.9	43.0	46.4
20	58.33	24.9	42.3	38.9	46.0	31.6	44.2	55.1	49.4	66.9	52.6	60.4	50.8	45.5	47.4	57.3	50.4	50.9	48.8
21	62.50	36.8	45.1	46.3	48.6	41.3	46.9	62.6	52.0	78.5	55.1	69.7	53.3	54.4	49.9	67.5	52.8	60.4	51.2
22	66.67	45.2	47.9	56.4	51.2	50.5	49.5	71.1	54.5	83.0	57.6	76.4	55.8	62.9	52.4	73.9	55.2	67.9	53.7
23	70.83	58.6	50.7	69.6	53.8	63.9	52.2	78.6	57.1	87.2	60.1	82.4	58.4	72.3	54.9	81.2	57.7	76.3	56.1
24	75.00	68.1	53.5	81.0	56.4	74.2	54.8	86.8	59.6	91.7	62.7	89.0	60.9	80.8	57.4	88.0	60.1	84.1	58.6
25	79.17	76.2	56.3	86.4	59.0	81.0	57.5	89.5	62.2	93.5	65.2	91.3	63.4	85.3	59.9	91.1	62.5	87.9	61.0
26	83.33	84.2	59.0	89.1	61.6	86.5	60.1	94.1	64.7	95.3	67.7	94.6	65.9	91.0	62.4	93.2	64.9	92.0	63.4
27	87.50	90.5	61.8	92.2	64.2	91.3	62.8	96.4	67.3	97.4	70.2	96.8	68.4	94.5	64.9	95.6	67.4	95.0	65.9
28	91.67	94.7	64.6	95.7	66.8	95.2	65.4	98.2	69.8	98.0	72.7	98.1	70.9	97.1	67.4	97.2	69.8	97.1	68.3
29	95.83	97.9	67.4	97.7	69.3	97.8	68.1	99.0	72.4	99.0	75.2	99.0	73.4	98.7	69.9	98.5	72.2	98.6	70.8
30	100.00	100.0	70.2	100.0	71.9	100.0	70.8	100.0	74.9	100.0	77.7	100.0	75.9	100.0	72.4	100.0	74.6	100.0	73.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 153: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=285)		Males (n=258)		All (n=543)		Females (n=613)		Males (n=495)		All (n=1108)		Females (n=898)		Males (n=753)		All (n=1651)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00																		
4	8.33							0.5	-1.1			0.3	-5.3	0.3	-0.7			0.2	-3.3
5	16.67	0.5	5.0	0.9	4.9	0.6	5.0	0.7	4.2	0.3	-5.9	0.5	0.4	0.6	4.6	0.4	-1.2	0.5	2.3
6	25.00	1.2	10.5	1.7	10.4	1.3	10.5	1.3	9.5	0.3	0.6	0.8	6.2	1.2	10.0	0.7	4.8	1.0	7.9
7	33.33	1.6	15.9	1.7	15.8	1.6	15.9	1.6	14.9	0.8	7.0	1.2	11.9	1.5	15.3	1.1	10.7	1.3	13.4
8	41.67	2.5	21.4	2.8	21.2	2.6	21.3	2.5	20.2	1.4	13.4	2.0	17.6	2.4	20.7	1.9	16.7	2.2	19.0
9	50.00	6.0	26.8	4.6	26.6	5.3	26.7	4.4	25.5	2.4	19.8	3.5	23.4	4.9	26.0	3.2	22.7	4.1	24.6
10	58.33	7.4	32.2	6.6	32.0	7.0	32.2	6.4	30.9	3.2	26.2	5.0	29.1	6.7	31.4	4.4	28.6	5.6	30.2
11	66.67	11.2	37.7	10.0	37.4	10.6	37.6	10.1	36.2	6.4	32.6	8.5	34.8	10.4	36.7	7.7	34.6	9.2	35.8
12	75.00	28.1	43.1	29.0	42.8	28.5	43.0	23.0	41.5	21.2	39.0	22.2	40.5	24.6	42.1	23.9	40.5	24.3	41.4
13	83.33	48.4	48.6	44.9	48.3	46.8	48.4	35.7	46.9	36.2	45.4	35.9	46.3	39.7	47.4	39.2	46.5	39.5	47.0
14	91.67	67.8	54.0	66.4	53.7	67.1	53.8	55.0	52.2	55.8	51.8	55.3	52.0	59.0	52.8	59.4	52.5	59.2	52.6
15	100.00	100.0	59.5	100.0	59.1	100.0	59.3	100.0	57.5	100.0	58.2	100.0	57.7	100.0	58.1	100.0	58.4	100.0	58.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 154: PL – Poland. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=279)		Males (n=251)		All (n=530)		Females (n=614)		Males (n=494)		All (n=1108)		Females (n=893)		Males (n=745)		All (n=1638)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
<b>3</b>	<b>0.00</b>	4.7	32.3	4.0	32.0	4.4	32.2	3.2	31.4	6.3	33.0	4.6	32.2	3.7	31.7	5.5	32.7	4.5	32.2
<b>4</b>	<b>8.33</b>	9.7	35.5	10.0	35.5	9.8	35.5	8.1	35.0	12.1	36.5	9.9	35.7	8.6	35.2	11.4	36.2	9.9	35.6
<b>5</b>	<b>16.67</b>	18.6	38.8	17.9	39.0	18.3	38.9	15.6	38.5	19.5	39.9	17.3	39.2	16.5	38.6	18.9	39.6	17.6	39.1
<b>6</b>	<b>25.00</b>	29.2	42.0	34.7	42.5	31.8	42.3	31.7	42.1	35.7	43.4	33.5	42.7	30.9	42.1	35.3	43.1	32.9	42.5
<b>7</b>	<b>33.33</b>	40.7	45.3	46.3	46.0	43.4	45.6	42.8	45.6	46.8	46.8	44.6	46.2	42.1	45.5	46.6	46.5	44.2	46.0
<b>8</b>	<b>41.67</b>	51.5	48.5	51.8	49.5	51.6	49.0	52.9	49.1	56.9	50.3	54.7	49.7	52.5	48.9	55.2	50.0	53.7	49.4
<b>9</b>	<b>50.00</b>	65.8	51.8	68.9	52.9	67.3	52.3	72.3	52.7	77.2	53.7	74.5	53.2	70.3	52.4	74.4	53.5	72.2	52.9
<b>10</b>	<b>58.33</b>	75.1	55.0	79.3	56.4	77.1	55.7	79.7	56.2	81.8	57.2	80.6	56.7	78.2	55.8	80.9	56.9	79.5	56.3
<b>11</b>	<b>66.67</b>	80.2	58.3	84.0	59.9	82.0	59.0	85.5	59.8	87.5	60.6	86.4	60.2	83.8	59.3	86.3	60.4	85.0	59.8
<b>12</b>	<b>75.00</b>	88.8	61.5	93.2	63.4	90.9	62.4	92.5	63.3	92.9	64.1	92.7	63.7	91.4	62.7	93.0	63.9	92.1	63.2
<b>13</b>	<b>83.33</b>	93.2	64.8	96.8	66.9	94.9	65.7	94.3	66.9	95.0	67.6	94.6	67.2	93.9	66.2	95.6	67.3	94.7	66.7
<b>14</b>	<b>91.67</b>	96.1	68.0	98.0	70.4	97.0	69.1	97.2	70.4	97.2	71.0	97.2	70.7	96.9	69.6	97.5	70.8	97.1	70.1
<b>15</b>	<b>100.00</b>	100.0	71.3	100.0	73.9	100.0	72.4	100.0	74.0	100.0	74.5	100.0	74.2	100.0	73.0	100.0	74.2	100.0	73.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 155: PL – Poland. Individual norm data KIDSCREEN-27-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=284)		Males (n=254)		All (n=538)		Females (n=606)		Males (n=491)		All (n=1097)		Females (n=890)		Males (n=745)		All (n=1635)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.56							0.3	18.6	0.3	18.0	0.2	18.5	0.2	17.4	0.2	15.5	0.1	16.7
7	11.11	0.6	14.5			0.3	12.9	0.8	21.9	1.2	21.1	1.0	21.7	0.7	20.7	0.8	18.7	0.7	19.9
8	16.67	0.9	18.0			0.5	16.4	1.8	25.2	2.1	24.2	1.9	24.9	1.5	23.9	1.4	22.0	1.4	23.2
9	22.22	1.3	21.4	0.9	18.1	1.0	20.0	2.8	28.5	2.9	27.4	2.8	28.1	2.3	27.1	2.2	25.2	2.2	26.4
10	27.78	2.2	24.9	1.4	21.8	1.7	23.6	5.9	31.8	5.7	30.5	5.8	31.3	4.7	30.4	4.2	28.4	4.5	29.6
11	33.33	2.2	28.4	2.4	25.5	2.3	27.2	9.4	35.1	7.5	33.7	8.6	34.6	7.1	33.6	5.8	31.7	6.5	32.8
12	38.89	4.3	31.9	5.5	29.2	4.9	30.7	13.7	38.4	12.2	36.8	13.0	37.8	10.7	36.9	9.9	34.9	10.3	36.0
13	44.44	10.6	35.4	8.7	33.0	9.7	34.3	25.1	41.7	17.7	39.9	21.8	41.0	20.5	40.1	14.6	38.1	17.8	39.3
14	50.00	18.7	38.8	13.4	36.7	16.2	37.9	38.2	45.0	27.5	43.1	33.4	44.2	32.0	43.3	22.7	41.4	27.7	42.5
15	55.56	25.7	42.3	17.3	40.4	21.7	41.5	47.9	48.3	37.9	46.2	43.5	47.4	40.8	46.6	30.9	44.6	36.3	45.7
16	61.11	36.3	45.8	29.1	44.1	32.9	45.1	60.6	51.6	49.1	49.3	55.5	50.6	52.8	49.8	42.3	47.8	48.0	48.9
17	66.67	50.4	49.3	43.2	47.9	47.0	48.6	73.8	54.9	64.6	52.5	69.7	53.8	66.3	53.1	57.3	51.1	62.2	52.1
18	72.22	70.1	52.8	64.1	51.6	67.3	52.2	85.7	58.2	78.0	55.6	82.3	57.0	80.7	56.3	73.3	54.3	77.3	55.4
19	77.78	80.0	56.3	78.2	55.3	79.2	55.8	91.1	61.5	86.6	58.8	89.1	60.2	87.5	59.5	83.7	57.5	85.8	58.6
20	83.33	88.1	59.7	86.1	59.0	87.2	59.4	95.4	64.8	92.5	61.9	94.1	63.4	93.1	62.8	90.3	60.7	91.8	61.8
21	88.89	91.6	63.2	93.3	62.7	92.4	63.0	97.7	68.1	95.7	65.0	96.8	66.6	95.7	66.0	94.9	64.0	95.4	65.0
22	94.44	97.5	66.7	98.5	66.5	98.0	66.5	99.2	71.4	98.0	68.2	98.6	69.8	98.6	69.3	98.1	67.2	98.4	68.2
23	100.00	100.0	70.2	100.0	70.2	100.0	70.1	100.0	74.7	100.0	71.3	100.0	73.0	100.0	72.5	100.0	70.4	100.0	71.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).



Table A7\_E - 156: PL – Poland. Individual norm data KIDSCREEN-27-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=281)		Males (n=258)		All (n=539)		Females (n=597)		Males (n=491)		All (n=1088)		Females (n=878)		Males (n=749)		All (n=1627)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86									0.3	7.9	0.1	9.2			0.2	5.2	0.1	7.1
13	21.43	0.6	6.0			0.3	4.4			0.3	10.6	0.1	11.9			0.2	8.0	0.1	9.8
14	25.00	0.6	8.9			0.3	7.4			0.3	13.3	0.1	14.5	0.2	13.8	0.2	10.8	0.2	12.5
15	28.57	0.6	11.8			0.3	10.5	0.3	20.6	0.5	16.0	0.2	17.2	0.2	16.4	0.4	13.6	0.2	15.2
16	32.14	0.9	14.7	0.6	11.9	0.6	13.5	1.0	23.2	0.8	18.7	0.4	19.8	0.3	19.0	0.5	16.4	0.3	17.9
17	35.71	1.5	17.6	0.6	15.1	1.0	16.5	1.4	25.9	1.1	21.4	1.0	22.5	0.9	21.6	0.8	19.2	0.9	20.6
18	39.29	1.5	20.5	1.0	18.2	1.2	19.5	2.3	28.5	1.7	24.2	1.5	25.1	1.4	24.2	1.2	22.0	1.3	23.3
19	42.86	2.2	23.3	1.0	21.4	1.5	22.5	2.3	26.9	2.3	26.9	2.3	27.8	2.0	26.9	1.8	24.8	1.9	26.0
20	46.43	2.9	26.2	1.4	24.6	2.1	25.5	5.0	31.1	3.9	29.6	4.5	30.5	4.1	29.5	2.8	27.6	3.5	28.7
21	50.00	3.9	29.1	2.7	27.8	3.3	28.6	8.9	33.7	3.9	29.6	4.5	30.5	4.1	29.5	2.8	27.6	3.5	28.7
22	53.57	5.0	32.0	4.7	30.9	4.8	31.6	12.4	36.4	5.7	32.3	7.4	33.1	6.9	32.1	4.1	30.4	5.7	31.3
23	57.14	9.6	34.9	7.0	34.1	8.3	34.6	16.7	39.0	9.6	35.0	11.1	35.8	9.7	34.7	7.2	33.2	8.5	34.0
24	60.71	12.1	37.8	12.7	37.3	12.4	37.6	23.6	41.6	13.4	37.7	15.2	38.5	13.0	37.3	10.4	36.0	11.8	36.7
25	64.29	19.2	40.7	20.9	40.5	20.0	40.6	23.6	41.6	18.1	40.5	21.1	41.1	19.1	39.9	14.3	38.8	16.9	39.4
26	67.86	26.4	43.6	30.9	43.6	28.6	43.6	30.0	44.2	26.1	43.2	28.2	43.8	24.2	42.6	21.5	41.5	23.0	42.1
27	71.43	35.0	46.5	42.6	46.8	38.6	46.6	40.9	46.9	36.0	45.9	38.7	46.4	33.9	45.2	30.8	44.3	32.5	44.8
28	75.00	49.5	49.4	53.8	50.0	51.5	49.7	51.9	49.5	48.0	48.6	50.2	49.1	43.8	47.8	42.1	47.1	43.0	47.5
29	78.57	62.7	52.3	65.8	53.2	64.2	52.7	62.5	52.1	58.8	51.3	60.8	51.8	53.7	50.4	53.2	49.9	53.5	50.2
30	82.14	77.3	55.2	77.8	56.3	77.5	55.7	79.4	57.4	69.0	54.1	70.8	54.4	64.9	53.0	63.8	52.7	64.4	52.9
31	85.71	83.3	58.1	87.9	59.5	85.5	58.7	79.4	57.4	79.4	56.8	79.4	57.1	74.1	55.7	74.7	55.5	74.4	55.6
32	89.29	91.5	61.0	93.4	62.7	92.4	61.7	86.1	60.0	87.6	59.5	86.8	59.8	83.3	58.3	84.2	58.3	83.7	58.3
33	92.86	95.7	63.9	96.9	65.9	96.3	64.7	92.3	62.6	93.0	62.2	92.7	62.4	89.4	60.9	91.3	61.1	90.3	61.0
34	96.43	98.6	66.7	98.4	69.0	98.5	67.7	95.5	65.2	95.9	64.9	95.7	65.1	94.2	63.5	95.0	63.9	94.6	63.7
35	100.00	100.0	69.6	100.0	72.2	100.0	70.8	99.0	67.9	97.8	67.6	98.4	67.7	97.9	66.1	97.4	66.7	97.7	66.4
								99.5	70.5	99.2	70.4	99.4	70.4	99.2	68.7	98.9	69.5	99.1	69.1
								100.0	73.1	100.0	73.1	100.0	73.1	100.0	71.4	100.0	72.3	100.0	71.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 157: PL – Poland. Individual norm data KIDSCREEN-27-PROXY Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=282)		Males (n=252)		All (n=534)		Females (n=607)		Males (n=485)		All (n=1092)		Females (n=889)		Males (n=737)		All (n=1626)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29	0.6	13.2			0.3	13.3							0.2	18.6			0.1	17.5
12	17.86	0.6	15.8			0.3	15.9							0.2	20.9			0.1	19.9
13	21.43	0.6	18.3			0.3	18.4	0.7	24.8					0.6	23.2			0.3	22.3
14	25.00	0.6	20.9	0.6	21.0	0.5	21.0	1.2	27.1	0.5	24.4	0.8	26.0	0.9	25.6	0.4	23.5	0.7	24.7
15	28.57	0.6	23.4	0.6	23.6	0.5	23.6	2.5	29.3	1.3	26.9	1.9	28.3	1.8	27.9	1.0	26.0	1.4	27.1
16	32.14	0.9	26.0	1.3	26.1	1.0	26.1	4.3	31.6	2.5	29.4	3.5	30.7	3.1	30.2	2.0	28.5	2.6	29.5
17	35.71	2.8	28.6	4.0	28.7	3.4	28.6	7.2	33.9	4.7	31.9	6.1	33.1	5.8	32.5	4.5	31.0	5.2	31.9
18	39.29	4.6	31.1	5.2	31.2	4.9	31.2	11.8	36.2	7.4	34.4	9.9	35.4	9.5	34.9	6.7	33.4	8.2	34.3
19	42.86	6.8	33.7	8.7	33.8	7.7	33.8	18.1	38.4	11.1	36.8	15.0	37.8	14.5	37.2	10.3	35.9	12.6	36.7
20	46.43	11.7	36.3	12.7	36.3	12.2	36.3	21.6	40.7	17.5	39.3	19.8	40.1	18.4	39.5	15.9	38.4	17.3	39.1
21	50.00	14.6	38.8	17.8	38.9	16.1	38.9	27.7	43.0	26.2	41.8	27.1	42.5	23.6	41.9	23.3	40.9	23.5	41.5
22	53.57	23.8	41.4	23.4	41.5	23.6	41.4	35.2	45.3	33.4	44.3	34.4	44.9	31.6	44.2	30.0	43.4	30.9	43.8
23	57.14	32.3	43.9	29.4	44.0	30.9	44.0	44.2	47.5	43.5	46.8	43.9	47.2	40.4	46.5	38.7	45.9	39.6	46.2
24	60.71	40.1	46.5	37.7	46.6	38.9	46.5	51.9	49.8	51.7	49.3	51.8	49.6	48.2	48.8	46.9	48.4	47.6	48.6
25	64.29	48.9	49.1	47.2	49.1	48.1	49.1	60.6	52.1	61.4	51.7	61.0	51.9	56.9	51.2	56.5	50.9	56.7	51.0
26	67.86	60.0	51.6	59.5	51.7	59.8	51.7	70.2	54.3	71.1	54.2	70.6	54.3	66.9	53.5	67.2	53.4	67.0	53.4
27	71.43	69.5	54.2	70.2	54.3	69.8	54.2	77.9	56.6	77.9	56.7	77.9	56.6	75.2	55.8	75.3	55.8	75.3	55.8
28	75.00	80.5	56.7	78.9	56.8	79.7	56.8	84.2	58.9	83.7	59.2	84.0	59.0	83.0	58.2	82.1	58.3	82.6	58.2
29	78.57	86.2	59.3	86.1	59.4	86.1	59.3	88.5	61.2	89.7	61.7	89.0	61.4	87.8	60.5	88.5	60.8	88.1	60.6
30	82.14	90.8	61.8	91.6	61.9	91.2	61.9	92.8	63.4	93.8	64.2	93.2	63.7	92.1	62.8	93.1	63.3	92.6	63.0
31	85.71	94.3	64.4	94.4	64.5	94.4	64.4	95.9	65.7	96.9	66.6	96.4	66.1	95.4	65.2	96.1	65.8	95.7	65.4
32	89.29	96.4	67.0	97.6	67.1	97.0	67.0	97.2	68.0	97.9	69.1	97.5	68.4	97.0	67.5	97.8	68.3	97.4	67.8
33	92.86	98.2	69.5	99.6	69.6	98.9	69.6	99.2	70.3	98.8	71.6	99.0	70.8	98.9	69.8	99.1	70.8	99.0	70.2
34	96.43	99.3	72.1	100.0	72.2	99.6	72.1	99.5	72.5	99.4	74.1	99.5	73.2	99.4	72.1	99.6	73.3	99.5	72.6
35	100.00	100.0	74.6	100.0	74.8	100.0	74.7	100.0	74.8	100.0	76.6	100.0	75.5	100.0	74.5	100.0	75.8	100.0	75.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 158: PL – Poland. Individual norm data KIDSCREEN-27-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=281)		Males (n=254)		All (n=535)		Females (n=610)		Males (n=477)		All (n=1087)		Females (n=891)		Males (n=731)		All (n=1622)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00									0.5	19.8	0.2	19.7			0.3	17.7	0.1	17.8
5	6.25	0.8	15.8			0.4	15.5	0.4	22.9	0.8	23.1	0.5	23.0	0.5	21.2	0.5	21.1	0.4	21.1
6	12.50	0.8	19.5			0.4	19.3	0.7	26.1	1.3	26.4	0.9	26.2	0.7	24.5	0.9	24.5	0.7	24.5
7	18.75	0.8	23.2	1.2	22.8	1.0	23.0	2.3	29.3	2.1	29.7	2.2	29.5	1.8	27.8	1.8	27.8	1.8	27.8
8	25.00	2.2	26.9	4.3	26.6	3.2	26.8	6.7	32.6	6.1	32.9	6.4	32.8	5.3	31.2	5.5	31.2	5.4	31.2
9	31.25	5.0	30.6	5.9	30.4	5.4	30.5	11.3	35.8	12.4	36.2	11.8	36.0	9.3	34.5	10.1	34.6	9.7	34.6
10	37.50	7.8	34.3	9.0	34.1	8.4	34.2	17.7	39.1	18.7	39.5	18.1	39.3	14.6	37.8	15.3	38.0	14.9	37.9
11	43.75	15.3	38.0	12.2	37.9	13.8	38.0	25.2	42.3	26.4	42.8	25.8	42.5	22.1	41.2	21.5	41.4	21.8	41.3
12	50.00	26.7	41.7	22.0	41.7	24.5	41.7	41.3	45.6	42.3	46.1	41.7	45.8	36.7	44.5	35.3	44.8	36.1	44.6
13	56.25	36.3	45.4	34.6	45.5	35.5	45.5	52.9	48.8	55.3	49.4	54.0	49.0	47.7	47.8	48.1	48.2	47.9	48.0
14	62.50	51.2	49.1	57.5	49.3	54.2	49.2	64.0	52.0	68.2	52.6	65.8	52.3	60.0	51.2	64.5	51.6	62.0	51.3
15	68.75	66.5	52.8	70.5	53.1	68.4	52.9	74.3	55.3	77.0	55.9	75.5	55.6	71.8	54.5	74.8	54.9	73.2	54.7
16	75.00	80.4	56.5	81.1	56.9	80.8	56.7	84.6	58.5	86.8	59.2	85.6	58.8	83.3	57.9	84.9	58.3	84.0	58.1
17	81.25	89.3	60.2	91.0	60.7	90.1	60.4	90.2	61.8	91.5	62.5	90.7	62.1	89.9	61.2	91.3	61.7	90.5	61.4
18	87.50	94.6	63.9	94.5	64.5	94.6	64.2	94.0	65.0	94.6	65.8	94.2	65.3	94.2	64.5	94.6	65.1	94.3	64.8
19	93.75	98.2	67.6	98.0	68.2	98.1	67.9	97.4	68.2	97.3	69.0	97.3	68.6	97.6	67.9	97.5	68.5	97.6	68.1
20	100.00	100.0	71.3	100.0	72.0	100.0	71.6	100.0	71.5	100.0	72.3	100.0	71.8	100.0	71.2	100.0	71.9	100.0	71.5

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 159: PL – Poland. Individual norm data KIDSCREEN-27-PROXY School Environment

Raw-Score	0-100 Score	Females (n=285)		Children 8-11 Males (n=257)		All (n=542)		Females (n=613)		Adolescents 12-18 Males (n=497)		All (n=1110)		Children & Adolescents 8-18 Females (n=898)		Males (n=754)		All (n=1652)		
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	
4	0.00																			
5	6.25																			
6	12.50				0.9	18.3	0.4	14.9			0.5	23.0	0.2	21.8			0.5	22.3	0.2	20.6
7	18.75				1.4	22.0	0.7	18.8	1.5	23.9	1.8	26.9	1.6	25.6	1.0	22.1	1.6	26.0	1.3	24.3
8	25.00	0.6	18.6	2.1	25.8	1.1	22.7	2.1	27.7	4.1	30.7	3.0	29.3	1.6	25.9	3.3	29.7	2.4	28.0	
9	31.25	1.4	22.9	3.5	29.6	2.4	26.7	4.6	31.5	8.9	34.6	6.5	33.1	3.6	29.7	7.0	33.4	5.1	31.7	
10	37.50	3.5	27.2	6.3	33.3	4.8	30.6	8.7	35.3	15.5	38.5	11.7	36.9	7.0	33.5	12.3	37.1	9.4	35.4	
11	43.75	4.9	31.4	10.5	37.1	7.6	34.6	16.1	39.1	25.3	42.4	20.2	40.7	12.5	37.3	20.3	40.8	16.0	39.1	
12	50.00	11.8	35.7	26.5	40.8	18.8	38.5	32.8	42.9	44.2	46.2	37.9	44.4	26.2	41.1	38.2	44.5	31.6	42.8	
13	56.25	18.9	40.0	35.5	44.6	26.7	42.5	47.0	46.7	60.9	50.1	53.2	48.2	38.0	44.9	52.2	48.2	44.5	46.5	
14	62.50	35.0	44.3	48.6	48.3	41.5	46.4	58.8	50.5	75.0	54.0	66.1	52.0	51.2	48.7	66.0	51.9	58.0	50.2	
15	68.75	51.5	48.6	62.3	52.1	56.6	50.3	71.6	54.2	84.5	57.9	77.3	55.8	65.2	52.5	76.9	55.6	70.5	53.9	
16	75.00	68.4	52.9	80.6	55.8	74.1	54.3	84.0	58.0	91.1	61.8	87.2	59.5	79.0	56.3	87.5	59.3	82.9	57.6	
17	81.25	82.1	57.2	87.5	59.6	84.7	58.2	91.2	61.8	95.2	65.6	92.9	63.3	88.3	60.1	92.6	63.0	90.2	61.3	
18	87.50	92.3	61.4	92.6	63.3	92.4	62.2	95.4	65.6	97.4	69.5	96.3	67.1	94.4	63.9	95.7	66.7	95.0	65.0	
19	93.75	96.5	65.7	97.7	67.1	97.0	66.1	98.4	69.4	98.6	73.4	98.5	70.9	97.8	67.7	98.3	70.4	98.0	68.7	
20	100.00	100.0	70.0	100.0	70.8	100.0	70.1	100.0	73.2	100.0	77.3	100.0	74.6	100.0	71.5	100.0	74.1	100.0	72.4	

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50, SD = 10$ ).

Table A7\_E - 160: PL – Poland. Individual norm data KIDSCREEN-10-PROXY Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=281)		Males (n=254)		All (n=535)		Females (n=599)		Males (n=486)		All (n=1085)		Females (n=880)		Males (n=740)		All (n=1620)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50																		
22	30.00																		
23	32.50							0.3	21.2			0.1	20.0	0.2	19.3			0.1	18.1
24	35.00							0.4	23.3	0.3	20.5	0.3	22.1	0.3	21.4	0.2	18.7	0.2	20.2
25	37.50							0.7	25.4	0.5	22.7	0.6	24.3	0.5	23.5	0.4	20.9	0.4	22.4
26	40.00			0.6	17.4	0.3	18.0	1.3	27.5	0.5	24.9	0.9	26.4	0.9	25.6	0.5	23.2	0.7	24.6
27	42.50	0.6	20.8	1.0	19.9	0.6	20.4	2.5	29.5	0.9	27.1	1.8	28.5	1.8	27.7	0.8	25.4	1.4	26.7
28	45.00	1.2	23.2	1.4	22.3	1.2	22.8	4.5	31.6	1.7	29.4	3.2	30.7	3.4	29.8	1.5	27.6	2.5	28.9
29	47.50	1.2	25.6	1.4	24.8	1.2	25.2	6.3	33.7	3.9	31.6	5.2	32.8	4.6	31.9	3.0	29.9	3.9	31.0
30	50.00	1.9	27.9	1.8	27.3	1.7	27.6	9.7	35.7	6.6	33.8	8.3	34.9	7.2	34.0	4.9	32.1	6.1	33.2
31	52.50	4.0	30.3	3.6	29.7	3.8	30.0	14.7	37.8	9.3	36.0	12.3	37.1	11.2	36.1	7.3	34.4	9.5	35.3
32	55.00	5.0	32.7	6.7	32.2	5.8	32.5	17.8	39.9	14.3	38.3	16.2	39.2	13.7	38.1	11.7	36.6	12.8	37.5
33	57.50	8.2	35.0	8.7	34.6	8.4	34.9	23.7	41.9	18.6	40.5	21.4	41.3	18.7	40.2	15.2	38.9	17.1	39.6
34	60.00	12.8	37.4	9.9	37.1	11.4	37.3	32.7	44.0	27.4	42.7	30.3	43.5	26.3	42.3	21.4	41.1	24.1	41.8
35	62.50	16.0	39.8	16.6	39.6	16.3	39.7	39.4	46.1	37.5	44.9	38.5	45.6	31.9	44.4	30.3	43.4	31.2	44.0
36	65.00	24.9	42.2	23.3	42.0	24.1	42.1	48.1	48.1	45.9	47.2	47.1	47.7	40.7	46.5	38.2	45.6	39.5	46.1
37	67.50	33.4	44.5	31.6	44.5	32.5	44.5	55.2	50.2	53.8	49.4	54.6	49.9	48.2	48.6	46.1	47.9	47.3	48.3
38	70.00	43.7	46.9	43.0	46.9	43.3	46.9	61.4	52.3	61.1	51.6	61.3	52.0	55.7	50.7	54.9	50.1	55.4	50.4
39	72.50	53.3	49.3	53.2	49.4	53.3	49.3	66.9	54.4	69.3	53.8	68.0	54.1	62.6	52.8	63.8	52.3	63.1	52.6
40	75.00	61.5	51.6	62.3	51.8	61.9	51.7	77.3	56.4	75.5	56.0	76.5	56.2	72.2	54.9	71.0	54.6	71.7	54.7
41	77.50	70.4	54.0	69.7	54.3	70.1	54.1	82.8	58.5	82.3	58.3	82.6	58.4	78.8	57.0	78.0	56.8	78.5	56.9
42	80.00	76.4	56.4	78.0	56.8	77.2	56.6	87.0	60.6	87.9	60.5	87.4	60.5	83.6	59.1	84.5	59.1	84.0	59.1
43	82.50	82.1	58.7	84.7	59.2	83.3	59.0	91.0	62.6	90.7	62.7	90.9	62.6	88.1	61.2	88.7	61.3	88.4	61.2
44	85.00	89.3	61.1	90.6	61.7	89.9	61.4	94.5	64.7	93.0	64.9	93.8	64.8	92.8	63.2	92.2	63.6	92.5	63.4
45	87.50	92.5	63.5	93.7	64.1	93.1	63.8	95.7	66.8	95.9	67.2	95.8	66.9	94.6	65.3	95.2	65.8	94.9	65.5
46	90.00	95.0	65.9	96.9	66.6	95.9	66.2	97.8	68.8	97.7	69.4	97.8	69.0	96.9	67.4	97.4	68.1	97.2	67.7
47	92.50	97.1	68.2	98.1	69.1	97.6	68.6	99.0	70.9	99.2	71.6	99.1	71.2	98.4	69.5	98.8	70.3	98.6	69.8
48	95.00	98.6	70.6	100.0	71.5	99.3	71.0	99.8	73.0	99.4	73.8	99.6	73.3	99.4	71.6	99.6	72.5	99.5	72.0
49	97.50	100.0	73.0	100.0	74.0	100.0	73.4	100.0	75.0	99.4	76.1	99.7	75.4	100.0	73.7	99.6	74.8	99.8	74.2
50	100.00	100.0	75.4	100.0	76.4	100.0	75.8	100.0	76.9	100.0	78.3	100.0	77.6	100.0	75.8	100.0	77.0	100.0	76.3

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 161: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Physical Well-being

Raw-Score	0-100 Score	Children 8-11				Adolescents 12-18						Children & Adolescents 8-18							
		Females (n=341)		Males (n=369)		All (n=710)		Females (n=244)		Males (n=272)		All (n=516)		Females (n=585)		Males (n=641)		All (n=1226)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00	0.5	4.6			0.2	4.5	0.7	14.8			0.3	12.2	0.4	10.5			0.2	8.7
6	5.56	0.5	8.0			0.2	7.9	0.7				0.3	15.3	0.4	13.7			0.2	11.9
7	11.11	0.5	11.4			0.2	11.2	1.1	20.8			0.5	18.3	0.6	16.8			0.3	15.1
8	16.67	0.5	14.8	0.8	14.2	0.6	14.6	1.8	23.8	0.8	18.3	1.2	21.4	0.9	19.9	0.8	16.3	0.8	18.2
9	22.22	1.0	18.2	1.2	17.5	1.0	17.9	3.0	26.8	1.6	21.5	2.2	24.5	1.7	23.0	1.3	19.6	1.5	21.4
10	27.78	1.4	21.6	1.7	20.9	1.4	21.3	4.6	29.8	2.0	24.7	3.1	27.5	2.6	26.1	1.7	22.8	2.1	24.6
11	33.33	1.6	25.0	2.1	24.2	1.7	24.6	7.0	32.8	3.0	27.9	4.9	30.6	3.8	29.2	2.3	26.1	3.0	27.7
12	38.89	3.3	28.4	2.7	27.6	3.0	28.0	10.3	35.8	6.3	31.2	8.2	33.7	6.2	32.3	4.2	29.3	5.2	30.9
13	44.44	5.9	31.8	3.8	30.9	4.8	31.4	14.7	38.8	8.5	34.4	11.5	36.7	9.6	35.4	5.8	32.6	7.6	34.1
14	50.00	9.4	35.2	7.6	34.3	8.4	34.7	21.4	41.8	13.3	37.6	17.1	39.8	14.4	38.5	10.0	35.9	12.1	37.2
15	55.56	13.5	38.6	12.7	37.6	13.1	38.1	32.9	44.8	21.4	40.8	26.8	42.9	21.6	41.6	16.4	39.1	18.9	40.4
16	61.11	24.3	42.0	20.5	41.0	22.3	41.5	44.7	47.8	29.9	44.1	36.9	45.9	32.8	44.7	24.5	42.4	28.5	43.6
17	66.67	35.7	45.3	33.3	44.3	34.5	44.8	58.6	50.8	41.6	47.3	49.7	49.0	45.3	47.8	36.8	45.6	40.9	46.7
18	72.22	51.0	48.7	48.5	47.7	49.7	48.2	68.0	53.8	58.6	50.5	63.0	52.1	58.1	51.0	52.8	48.9	55.3	49.9
19	77.78	65.0	52.1	60.4	51.0	62.6	51.5	81.1	56.7	71.0	53.7	75.8	55.1	71.7	54.1	64.9	52.2	68.2	53.1
20	83.33	75.9	55.5	68.0	54.4	71.8	54.9	86.0	59.7	77.6	57.0	81.6	58.2	80.1	57.2	72.1	55.4	75.9	56.2
21	88.89	82.9	58.9	77.8	57.7	80.3	58.3	91.8	62.7	87.5	60.2	89.5	61.3	86.6	60.3	81.9	58.7	84.1	59.4
22	94.44	90.6	62.3	88.9	61.1	89.7	61.6	97.1	65.7	93.7	63.4	95.3	64.3	93.3	63.4	90.9	61.9	92.1	62.6
23	100.00	100.0	65.7	100.0	64.4	100.0	65.0	100.0	68.7	100.0	66.6	100.0	67.4	100.0	66.5	100.0	65.2	100.0	65.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 162: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=342)		Males (n=370)		All (n=712)		Females (n=243)		Males (n=272)		All (n=515)		Females (n=585)		Males (n=642)		All (n=1227)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50																		
10	16.67	0.5	7.3			0.2	6.1	1.0	17.9	0.6	14.1	0.3	14.7			0.2	8.2	0.1	9.3
11	20.83	0.5	10.3			0.2	9.2	1.0	20.4	0.9	19.3	0.9	19.8	0.5	15.8	0.4	11.1	0.3	12.1
12	25.00	0.5	13.3			0.2	12.3	1.5	22.9	1.3	21.8	1.2	22.4	0.8	18.5	0.6	14.0	0.4	14.9
13	29.17	0.8	16.3			0.4	15.4	2.2	25.5	1.9	24.4	1.9	24.9	1.2	21.3	0.8	19.7	1.0	20.5
14	33.33	0.8	19.3			0.4	18.6	4.1	28.0	2.7	27.0	3.3	27.5	2.0	24.0	1.1	22.6	1.5	23.3
15	37.50	1.3	22.3	0.8	20.9	1.0	21.7	5.7	30.5	4.4	29.6	5.0	30.1	3.1	26.7	2.3	25.5	2.7	26.1
16	41.67	2.1	25.3	1.2	24.2	1.5	24.8	7.0	33.1	6.9	32.2	6.9	32.6	4.1	29.4	3.5	28.4	3.8	28.9
17	45.83	2.7	28.3	1.7	27.4	2.1	27.9	8.3	35.6	10.6	34.7	9.5	35.2	5.0	32.1	5.4	31.3	5.2	31.7
18	50.00	6.7	31.4	4.3	30.7	5.5	31.1	14.0	38.2	13.9	37.3	14.0	37.7	9.7	34.9	8.4	34.1	9.0	34.5
19	54.17	9.1	34.4	9.7	33.9	9.4	34.2	21.0	40.7	18.7	39.9	19.8	40.3	14.0	37.6	13.5	37.0	13.8	37.3
20	58.33	11.7	37.4	13.8	37.2	12.8	37.3	26.8	43.2	22.8	42.5	24.7	42.8	18.0	40.3	17.6	39.9	17.8	40.1
21	62.50	20.8	40.4	19.7	40.4	20.2	40.4	35.0	45.8	31.2	45.1	33.0	45.4	26.7	43.0	24.6	42.8	25.6	42.9
22	66.67	25.7	43.4	28.7	43.7	27.2	43.5	42.9	48.3	38.2	47.6	40.4	48.0	32.8	45.7	32.7	45.7	32.8	45.7
23	70.83	34.7	46.4	38.4	46.9	36.6	46.7	53.2	50.8	47.4	50.2	50.1	50.5	42.4	48.5	42.2	48.5	42.3	48.5
24	75.00	54.3	49.4	62.4	50.2	58.5	49.8	71.6	53.4	69.5	52.8	70.5	53.1	61.5	51.2	65.4	51.4	63.6	51.3
25	79.17	65.5	52.4	71.3	53.4	68.5	52.9	75.7	55.9	74.6	55.4	75.2	55.6	69.8	53.9	72.7	54.3	71.3	54.1
26	83.33	72.5	55.4	78.1	56.7	75.4	56.0	81.1	58.5	80.9	58.0	81.0	58.2	76.1	56.6	79.3	57.2	77.8	56.9
27	87.50	85.4	58.4	89.2	60.0	87.4	59.2	91.8	61.0	91.6	60.5	91.7	60.7	88.1	59.3	90.2	60.1	89.2	59.7
28	91.67	90.4	61.4	92.2	63.2	91.3	62.3	94.3	63.5	95.3	63.1	94.8	63.3	92.0	62.1	93.5	62.9	92.8	62.5
29	95.83	94.8	64.4	94.6	66.5	94.7	65.4	96.3	66.1	95.7	65.7	96.0	65.9	95.4	64.8	95.0	65.8	95.2	65.3
30	100.00	100.0	67.4	100.0	69.7	100.0	68.5	100.0	68.6	100.0	68.3	100.0	68.4	100.0	67.5	100.0	68.7	100.0	68.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 163: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Moods &amp; Emotions

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=341)		Males (n=370)		All (n=711)		Females (n=241)		Males (n=269)		All (n=511)		Females (n=582)		Males (n=639)		All (n=1221)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86																		
13	21.43							0.7	10.2			0.3	8.4	0.3	4.4			0.1	2.4
14	25.00	0.5	-0.2			0.2	-1.5	1.1	12.8			0.5	11.1	0.6	7.2			0.3	5.3
15	28.57	0.5	0.2			0.2	1.7	1.5	15.4	0.8	11.8	1.0	13.7	0.8	10.0	0.4	6.4	0.5	8.2
16	32.14	0.8	6.0			0.4	4.9	1.5	18.0	1.3	14.6	1.3	16.4	1.0	12.8	0.6	9.4	0.7	11.1
17	35.71	0.8	9.2	0.4	7.0	0.5	8.2	2.2	20.6	2.0	17.3	2.0	19.0	1.3	15.6	1.0	12.4	1.1	14.0
18	39.29	1.0	12.3	0.7	10.4	0.7	11.4	2.2	23.2	2.4	20.0	2.2	21.7	1.5	18.4	1.3	15.4	1.3	16.9
19	42.86	1.0	15.5	0.7	13.7	0.7	14.7	2.2	25.8	2.8	22.7	2.4	24.3	1.5	21.2	1.5	18.4	1.4	19.8
20	46.43	1.4	18.6	0.9	17.0	1.0	17.9	3.7	28.4	3.8	25.5	3.7	27.0	2.2	24.0	2.0	21.4	2.1	22.7
21	50.00	1.6	21.7	1.7	20.4	1.6	21.1	5.4	31.0	3.8	28.2	4.5	29.6	3.1	26.8	2.5	24.4	2.8	25.6
22	53.57	3.5	24.9	2.2	23.7	2.8	24.3	7.9	33.6	5.6	30.9	6.7	32.3	5.3	29.5	3.6	27.4	4.4	28.5
23	57.14	4.4	28.0	3.5	27.0	3.9	27.5	10.4	36.2	7.4	33.6	8.8	34.9	6.9	32.3	5.2	30.4	6.0	31.4
24	60.71	6.2	31.1	5.7	30.4	5.9	30.8	15.8	38.8	9.7	36.4	12.6	37.6	10.2	35.1	7.3	33.4	8.7	34.3
25	64.29	8.5	34.3	7.3	33.7	7.9	34.0	18.7	41.3	15.6	39.1	17.1	40.2	12.7	37.9	10.8	36.4	11.7	37.2
26	67.86	12.3	37.4	11.9	37.1	12.1	37.2	24.0	43.9	19.0	41.8	21.4	42.9	17.2	40.7	14.9	39.4	16.0	40.1
27	71.43	15.2	40.5	18.2	40.4	16.7	40.5	33.2	46.5	25.7	44.5	29.2	45.5	22.7	43.5	21.3	42.5	22.0	43.0
28	75.00	25.8	43.7	28.1	43.7	27.0	43.7	49.8	49.1	37.2	47.3	43.1	48.2	35.8	46.3	31.9	45.5	33.8	45.9
29	78.57	35.2	46.8	40.3	47.1	37.9	46.9	61.9	51.7	48.7	50.0	54.9	50.8	46.3	49.1	43.8	48.5	45.0	48.8
30	82.14	50.8	49.9	53.9	50.4	52.4	50.2	69.7	54.3	63.9	52.7	66.6	53.5	58.6	51.9	58.1	51.5	58.4	51.7
31	85.71	65.2	53.1	67.3	53.7	66.3	53.4	77.2	56.9	76.6	55.5	76.8	56.1	70.1	54.7	71.2	54.5	70.7	54.6
32	89.29	79.5	56.2	82.4	57.1	81.0	56.6	86.7	59.5	86.2	58.2	86.5	58.8	82.5	57.5	84.0	57.5	83.3	57.5
33	92.86	90.3	59.3	91.6	60.4	91.0	59.9	94.6	62.1	90.7	60.9	92.5	61.4	92.1	60.3	91.2	60.5	91.6	60.4
34	96.43	95.6	62.5	96.2	63.8	95.9	63.1	98.8	64.7	97.8	63.6	98.2	64.1	96.9	63.1	96.9	63.5	96.9	63.3
35	100.00	100.0	65.6	100.0	67.1	100.0	66.3	100.0	67.3	100.0	66.4	100.0	66.7	100.0	65.9	100.0	66.5	100.0	66.2

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 164: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Self Perception

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=335)		Males (n=369)		All (n=704)		Females (n=248)		Males (n=264)		All (n=552)		Females (n=583)		Males (n=633)		All (n=1217)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00								0.6	3.9	0.3	11.1			0.2	-2.4	0.1	4.9	
7	10.00								0.6	7.1	0.3	14.0			0.2	1.1	0.1	8.0	
8	15.00							0.6	20.7	0.6	10.4	0.5	16.8	0.3	15.5	0.2	4.5	0.2	11.1
9	20.00							1.7	23.5	1.0	13.6	1.2	19.7	0.7	18.4	0.4	8.0	0.5	14.2
10	25.00							3.7	26.2	1.0	16.9	2.2	22.6	1.6	21.3	0.4	11.5	0.9	17.3
11	30.00	1.2	17.0			0.6	13.1	5.7	28.9	2.0	20.1	3.7	25.5	3.1	24.1	0.8	14.9	1.9	20.4
12	35.00	1.2	20.4			0.6	16.7	8.9	31.7	2.5	23.3	5.5	28.4	4.5	27.0	1.1	18.4	2.6	23.5
13	40.00	2.1	23.7	0.6	15.7	1.3	20.3	9.7	34.4	3.1	26.6	6.3	31.2	5.3	29.9	1.6	21.9	3.4	26.6
14	45.00	3.9	27.0	1.2	19.7	2.4	23.8	13.7	37.1	3.9	29.8	8.6	34.1	8.0	32.8	2.2	25.3	5.0	29.7
15	50.00	6.0	30.3	1.9	23.6	3.8	27.4	17.3	39.8	5.7	33.0	11.3	37.0	10.8	35.7	3.5	28.8	7.0	32.8
16	55.00	7.8	33.7	3.0	27.5	5.3	31.0	22.9	42.6	11.3	36.3	17.0	39.9	14.2	38.6	6.5	32.3	10.2	35.9
17	60.00	10.8	37.0	5.7	31.5	8.1	34.5	29.0	45.3	15.2	39.5	21.9	42.8	18.5	41.4	9.6	35.7	13.9	39.0
18	65.00	21.2	40.3	11.6	35.4	16.2	38.1	42.4	48.0	23.9	42.7	32.8	45.7	30.2	44.3	16.7	39.2	23.2	42.1
19	70.00	29.8	43.7	19.5	39.3	24.4	41.7	51.3	50.8	36.0	46.0	43.4	48.5	38.9	47.2	26.4	42.7	32.4	45.2
20	75.00	40.0	47.0	30.7	43.2	35.1	45.3	68.6	53.5	51.2	49.2	59.6	51.4	52.2	50.1	39.2	46.2	45.4	48.3
21	80.00	52.9	50.4	40.9	47.2	46.6	48.8	78.3	56.2	63.7	52.4	70.8	54.3	63.7	53.0	50.4	49.6	56.8	51.4
22	85.00	67.3	53.7	58.2	51.1	62.5	52.4	87.9	58.9	76.9	55.7	82.2	57.2	76.0	55.9	66.0	53.1	70.8	54.5
23	90.00	79.2	57.0	71.2	55.0	75.0	56.0	92.0	61.7	85.3	58.9	88.5	60.1	84.6	58.7	77.1	56.6	80.7	57.6
24	95.00	88.1	60.4	83.4	58.9	85.7	59.5	95.2	64.4	92.4	62.1	93.8	63.0	91.1	61.6	87.2	60.0	89.1	60.6
25	100.00	100.0	63.7	100.0	62.9	100.0	63.1	100.0	67.1	100.0	65.4	100.0	65.8	100.0	64.5	100.0	63.5	100.0	63.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 165: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=339)		Males (n=369)		All (n=xxx)		Females (n=248)		Males (n=270)		All (n=518)		Females (n=587)		Males (n=639)		All (n=1226)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00																		
6	5.00																		
7	10.00																		
8	15.00																		
9	20.00							0.6	23.9			0.3	22.3	0.3	21.6			0.1	20.6
10	25.00							3.6	26.5	0.8	23.5	2.1	25.0	1.5	24.4	0.4	22.6	0.9	23.5
11	30.00	0.5	25.5	0.8	25.0	0.6	25.3	4.9	29.1	2.3	26.3	3.5	27.8	2.2	27.3	1.4	25.6	1.8	26.4
12	35.00	1.5	28.6	2.5	28.0	2.0	28.3	6.1	31.7	3.8	29.1	4.8	30.5	3.4	30.1	3.0	28.5	3.2	29.3
13	40.00	4.1	31.7	3.3	31.1	3.7	31.4	8.0	34.3	6.0	31.9	7.0	33.2	5.8	33.0	4.4	31.5	5.1	32.3
14	45.00	8.5	34.8	7.9	34.2	8.2	34.5	11.7	36.9	8.9	34.8	10.2	35.9	9.8	35.9	8.3	34.5	9.1	35.2
15	50.00	15.6	37.9	14.4	37.2	15.0	37.6	17.3	39.6	13.3	37.6	15.2	38.6	16.3	38.7	14.0	37.4	15.1	38.1
16	55.00	24.7	41.0	22.6	40.3	23.6	40.6	25.4	42.2	20.7	40.4	22.9	41.3	25.0	41.6	21.8	40.4	23.3	41.0
17	60.00	35.9	44.1	31.5	43.4	33.6	43.7	35.9	44.8	30.3	43.2	33.0	44.0	35.9	44.4	31.0	43.3	33.4	43.9
18	65.00	46.0	47.2	41.5	46.5	43.7	46.8	42.8	47.4	38.9	46.1	40.7	46.7	44.6	47.3	40.4	46.3	42.4	46.8
19	70.00	57.5	50.3	52.4	49.5	54.8	49.9	51.7	50.0	48.2	48.9	49.9	49.4	55.0	50.1	50.6	49.3	52.7	49.7
20	75.00	69.6	53.3	68.1	52.6	68.8	53.0	62.9	52.6	63.0	51.7	62.9	52.2	66.7	53.0	65.9	52.2	66.3	52.6
21	80.00	76.9	56.4	76.3	55.7	76.6	56.0	71.3	55.2	72.6	54.5	72.0	54.9	74.6	55.9	74.7	55.2	74.7	55.5
22	85.00	83.1	59.5	83.3	58.8	83.2	59.1	81.1	57.8	77.8	57.4	79.4	57.6	82.3	58.7	81.0	58.1	81.6	58.4
23	90.00	89.4	62.6	88.1	61.8	88.7	62.2	85.9	60.5	84.9	60.2	85.3	60.3	87.9	61.6	86.7	61.1	87.3	61.3
24	95.00	94.9	65.7	93.3	64.9	94.1	65.3	91.5	63.1	90.0	63.0	90.7	63.0	93.5	64.4	91.9	64.0	92.7	64.2
25	100.00	100.0	68.8	100.0	68.0	100.0	68.4	100.0	65.7	100.0	65.8	100.0	65.7	100.0	67.3	100.0	67.0	100.0	67.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 166: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Parent Relations & Home Life

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=336)		Males (n=366)		All (n=702)		Females (n=246)		Males (n=269)		All (n=515)		Females (n=582)		Males (n=635)		All (n=1218)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00																		
7	4.17																		
8	8.33																		
9	12.50									0.6	11.3	0.3	13.0			0.2	5.7	0.1	7.9
10	16.67									0.6	13.9	0.3	15.5			0.2	8.5	0.1	10.6
11	20.83							0.6	19.3	0.6	16.4	0.5	17.9	0.3	15.2	0.2	11.3	0.2	13.3
12	25.00							1.3	21.6	0.6	19.0	0.8	20.3	0.6	17.8	0.2	14.2	0.4	16.0
13	29.17							2.1	24.0	0.6	21.5	1.2	22.8	0.9	20.3	0.2	17.0	0.5	18.7
14	33.33							2.1	26.4	1.0	24.1	1.5	25.3	0.9	22.9	0.4	19.8	0.6	21.4
15	37.50	1.0	22.0	0.4	18.2	0.6	20.2	3.7	28.7	3.0	26.7	3.3	27.7	2.1	25.5	1.4	22.6	1.7	24.1
16	41.67	1.8	24.8	0.9	21.4	1.3	23.2	4.9	31.1	3.8	29.2	4.3	30.2	3.1	28.0	2.1	25.5	2.5	26.8
17	45.83	2.2	27.6	0.9	24.6	1.5	26.1	8.1	33.5	7.4	31.8	7.8	32.6	4.6	30.6	3.6	28.3	4.1	29.5
18	50.00	4.8	30.4	2.0	27.7	3.3	29.1	11.0	35.8	9.3	34.3	10.1	35.1	7.4	33.2	5.1	31.1	6.2	32.2
19	54.17	7.4	33.2	3.9	30.8	5.6	32.1	15.8	38.2	12.4	36.9	14.0	37.6	11.0	35.7	7.5	33.9	9.1	34.9
20	58.33	12.5	36.0	7.4	33.9	9.8	35.0	19.9	40.6	17.2	39.4	18.5	40.0	15.6	38.3	11.5	36.8	13.5	37.5
21	62.50	18.8	38.8	14.5	37.1	16.5	38.0	25.6	43.0	23.4	42.0	24.5	42.5	21.6	40.8	18.3	39.6	19.9	40.2
22	66.67	24.7	41.6	22.4	40.2	23.5	41.0	31.7	45.3	29.7	44.6	30.7	44.9	27.7	43.4	25.5	42.4	26.5	42.9
23	70.83	31.0	44.4	30.9	43.4	31.0	43.9	39.4	47.7	38.6	47.1	39.0	47.4	34.6	46.0	34.2	45.2	34.4	45.6
24	75.00	43.8	47.2	43.8	46.5	43.8	46.9	57.2	50.1	51.2	49.7	54.1	49.9	49.5	48.5	46.9	48.0	48.2	48.3
25	79.17	52.5	50.0	53.3	49.7	52.9	49.8	64.9	52.4	64.3	52.2	64.6	52.3	57.7	51.1	58.0	50.9	57.9	51.0
26	83.33	60.5	52.8	63.4	52.8	62.0	52.8	69.9	54.8	71.8	54.8	70.9	54.8	64.4	53.7	67.0	53.7	65.8	53.7
27	87.50	70.6	55.6	74.4	56.0	72.5	55.8	76.0	57.2	77.7	57.3	76.9	57.2	72.9	56.2	75.8	56.5	74.4	56.4
28	91.67	81.6	58.4	81.9	59.1	81.8	58.7	81.3	59.5	83.6	59.9	82.5	59.7	81.5	58.8	82.7	59.3	82.1	59.1
29	95.83	87.6	61.2	90.2	62.3	88.9	61.7	88.2	61.9	91.1	62.5	89.7	62.2	87.8	61.4	90.6	62.2	89.3	61.8
30	100.00	100.0	64.0	100.0	65.4	100.0	64.6	100.0	64.3	100.0	65.0	100.0	64.6	100.0	63.9	100.0	65.0	100.0	64.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 167: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Social Support & Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=333)		Males (n=357)		All (n=690)		Females (n=238)		Males (n=260)		All (n=498)		Females (n=571)		Males (n=617)		All (n=1188)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00							0.7	13.5			0.3	14.4	0.3	10.9			0.1	11.0
7	4.17							0.7	15.7	0.6	17.0	0.5	16.6	0.3	13.2	0.3	13.3	0.2	13.4
8	8.33			0.4	12.1	0.2	12.9	0.7	17.9	0.6	19.3	0.5	18.8	0.3	15.6	0.4	15.7	0.3	15.7
9	12.50	0.5	16.1	0.7	14.7	0.5	15.4	0.7	20.1	0.6	21.5	0.5	21.2	0.4	17.9	0.6	18.1	0.4	18.1
10	16.67	0.5	18.6	0.7	17.3	0.5	17.9	1.0	22.3	1.0	23.8	0.8	23.2	0.6	20.3	0.7	20.6	0.6	20.5
11	20.83	0.5	21.0	0.7	19.9	0.5	20.5	1.8	24.5	1.6	26.1	1.6	25.5	0.9	22.6	1.0	23.0	0.9	22.9
12	25.00	1.5	23.5	1.7	22.5	1.6	23.0	3.0	26.7	3.8	28.3	3.4	27.7	2.1	25.0	2.6	25.4	2.3	25.2
13	29.17	2.2	25.9	2.4	25.1	2.2	25.5	5.0	28.9	4.4	30.6	4.6	29.9	3.3	27.3	3.1	27.8	3.2	27.6
14	33.33	3.0	28.4	2.7	27.7	2.8	28.1	5.7	31.1	5.4	32.8	5.4	32.1	4.0	29.7	3.7	30.2	3.9	30.0
15	37.50	3.7	30.9	3.7	30.3	3.6	30.6	6.1	33.3	8.8	35.1	7.4	34.3	4.5	32.0	5.8	32.6	5.2	32.4
16	41.67	4.8	33.3	4.3	32.9	4.5	33.1	8.4	35.5	10.8	37.3	9.6	36.5	6.3	34.3	7.0	35.0	6.6	34.7
17	45.83	7.2	35.8	7.6	35.5	7.4	35.6	10.1	37.7	15.0	39.6	12.6	38.7	8.4	36.7	10.7	37.5	9.6	37.1
18	50.00	17.4	38.3	14.9	38.1	16.1	38.2	21.8	39.9	28.8	41.8	25.4	41.0	19.2	39.0	20.7	39.9	20.0	39.5
19	54.17	22.8	40.7	19.9	40.6	21.3	40.7	24.3	42.1	34.2	44.1	29.5	43.2	23.4	41.4	25.9	42.3	24.7	41.9
20	58.33	27.3	43.2	26.7	43.2	27.0	43.2	31.4	44.3	38.4	46.3	35.1	45.4	29.0	43.7	31.6	44.7	30.4	44.2
21	62.50	34.8	45.7	35.3	45.8	35.1	45.8	36.0	46.5	43.8	48.6	40.1	47.6	35.3	46.1	38.9	47.1	37.2	46.6
22	66.67	46.6	48.1	47.1	48.4	46.8	48.3	44.0	48.7	51.5	50.8	47.9	49.8	45.5	48.4	48.9	49.5	47.3	49.0
23	70.83	52.6	50.6	58.0	51.0	55.4	50.8	51.2	50.9	62.7	53.1	57.2	52.0	52.0	50.7	60.0	51.9	56.1	51.4
24	75.00	70.9	53.1	73.6	53.6	72.3	53.3	67.7	53.1	76.9	55.3	72.5	54.2	69.6	53.1	75.0	54.3	72.4	53.7
25	79.17	77.2	55.5	78.1	56.2	77.7	55.9	74.0	55.3	82.3	57.6	78.3	56.5	75.9	55.4	79.9	56.8	77.9	56.1
26	83.33	82.0	58.0	84.0	58.8	83.0	58.4	80.7	57.5	87.3	59.8	84.1	58.7	81.4	57.8	85.4	59.2	83.5	58.5
27	87.50	85.9	60.5	88.8	61.4	87.4	60.9	86.5	59.7	90.8	62.1	88.7	60.9	86.1	60.1	89.6	61.6	87.9	60.8
28	91.67	89.8	62.9	93.0	64.0	91.4	63.4	89.9	61.9	92.7	64.3	91.4	63.1	89.8	62.5	92.9	64.0	91.4	63.2
29	95.83	92.8	65.4	95.5	66.6	94.2	66.0	92.4	64.1	95.0	66.6	93.8	65.3	92.6	64.8	95.3	66.4	94.0	65.6
30	100.00	100.0	67.9	100.0	69.2	100.0	68.5	100.0	66.4	100.0	68.8	100.0	67.5	100.0	67.1	100.0	68.8	100.0	68.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 168: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=335)		Males (n=369)		All (n=704)		Females (n=233)		Males (n=265)		All (n=498)		Females (n=568)		Males (n=634)		All (n=1202)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
6	0.00									0.6	12.8	0.3	10.4			0.2	8.6	0.1	6.3
7	4.17									1.0	15.2	0.5	12.8			0.4	11.0	0.2	8.8
8	8.33	0.5	3.2			0.2	5.5			1.9	17.6	1.0	15.2	0.3	7.8	0.8	13.4	0.5	11.3
9	12.50	0.5	6.0	0.4	9.6	0.4	8.2			1.9	20.0	1.0	17.7	0.3	10.4	1.0	15.9	0.6	13.8
10	16.67	0.5	8.7	0.4	12.3	0.4	10.9	0.7	16.2	1.9	22.3	1.3	20.1	0.5	13.0	1.0	18.3	0.7	16.2
11	20.83	0.5	11.5	0.4	15.0	0.4	13.6	0.7	18.8	2.5	24.7	1.5	22.5	0.5	15.6	1.2	20.7	0.8	18.7
12	25.00	0.5	14.2	0.4	17.6	0.4	16.3	1.1	21.3	2.8	27.0	1.9	24.9	0.6	18.2	1.4	23.1	0.9	21.2
13	29.17	0.8	17.0	0.7	20.3	0.6	19.0	1.1	23.9	3.8	29.4	2.4	27.3	0.8	20.8	1.9	25.5	1.3	23.7
14	33.33	1.1	19.7	1.2	23.0	1.0	21.7	1.5	26.5	4.9	31.8	3.2	29.7	1.1	23.4	2.7	28.0	1.9	26.1
15	37.50	1.3	22.5	1.9	25.6	1.6	24.4	3.1	29.1	7.1	34.2	5.2	32.2	2.0	26.0	4.1	30.4	3.1	28.6
16	41.67	1.6	25.3	3.5	28.3	2.5	27.0	5.7	31.6	10.1	36.5	8.0	34.6	3.2	28.6	6.3	32.8	4.8	31.1
17	45.83	3.3	28.0	4.8	31.0	4.1	29.7	8.2	34.2	14.2	38.9	11.4	37.0	5.3	31.2	8.8	35.2	7.1	33.6
18	50.00	6.2	30.8	7.0	33.6	6.6	32.4	11.2	36.8	20.7	41.3	16.2	39.4	8.3	33.8	12.7	37.6	10.6	36.0
19	54.17	8.6	33.5	10.5	36.3	9.6	35.1	17.7	39.4	26.3	43.6	22.3	41.9	12.3	36.4	17.1	40.1	14.8	38.5
20	58.33	11.9	36.3	15.4	39.0	13.7	37.8	26.6	41.9	34.3	46.0	30.7	44.3	17.9	39.0	23.3	42.5	20.8	41.0
21	62.50	14.6	39.1	21.6	41.6	18.3	40.5	32.6	44.5	43.4	48.4	38.3	46.7	22.0	41.6	30.7	44.9	26.6	43.5
22	66.67	19.4	41.8	30.2	44.3	25.0	43.2	39.3	47.1	50.5	50.7	45.3	49.1	27.6	44.2	38.7	47.3	33.4	46.0
23	70.83	28.0	44.6	40.5	47.0	34.6	45.9	48.8	49.7	64.2	53.1	56.9	51.5	36.5	46.8	50.4	49.7	43.8	48.4
24	75.00	45.1	47.3	57.4	49.7	51.5	48.6	65.5	52.2	77.8	55.5	72.0	54.0	53.4	49.4	65.9	52.2	60.0	50.9
25	79.17	54.4	50.1	64.2	52.3	59.5	51.3	73.3	54.8	85.0	57.8	79.5	56.4	62.1	52.0	72.9	54.6	67.8	53.4
26	83.33	63.6	52.8	72.9	55.0	68.5	54.0	79.8	57.4	89.5	60.2	84.9	58.8	70.2	54.7	79.8	57.0	75.3	55.9
27	87.50	71.6	55.6	78.9	57.7	75.4	56.7	84.5	60.0	93.3	62.6	89.2	61.2	76.9	57.3	84.9	59.4	81.1	58.3
28	91.67	80.9	58.4	84.8	60.3	82.9	59.3	91.0	62.6	95.9	65.0	93.6	63.6	85.0	59.9	89.4	61.8	87.3	60.8
29	95.83	89.2	61.1	90.2	63.0	89.7	62.0	94.9	65.1	98.1	67.3	96.6	66.1	91.5	62.5	93.5	64.3	92.6	63.3
30	100.00	100.0	63.9	100.0	65.7	100.0	64.7	100.0	67.7	100.0	69.7	100.0	68.5	100.0	65.1	100.0	66.7	100.0	65.8

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 169: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Social Acceptance

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=337)		Males (n=373)		All (n=710)		Females (n=245)		Males (n=272)		All (n=517)		Females (n=582)		Males (n=645)		All (n=1228)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
3	0.00	0.5	-1.1			0.2	-2.2	0.6	-4.6			0.3	-1.5	0.4	-2.4			0.2	-1.9
4	8.33	0.5	3.9	0.4	1.9	0.4	2.9	0.6	0.7	0.6	5.6	0.5	3.5	0.4	2.7	0.4	3.6	0.3	3.2
5	16.67	0.5	8.9	0.4	7.1	0.4	8.0	0.6	6.0	0.9	10.4	0.7	8.6	0.4	7.8	0.6	8.7	0.5	8.3
6	25.00	2.7	13.9	1.4	12.3	2.0	13.1	0.6	11.2	1.9	15.3	1.2	13.6	1.7	12.9	1.6	13.7	1.6	13.4
7	33.33	3.4	18.9	2.4	17.5	2.8	18.2	1.1	16.5	2.7	20.2	1.8	18.7	2.3	18.0	2.5	18.8	2.4	18.4
8	41.67	4.2	23.9	3.2	22.7	3.7	23.3	2.1	21.8	3.5	25.1	2.7	23.7	3.3	23.1	3.3	23.8	3.3	23.5
9	50.00	5.4	28.9	4.5	28.0	4.9	28.4	4.5	27.1	6.7	30.0	5.6	28.7	5.0	28.2	5.4	28.9	5.2	28.6
10	58.33	6.9	33.9	7.2	33.2	7.0	33.5	6.5	32.3	8.5	34.9	7.6	33.8	6.7	33.3	7.8	33.9	7.3	33.6
11	66.67	9.5	38.9	11.8	38.4	10.7	38.6	10.9	37.6	14.8	39.7	13.0	38.8	10.1	38.4	13.1	39.0	11.7	38.7
12	75.00	30.4	43.8	33.9	43.6	32.2	43.7	35.0	42.9	35.4	44.6	35.2	43.9	32.3	43.5	34.5	44.1	33.5	43.8
13	83.33	48.2	48.8	47.0	48.8	47.6	48.8	46.8	48.2	51.5	49.5	49.3	48.9	47.6	48.6	48.9	49.1	48.3	48.9
14	91.67	65.9	53.8	65.7	54.0	65.8	53.9	56.2	53.4	64.7	54.4	60.7	53.9	61.9	53.7	65.3	54.2	63.7	53.9
15	100.00	100.0	58.8	100.0	59.3	100.0	59.0	100.0	58.7	100.0	59.3	100.0	59.0	100.0	58.8	100.0	59.2	100.0	59.0

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 170: UK – United Kingdom. Individual norm data KIDSCREEN-52-PROXY Financial Resources

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=333)		Males (n=364)		All (n=697)		Females (n=246)		Males (n=271)		All (n=517)		Females (n=579)		Males (n=635)		All (n=1214)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
<b>3</b>	<b>0.00</b>	0.5	15.6	0.6	16.6	0.5	16.1	0.9	20.0	0.6	21.2	0.6	20.6	0.5	17.8	0.5	18.8	0.5	18.4
<b>4</b>	<b>8.33</b>	1.2	19.5	1.2	20.4	1.2	20.0	2.1	23.6	2.2	24.7	2.1	24.2	1.5	21.5	1.6	22.5	1.6	22.0
<b>5</b>	<b>16.67</b>	1.9	23.3	1.8	24.2	1.7	23.8	3.3	27.2	3.1	28.2	3.1	27.8	2.4	25.2	2.2	26.1	2.3	25.7
<b>6</b>	<b>25.00</b>	3.3	27.1	3.3	28.0	3.3	27.6	4.1	30.8	6.6	31.7	5.4	31.3	3.6	28.9	4.7	29.8	4.2	29.4
<b>7</b>	<b>33.33</b>	5.7	30.9	6.6	31.7	6.2	31.4	8.1	34.4	10.7	35.3	9.4	34.9	6.7	32.6	8.3	33.4	7.6	33.0
<b>8</b>	<b>41.67</b>	9.3	34.8	12.4	35.5	10.9	35.2	13.4	38.0	16.6	38.8	15.0	38.4	11.0	36.3	14.2	37.1	12.7	36.7
<b>9</b>	<b>50.00</b>	19.9	38.6	21.5	39.3	20.7	39.0	30.1	41.6	31.0	42.3	30.6	42.0	24.2	40.0	25.5	40.7	24.9	40.4
<b>10</b>	<b>58.33</b>	27.1	42.4	28.4	43.1	27.8	42.8	38.2	45.1	38.0	45.8	38.1	45.5	31.8	43.7	32.5	44.4	32.1	44.0
<b>11</b>	<b>66.67</b>	34.9	46.2	38.0	46.9	36.5	46.6	45.9	48.7	49.0	49.4	47.6	49.1	39.6	47.4	42.7	48.0	41.2	47.7
<b>12</b>	<b>75.00</b>	57.5	50.1	58.3	50.7	57.9	50.4	65.3	52.3	68.0	52.9	66.7	52.6	60.8	51.0	62.4	51.7	61.6	51.4
<b>13</b>	<b>83.33</b>	65.6	53.9	69.2	54.5	67.5	54.2	71.0	55.9	73.5	56.4	72.3	56.2	67.9	54.7	71.1	55.3	69.5	55.1
<b>14</b>	<b>91.67</b>	75.1	57.7	79.1	58.3	77.2	58.0	82.4	59.5	83.8	59.9	83.1	59.7	78.2	58.4	81.1	59.0	79.7	58.7
<b>15</b>	<b>100.00</b>	100.0	61.5	100.0	62.1	100.0	61.8	100.0	63.1	100.0	63.5	100.0	63.3	100.0	62.1	100.0	62.6	100.0	62.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 171: UK – United Kingdom. Individual norm data KIDSCREEN-27 Physical Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=341)		Males (n=369)		All (n=710)		Females (n=244)		Males (n=272)		All (n=516)		Females (n=585)		Males (n=641)		All (n=1226)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
5	0.00	0.5	4.7			0.2	4.5	0.7	14.7			0.3	12.2	0.4	10.6			0.2	8.7
6	5.56	0.5	8.1			0.2	7.8	0.7	17.7			0.3	15.3	0.4	13.7			0.2	11.9
7	11.11	0.5	11.5			0.2	11.2	1.1	20.7			0.5	18.3	0.6	16.8			0.3	15.0
8	16.67	0.5	14.8	0.8	14.1	0.6	14.5	1.8	23.7	0.8	18.2	1.2	21.4	0.9	19.9	0.8	16.2	0.8	18.2
9	22.22	1.0	18.2	1.2	17.5	1.0	17.9	2.9	26.7	1.6	21.4	2.1	24.4	1.7	23.0	1.3	19.5	1.5	21.4
10	27.78	1.4	21.6	1.7	20.8	1.4	21.3	4.5	29.7	2.1	24.7	3.1	27.5	2.6	26.1	1.7	22.8	2.1	24.5
11	33.33	1.7	25.0	2.0	24.2	1.7	24.6	6.9	32.7	3.0	27.9	4.8	30.6	3.7	29.2	2.4	26.0	3.0	27.7
12	38.89	3.3	28.4	2.7	27.5	3.0	28.0	10.2	35.7	6.3	31.1	8.1	33.6	6.2	32.3	4.2	29.3	5.1	30.9
13	44.44	5.9	31.8	3.8	30.9	4.8	31.4	14.7	38.7	8.5	34.3	11.4	36.7	9.6	35.4	5.8	32.6	7.6	34.0
14	50.00	9.4	35.2	7.6	34.2	8.5	34.7	21.3	41.7	13.2	37.6	17.0	39.8	14.4	38.5	10.0	35.8	12.1	37.2
15	55.56	13.5	38.6	12.7	37.6	13.1	38.1	32.8	44.7	21.3	40.8	26.7	42.8	21.5	41.6	16.3	39.1	18.8	40.4
16	61.11	24.3	41.9	20.5	40.9	22.4	41.4	44.6	47.7	29.8	44.0	36.8	45.9	32.8	44.7	24.5	42.4	28.4	43.6
17	66.67	35.7	45.3	33.3	44.3	34.5	44.8	58.6	50.7	41.5	47.3	49.6	49.0	45.3	47.8	36.8	45.6	40.8	46.7
18	72.22	51.0	48.7	48.5	47.6	49.7	48.2	68.1	53.7	58.5	50.5	63.0	52.1	58.1	50.9	52.7	48.9	55.3	49.9
19	77.78	65.1	52.1	60.4	51.0	62.7	51.5	81.2	56.7	70.9	53.7	75.8	55.1	71.8	54.0	64.8	52.2	68.2	53.1
20	83.33	75.9	55.5	68.0	54.3	71.8	54.9	86.2	59.7	77.5	57.0	81.6	58.2	80.2	57.1	72.0	55.4	75.9	56.2
21	88.89	83.0	58.9	77.7	57.7	80.2	58.2	91.9	62.7	87.5	60.2	89.6	61.3	86.7	60.2	81.9	58.7	84.2	59.4
22	94.44	90.6	62.3	88.8	61.0	89.7	61.6	97.2	65.7	93.7	63.4	95.4	64.3	93.3	63.4	90.9	62.0	92.1	62.6
23	100.00	100.0	65.7	100.0	64.4	100.0	65.0	100.0	68.7	100.0	66.6	100.0	67.4	100.0	66.5	100.0	65.2	100.0	65.7

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).



Table A7\_E - 172: UK – United Kingdom. Individual norm data KIDSCREEN-27 Psychological Well-being

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=336)		Males (n=366)		All (n=702)		Females (n=242)		Males (n=269)		All (n=511)		Females (n=578)		Males (n=635)		All (n=1213)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29	0.5	-5.4			0.2	-8.4							0.3	1.7			0.1	-0.1
12	17.86	0.5	-2.3			0.2	-5.1							0.3	4.5			0.1	2.8
13	21.43	0.5	0.8			0.2	-1.9			0.6	11.0	0.3	11.8	0.3	7.3	0.2	4.0	0.2	5.7
14	25.00	0.5	3.9			0.2	1.4			1.0	13.6	0.5	14.4	0.3	10.1	0.4	7.0	0.3	8.6
15	28.57	0.5	7.0	0.4	2.1	0.4	4.7	1.0	17.7	1.0	16.3	0.9	17.0	0.6	12.9	0.6	10.0	0.5	11.5
16	32.14	0.8	10.1	0.4	5.6	0.5	7.9	1.5	20.3	1.3	18.9	1.2	19.6	0.9	15.7	0.7	12.9	0.8	14.4
17	35.71	0.8	13.2	0.4	9.0	0.5	11.2	1.9	22.9	2.0	21.5	1.8	22.3	1.1	18.5	1.0	15.9	1.0	17.2
18	39.29	1.1	16.3	0.4	12.5	0.6	14.4	2.9	25.5	2.4	24.1	2.5	24.9	1.7	21.3	1.2	18.9	1.4	20.1
19	42.86	1.4	19.3	0.7	15.9	0.9	17.7	3.8	28.1	2.8	26.7	3.1	27.5	2.3	24.1	1.5	21.8	1.8	23.0
20	46.43	1.9	22.4	0.7	19.4	1.2	21.0	5.8	30.8	5.2	29.4	5.5	30.1	3.4	26.9	2.5	24.8	3.0	25.9
21	50.00	2.4	25.5	1.0	22.8	1.6	24.2	7.8	33.4	6.4	32.0	7.0	32.7	4.6	29.7	3.2	27.8	3.9	28.8
22	53.57	3.9	28.6	2.4	26.2	3.1	27.5	9.5	36.0	9.0	34.6	9.2	35.3	6.2	32.5	5.2	30.8	5.7	31.6
23	57.14	6.2	31.7	4.3	29.6	5.2	30.7	12.7	38.6	11.9	37.2	12.3	37.9	9.0	35.3	7.6	33.7	8.2	34.5
24	60.71	7.4	34.8	7.6	33.1	7.5	34.0	19.4	41.2	18.9	39.9	19.1	40.5	12.4	38.1	12.4	36.7	12.4	37.4
25	64.29	12.1	37.9	10.4	36.5	11.2	37.2	26.8	43.8	23.0	42.5	24.8	43.1	18.3	40.9	15.7	39.7	17.0	40.3
26	67.86	20.5	41.0	18.0	39.9	19.2	40.5	37.5	46.5	28.6	45.1	32.8	45.8	27.7	43.7	22.5	42.6	25.0	43.2
27	71.43	26.5	44.1	27.0	43.4	26.8	43.8	47.1	49.1	40.5	47.7	43.6	48.4	35.1	46.5	32.7	45.6	33.9	46.0
28	75.00	39.0	47.2	41.6	46.8	40.4	47.0	61.9	51.7	50.5	50.3	55.9	51.0	48.6	49.3	45.4	48.6	46.9	48.9
29	78.57	54.8	50.3	55.9	50.3	55.3	50.3	70.6	54.3	61.4	53.0	65.8	53.6	61.4	52.1	58.2	51.6	59.7	51.8
30	82.14	67.6	53.4	72.2	53.7	70.0	53.5	80.6	56.9	75.9	55.6	78.1	56.2	73.1	54.9	73.8	54.5	73.4	54.7
31	85.71	79.5	56.5	82.3	57.1	80.9	56.8	88.0	59.5	86.0	58.2	86.9	58.8	83.0	57.7	83.9	57.5	83.5	57.6
32	89.29	89.0	59.6	90.2	60.6	89.6	60.0	92.6	62.1	91.1	60.8	91.8	61.4	90.5	60.5	90.6	60.5	90.6	60.4
33	92.86	95.5	62.7	94.9	64.0	95.2	63.3	95.1	64.8	96.7	63.5	95.9	64.0	95.3	63.3	95.6	63.4	95.5	63.3
34	96.43	98.8	65.8	97.8	67.4	98.3	66.6	97.5	67.4	98.5	66.1	98.1	66.6	98.3	66.1	98.1	66.4	98.2	66.2
35	100.00	100.0	68.9	100.0	70.9	100.0	69.8	100.0	70.0	100.0	68.7	100.0	69.2	100.0	68.9	100.0	69.4	100.0	69.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 173: UK – United Kingdom. Individual norm data KIDSCREEN-27 Parent Relations & Autonomy

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=329)		Males (n=359)		All (n=688)		Females (n=245)		Males (n=269)		All (n=514)		Females (n=574)		Males (n=628)		All (n=1202)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
7	0.00																		
8	3.57																		
9	7.14																		
10	10.71																		
11	14.29																		
12	17.86									0.6	14.6	0.3	14.4			0.3	10.7	0.1	10.8
13	21.43									0.6	16.8	0.3	16.6			0.3	13.1	0.1	13.2
14	25.00									0.6	19.0	0.3	18.9			0.3	15.5	0.1	15.5
15	28.57							0.6	21.0	0.6	21.2	0.5	21.1	0.3	18.0	0.3	17.8	0.2	17.9
16	32.14	0.5	20.0	0.4	19.4	0.3	19.7	0.6	23.2	1.0	23.4	0.7	23.3	0.3	20.4	0.4	20.2	0.3	20.3
17	35.71	0.5	22.5	0.4	22.0	0.3	22.2	1.0	25.4	1.0	25.6	0.9	25.5	0.6	22.7	0.6	22.5	0.5	22.6
18	39.29	1.5	25.0	0.9	24.5	1.2	24.7	1.7	27.6	2.3	27.8	1.9	27.7	0.9	25.0	1.1	24.9	1.0	25.0
19	42.86	2.2	27.5	1.7	27.1	1.9	27.3	2.9	29.9	3.4	30.0	3.1	30.0	2.1	27.4	1.9	27.3	2.0	27.3
20	46.43	2.6	29.9	3.9	29.6	3.2	29.8	4.5	32.1	4.9	32.2	4.7	32.2	3.1	29.7	3.0	29.6	3.1	29.7
21	50.00	4.2	32.4	7.3	32.1	5.8	32.3	7.3	34.3	7.8	34.5	7.6	34.4	4.5	32.1	5.6	32.0	5.1	32.1
22	53.57	4.2	32.4	7.3	32.1	5.8	32.3	11.5	36.5	11.5	36.7	11.5	36.6	7.3	34.4	9.1	34.4	8.2	34.4
23	57.14	8.5	34.9	10.0	34.7	9.3	34.8	16.0	38.8	16.7	38.9	16.4	38.8	11.7	36.8	12.9	36.8	12.3	36.8
24	60.71	12.7	37.4	13.9	37.2	13.3	37.3	22.5	41.0	23.4	41.1	23.0	41.0	16.9	39.1	18.0	39.1	17.5	39.1
25	64.29	19.7	39.9	20.4	39.8	20.0	39.8	29.0	43.2	29.0	43.3	29.0	43.3	23.7	41.5	24.1	41.5	23.9	41.5
26	67.86	28.5	42.4	26.5	42.3	27.4	42.4	37.6	45.4	34.9	45.5	36.2	45.5	32.4	43.8	30.1	43.9	31.2	43.8
27	71.43	37.0	44.9	32.3	44.9	34.6	44.9	47.8	47.7	45.0	47.7	46.3	47.7	41.6	46.2	37.7	46.2	39.6	46.2
28	75.00	46.1	47.4	42.3	47.4	44.1	47.4	54.3	49.9	52.7	49.9	53.5	49.9	49.7	48.5	46.8	48.6	48.1	48.6
29	78.57	52.8	49.9	52.1	50.0	52.4	49.9	63.3	52.1	61.3	52.1	62.2	52.1	57.3	50.9	56.0	51.0	56.6	50.9
30	82.14	61.6	52.3	61.6	52.5	61.6	52.4	68.6	54.3	69.4	54.4	69.0	54.3	64.6	53.2	64.9	53.3	64.8	53.3
31	85.71	71.1	54.8	69.3	55.1	70.2	55.0	74.7	56.6	75.0	56.6	74.9	56.6	72.6	55.6	71.8	55.7	72.2	55.6
32	89.29	77.5	57.3	79.1	57.6	78.3	57.5	79.6	58.8	81.0	58.8	80.3	58.8	78.4	57.9	79.9	58.1	79.2	58.0
33	92.86	82.9	59.8	86.4	60.2	84.7	60.0	84.1	61.0	86.2	61.0	85.2	61.0	83.4	60.3	86.3	60.4	84.9	60.4
34	96.43	90.3	62.3	94.4	62.7	92.4	62.5	91.8	63.2	93.0	63.2	92.4	63.2	90.9	62.6	93.8	62.8	92.4	62.7
35	100.00	94.2	64.8	96.9	65.2	95.6	65.0	96.8	65.4	95.9	65.4	96.3	65.4	95.3	65.0	96.5	65.2	95.9	65.1
		100.0	67.3	100.0	67.8	100.0	67.5	100.0	67.7	100.0	67.6	100.0	67.6	100.0	67.3	100.0	67.5	100.0	67.4

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 174: UK – United Kingdom. Individual norm data KIDSCREEN-27 Social Support &amp; Peers

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=335)		Males (n=363)		All (n=698)		Females (n=241)		Males (n=267)		All (n=508)		Females (n=576)		Males (n=630)		All (n=1206)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00			0.6	8.3	0.3	8.7	0.7	14.6	0.6	15.2	0.5	15.1	0.3	11.7	0.5	11.7	0.3	11.8
5	6.25			0.6	12.0	0.3	12.4	1.1	17.8	0.6	18.5	0.7	18.3	0.5	15.1	0.5	15.2	0.5	15.2
6	12.50	0.5	16.4	0.6	15.8	0.5	16.1	1.1	21.0	1.0	21.8	0.9	21.5	0.6	18.6	0.7	18.7	0.6	18.7
7	18.75	0.5	20.1	0.6	19.5	0.5	19.8	1.8	24.2	1.6	25.1	1.6	24.8	0.9	22.0	1.0	22.2	0.9	22.2
8	25.00	1.5	23.7	1.9	23.2	1.7	23.4	4.1	27.4	3.0	28.4	3.5	28.0	2.6	25.4	2.4	25.7	2.5	25.6
9	31.25	2.4	27.3	2.6	26.9	2.4	27.1	5.5	30.6	5.6	31.7	5.5	31.2	3.6	28.8	3.8	29.3	3.7	29.1
10	37.50	3.9	30.9	3.9	30.6	3.9	30.8	7.1	33.8	7.9	35.0	7.5	34.5	5.2	32.3	5.6	32.8	5.4	32.5
11	43.75	6.0	34.6	6.4	34.4	6.2	34.5	10.0	37.0	13.5	38.3	11.8	37.7	7.7	35.7	9.4	36.3	8.6	36.0
12	50.00	20.2	38.2	16.0	38.1	18.0	38.1	22.3	40.1	31.1	41.6	26.9	40.9	21.1	39.1	22.4	39.8	21.8	39.5
13	56.25	26.5	41.8	24.0	41.8	25.2	41.8	29.4	43.3	36.0	44.9	32.9	44.2	27.7	42.5	29.1	43.3	28.4	42.9
14	62.50	35.7	45.4	36.1	45.5	35.9	45.5	36.9	46.5	43.1	48.2	40.1	47.4	36.2	45.9	39.0	46.8	37.7	46.4
15	68.75	49.4	49.1	51.7	49.3	50.6	49.2	47.7	49.7	56.2	51.5	52.1	50.6	48.7	49.4	53.6	50.3	51.3	49.8
16	75.00	71.0	52.7	73.5	53.0	72.3	52.8	69.3	52.9	77.9	54.8	73.8	53.9	70.3	52.8	75.4	53.8	72.9	53.3
17	81.25	78.8	56.3	79.8	56.7	79.3	56.5	78.9	56.1	85.0	58.1	82.1	57.1	78.8	56.2	82.0	57.3	80.5	56.7
18	87.50	86.2	59.9	87.3	60.4	86.8	60.2	84.7	59.3	90.3	61.4	87.6	60.3	85.6	59.6	88.5	60.8	87.1	60.2
19	93.75	91.0	63.6	94.5	64.2	92.8	63.9	91.3	62.5	92.9	64.7	92.1	63.6	91.1	63.0	93.8	64.3	92.5	63.7
20	100.00	100.0	67.2	100.0	67.9	100.0	67.5	100.0	65.7	100.0	68.0	100.0	66.8	100.0	66.5	100.0	67.8	100.0	67.1

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population ( $M = 50$ ,  $SD = 10$ ).

Table A7\_E - 175: UK – United Kingdom. Individual norm data KIDSCREEN-27 School Environment

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=336)		Males (n=370)		All (n=706)		Females (n=234)		Males (n=266)		All (n=500)		Females (n=570)		Males (n=636)		All (n=1206)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
4	0.00									0.6	12.3	0.3	9.2			0.2	7.5	0.1	4.7
5	6.25									0.9	15.8	0.5	12.8			0.4	11.2	0.2	8.5
6	12.50	0.5	4.7			0.2	7.5			1.9	19.3	1.0	16.4	0.3	8.3	0.8	14.8	0.5	12.3
7	18.75	0.5	9.0	0.4	13.3	0.4	11.6			2.4	22.7	1.3	20.0	0.3	12.4	1.1	18.5	0.7	16.1
8	25.00	0.5	13.2	0.7	17.3	0.5	15.7	1.0	19.4	3.4	26.2	2.2	23.7	0.6	16.4	1.7	22.2	1.2	19.9
9	31.25	1.0	17.5	0.7	21.4	0.8	19.8	1.0	23.3	4.2	29.7	2.6	27.3	0.9	20.5	2.1	25.9	1.5	23.7
10	37.50	1.0	21.8	1.7	25.4	1.3	23.9	2.2	27.2	6.0	33.2	4.2	30.9	1.5	24.5	3.5	29.6	2.5	27.5
11	43.75	2.1	26.0	3.5	29.5	2.8	28.0	5.6	31.2	11.3	36.6	8.6	34.5	3.5	28.6	6.8	33.2	5.2	31.4
12	50.00	5.6	30.2	8.9	33.5	7.4	32.1	10.7	35.1	19.5	40.1	15.4	38.1	7.7	32.6	13.4	36.9	10.7	35.2
13	56.25	10.7	34.5	15.9	37.6	13.4	36.2	19.7	39.0	27.8	43.6	24.0	41.8	14.4	36.7	20.9	40.6	17.8	39.0
14	62.50	15.7	38.7	21.8	41.6	18.9	40.4	29.1	43.0	39.9	47.1	34.8	45.4	21.2	40.7	29.4	44.3	25.5	42.8
15	68.75	25.3	43.0	38.4	45.7	32.2	44.5	40.6	46.9	53.4	50.6	47.4	49.0	31.6	44.8	44.7	48.0	38.5	46.6
16	75.00	47.3	47.2	60.3	49.7	54.1	48.6	61.5	50.9	73.0	54.0	67.6	52.6	53.1	48.8	65.6	51.6	59.7	50.4
17	81.25	63.1	51.5	70.1	53.8	66.8	52.7	74.4	54.8	85.0	57.5	80.0	56.2	67.8	52.9	76.3	55.3	72.3	54.2
18	87.50	74.1	55.7	81.1	57.8	77.8	56.8	84.2	58.7	91.0	61.0	87.8	59.8	78.3	56.9	85.2	59.0	81.9	58.0
19	93.75	88.0	60.0	89.7	61.9	88.9	60.9	91.9	62.7	96.2	64.5	94.2	63.5	89.6	61.0	92.4	62.7	91.1	61.8
20	100.00	100.0	64.2	100.0	65.9	100.0	65.0	100.0	66.6	100.0	67.9	100.0	67.1	100.0	65.0	100.0	66.4	100.0	65.6

Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).

Table A7\_E - 176: UK – United Kingdom. Individual norm data KIDSCREEN-10 Index

Raw-Score	0-100 Score	Children 8-11						Adolescents 12-18						Children & Adolescents 8-18					
		Females (n=331)		Males (n=358)		All (n=689)		Females (n=228)		Males (n=263)		All (n=491)		Females (n=559)		Males (n=621)		All (n=1180)	
		PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS	PR	TS
10	0.00																		
11	2.50																		
12	5.00																		
13	7.50																		
14	10.00																		
15	12.50																		
16	15.00																		
17	17.50																		
18	20.00																		
19	22.50																		
20	25.00																		
21	27.50																		
22	30.00																		
23	32.50																		
24	35.00																		
25	37.50							1.0	22.0	0.6	20.8	0.6	21.4	0.4	18.0	0.3	17.9	0.3	18.0
26	40.00							1.0	24.0	1.3	22.9	1.1	23.5	0.4	20.2	0.5	20.1	0.5	20.2
27	42.50			0.4	19.6	0.2	19.2	1.0	26.0	1.3	25.1	1.1	25.6	0.4	22.3	0.8	22.3	0.6	22.4
28	45.00	0.7	21.0	0.4	21.9	0.5	21.5	1.6	28.0	1.8	27.2	1.5	27.6	0.9	24.5	0.9	24.5	0.9	24.5
29	47.50	1.1	23.4	0.4	24.2	0.7	23.8	2.3	30.0	3.1	29.3	2.7	29.6	1.5	26.7	1.5	26.7	1.4	26.7
30	50.00	1.6	25.7	0.9	26.5	1.2	26.2	3.6	32.0	4.6	31.4	4.1	31.7	2.3	28.9	2.4	28.9	2.4	28.9
31	52.50	2.2	28.1	1.5	28.9	1.7	28.5	7.0	34.0	6.5	33.5	6.8	33.8	4.1	31.0	3.6	31.1	3.8	31.1
32	55.00	3.4	30.4	4.2	31.2	3.8	30.8	9.7	36.1	8.1	35.6	8.8	35.8	5.9	33.2	5.8	33.3	5.9	33.3
33	57.50	4.3	32.8	5.9	33.5	5.1	33.2	14.5	38.1	12.6	37.7	13.5	37.9	8.4	35.4	8.7	35.5	8.6	35.4
34	60.00	8.7	35.1	10.1	35.8	9.4	35.5	19.4	40.1	18.0	39.8	18.7	39.9	13.1	37.5	13.4	37.7	13.3	37.6
35	62.50	12.3	37.5	15.6	38.1	14.0	37.8	25.5	42.1	24.5	41.9	25.0	42.0	17.7	39.7	19.4	39.9	18.6	39.8
36	65.00	18.4	39.8	21.8	40.4	20.2	40.1	33.9	44.1	32.1	44.0	32.9	44.1	24.7	41.8	26.1	42.1	25.5	42.0
37	67.50	26.3	42.1	27.4	42.8	26.9	42.5	40.0	46.1	39.7	46.1	39.8	46.1	31.9	44.0	32.6	44.3	32.2	44.2
38	70.00	34.4	44.5	35.2	45.1	34.8	44.8	47.0	48.2	47.3	48.2	47.1	48.2	39.5	46.2	40.3	46.5	40.0	46.4
39	72.50	42.3	46.8	43.7	47.4	43.0	47.1	54.0	50.2	56.4	50.3	55.3	50.2	47.1	48.3	49.0	48.7	48.1	48.5
40	75.00	51.9	49.2	53.9	49.7	52.9	49.5	59.7	52.2	61.7	52.4	60.8	52.3	55.1	50.5	57.2	50.9	56.2	50.7
41	77.50	60.0	51.5	62.8	52.0	61.5	51.8	68.1	54.2	68.9	54.5	68.5	54.4	63.3	52.7	65.4	53.1	64.4	52.9
42	80.00	68.2	53.9	70.4	54.4	69.4	54.1	76.4	56.2	77.2	56.6	76.8	56.4	71.6	54.8	73.3	55.3	72.5	55.1
43	82.50	75.6	56.2	78.8	56.7	77.2	56.5	82.5	58.2	82.5	58.7	82.5	58.5	78.4	57.0	80.4	57.5	79.4	57.3
44	85.00	82.5	58.6	84.4	59.0	83.5	58.8	86.9	60.2	87.4	60.8	87.2	60.5	84.3	59.2	85.7	59.7	85.0	59.4
45	87.50	87.0	60.9	89.4	61.3	88.3	61.1	89.5	62.3	91.6	62.9	90.6	62.6	88.1	61.3	90.3	61.9	89.2	61.6
46	90.00	91.3	63.3	91.3	63.6	91.3	63.4	91.7	64.3	95.0	65.0	93.5	64.7	91.4	63.5	92.9	64.1	92.2	63.8
47	92.50	95.2	65.6	94.1	65.9	94.6	65.8	96.1	66.3	97.7	67.1	96.9	66.7	95.6	65.7	95.6	66.3	95.6	66.0
48	95.00	98.2	68.0	96.9	68.3	97.5	68.1	97.4	68.3	98.5	69.2	98.0	68.8	97.9	67.8	97.6	68.5	97.7	68.2
49	97.50	100.0	70.3	99.4	70.6	99.7	70.4	99.1	70.3	99.2	71.3	99.2	70.8	99.7	70.0	99.3	70.7	99.5	70.4
50	100.00			100.0	72.9	100.0	72.8	100.0	72.3	100.0	73.4	100.0	72.9	100.0	72.2	100.0	72.9	100.0	72.5

*Note: Calculation of scores was restricted to complete cases. PR = percentile; TS = T-score for the particular(sub-)population (M = 50, SD = 10).*